

NUMBER OF FACILITIES REQUIRED ON TOURING & TENTING SITES – Model Standards 1983 (Licence Conditions)	
Condition 4.1	The scale of provision should be 1 toilet and 1 urinal for men and 2 WCs for women per 30 pitches and their location should be to the satisfaction of the licensing authority.
Condition 4.2	The pro rata scale can be reduced where sites have over 120 pitches (see also paragraph 9 below).
Condition 4.3	Toilets may not be justified where sites have less than 10 pitches but on sites with between 10 and 30 pitches at least one WC and 1 urinal for men and 2 toilets for women should be provided.
Condition 4.4	Where the provision of WCs is not feasible or justified entry should be confined to units with their own toilets or chemical closets should be provided.
Condition 5.1	Whether or not WCs are provided, a properly designed disposal point for the contents of chemical closets should be provided together with an adjacent adequate supply of water for cleansing containers.
Condition 5.2	The method of disposal will need to be considered in the light of the particular circumstances and should be to the satisfaction of the local authority and the appropriate Water Authority.
Condition 5.3	Where appropriate, the water supply should be clearly labelled as non-potable.
Condition 6.1	There should be a minimum of 4 wash basins supplied with water per 30 units; 2 each for men and women.
Condition 6.2	They should be adjacent to the toilets.
Condition 7.1	Showers should not be obligatory on sites with less than 70 pitches.
Condition 7.2	If showers are required, provision should be on the basis of 1 shower per 25 pitches and hot water should be available.
Condition 8.1	Particular consideration should be given to the needs of the disabled in the provision made for water points, toilets, washing points and showers.

TOILETS & CHEMICAL CLOSETS - GUIDE	NUMBER OF FACILITIES - MEN								NUMBER OF FACILITIES - WOMEN								Model Standards 1983
		30	45	60	75	90	105	120		30	45	60	75	90	105	120	
Scale of provision per number of pitches		30	45	60	75	90	105	120		30	45	60	75	90	105	120	4.1
Number of WC 's		1	3	4	5	6	7	8		2	3	4	5	6	7	8	4.1
Number of Urinals		1							NA	NA	NA	NA	NA	NA	NA	NA	4.1
Toilets are not justified where sites have less than 10 pitches, but ensuring touring caravans have their own facilities.	For 10 pitches and more – see requirement condition 4.1															4.3	
Where provision of WC is not feasible or justified, entry should be confined to the units with their own toilets, or chemical closets should be provided																4.4	
DISPOSAL POINT FOR CHEMICAL CLOSET & supply of water for cleansing provided																5.2	
Disposal point closet marked non - potable (not for drinking)																5.3	
Number of Wash Hand Basins		2	3	4	5	6	7	8		2	3	4	5	6	7	8	6.1
SHOWERS – HOT WATER 1 Per 25 pitches (if applicable) 25 = 1 50 = 2 75 = 3 100 = 4 (Not obligatory for less than 70 pitches- see condition 12)																	7.1 7.2
Disabled Facilities - Consideration to the needs & provision of water, toilet - wash basins - showers																8.1	