

Deposit Plan: Representation Report

Part 2—Maps



Contents

1.0	Introduction.....	4
2.0	What Happens Next?	4
3.0	Further Information.....	5

PART 1: Summary of Representations on the Map Document¹

SUB-REGIONAL CENTRE	6
1) Bangor	6
URBAN SERVICE CENTRE	12
2) Amlwch	12
3) Holyhead	14
4) Llangefni	20
5) Blaenau Ffestiniog.....	25
6) Caernarfon.....	26
7) Porthmadog	30
8) Pwllheli	32
9) Beaumaris	36
10) Benllech.....	37
11) Bodedern	37
12) Cemaes	38
13) Gaerwen	41
14) Llanfairpwll.....	44
15) Menai Bridge	45
16) Pentraeth	46
17) Rhosneigr	47
18) Valley.....	47
19) Barmouth	47
20) Abersoch	48
21) Bethesda	50
22) Criccieth.....	50
23) Llanberis	51
24) Llanrug.....	52
25) Nefyn	53
26) Penrhyndeudraeth	54
27) Penygroes	57
28) Tywyn	59
SERVICE VILLAGES	60
29) Gwalchmai.....	60
30) Newborough	60
31) Llannerch-y-medd	61
32) Bethel (Gwynedd).....	63
33) Bontnewydd.....	66
34) Botwnnog.....	67
35) Chwilog.....	68
36) Deiniolen.....	70
37) Rachub	70
38) Tremadog	70
39) Y Ffôr.....	70
LOCAL VILLAGES	73
40) Bethel (Anglesey)	73
41) Bodffordd.....	73
42) Bryngwran	74
43) Brynsiencyn.....	74

¹ For the summary of representations on the Written Statement please refer to the Part 1 document

44) Caergeiliog	75
45) Dwyran	76
46) Llandegfan	76
47) Llanddaniel Fab	77
48) Llanfachraeth	78
49) Llanfaethlu	78
50) Llanfechell	78
51) Llanfihangel yn Nhowyn	79
52) Llangaffo	79
53) Llangristiolus	79
54) Llanrhyddlad	80
55) Pencarnisiog	80
56) Penysarn	86
57) Rhosybol	87
58) Talwrn	87
59) Tregele	87
60) Abererch	88
61) Brynrefail	88
62) Caeathro	89
63) Carmel	89
64) Cwm y Glo	89
65) Dinas (Llanwnda)	90
66) Dinas Dinlle	90
67) Dolydd a Maen Coch	90
68) Efailnewydd	90
69) Garndolbenmaen	91
70) Garreg-Llanfrothen	91
71) Groeslon	92
72) Llandwrog	93
73) Llandygai	93
74) Llangybi	93
75) Llanllyfni	94
76) Llanystumdwy	94
77) Nantlle	94
78) Penisarwaun	95
79) Pentref Uchaf	95
80) Rhiwlas	96
81) Rhosgadfan	96
82) Rhostryfan	97
83) Sarn Mellteyrn	97
84) Talysarn	97
85) Trefor	98
86) Tregarth	98
87) Tudweiliog	99
88) Waunfawr	99
89) Y Fron	100
COASTAL / RURAL VILLAGES	100
90) Aberffraw	100
91) Carreglefn	101
92) Llanbedrgoch	101
93) Llanbedrgoch	101
94) Llanfaelog	101
95) Llangoed	102
96) Malltraeth	102
97) Moelfre	102
98) Four Mile Bridge	103
99) Trearddur	103
100) Aberdaron	104
101) Borth y Gest	104
102) Clynnog Fawr	105

103) Corris	105
104) Ederu	105
105) Fairbourne	106
106) Llanaelhearn.....	106
107) Llanbedrog.....	106
108) Llangian	107
109) Llithfaen	107
110) Morfa Bychan	108
111) Morfa Nefyn	108
112) Mynytho	108
113) Rhoshirwaun.....	109
114) Sarn Bach.....	109
115) Y Felinheli.....	110
CLUSTERS	110
Employment Sites	120

1.0 Introduction

- 1.1 The Anglesey and Gwynedd Deposit Local Development Plan (LDP) was subject to public consultation for a six week period between the 16th February and the 31st March 2015. 1700 representations were received during the public consultation.
- 1.2 In accordance with the Town and Country Planning (Local Development Plan) (Wales) Regulations 2005, Regulation 19, a **summary** of the each comment received is now available to view in the form of a Representations Report.

Please note that this is a summary report only. The Councils are not endorsing the representations that are contained in the report or any 'alternative sites' that are referred to in to the representations; they only represent the views of the individuals or organisations who submitted them. The Representation Report is for viewing only and not for comment.

- 1.3 Responses to the Deposit consultation included a number that related to site allocations or development boundaries shown in the Deposit Plan. These 'Alternative Site' representations were submitted by individuals or organisations who consider that the relevant maps should be amended to: include new allocations, remove existing allocations from the Plan or alter them in some way, change the development boundary, or change the make-up of existing clusters. Therefore the Representations Report is divided into two parts:

PART 1	Representations on the Written Statement – the representations relating to the Strategy and the wording of the various Policies and Paragraphs contained in the Deposit Plan. This section follows the same order as the Deposit Plan.
PART 2	Site Specific Representations – the representations seeking changes to the allocations, development boundaries and clusters in the Deposit Plan. This section follows the same order as the schedule of settlements found in appendix 4 of the Deposit Plan. Settlement maps have been created which show the location of the 'Alternative Sites'.

- 1.4 If, having read the summary of individual representations, you wish to see the complete representation you can do so by viewing a library containing a hard copy of all representations received located in the Joint Planning Policy Unit (JPPU) Office. Alternatively a hard copy or an electronic copy of full individual representations can be requested in writing by contacting the JPPU:

Post:
Joint Planning Policy Unit
Bangor City Council Offices,
Ffordd Gwynedd,
Bangor, LL57 1DT

Email:
planningpolicy@gwynedd.gov.uk

2.0 What Happens Next?

- 2.1 All the representations received about the Deposit Plan and the evidence submitted in support will be analysed carefully by the JPPU. When the analysis work has been completed a report which will suggest which steps need to be taken will be prepared. This report will be submitted to the Joint Planning Policy Committee **in January 2016** in order for it to make a decision on how to respond to the representations.

- 2.2 Once the Joint Planning Policy Committee has agreed on how to respond to the representations, the Deposit Plan, background and topic papers, a consultation report (which will set out a summary of each individual representation and the Councils' response), and all the representations received will be submitted to the Welsh Government and Planning Inspectorate for independent examination in **February 2016**. A Planning Inspector will be appointed to assess all duly made representations and the evidence submitted in support of the representations and any changes proposed by the Councils to decide whether the plan is sound. If the Councils have recommended amendments they will be shown in an Appendix to the Deposit Plan, which will be part of the documents pack submitted to the Planning Inspectorate.
- 2.3 A Public Examination will follow and will include a series of Hearings, which will give the Inspector an opportunity to discuss the main issues with individuals who have made representations about the Deposit Plan. The Inspector could recommend amendments to policy, paragraphs or sites based on the evidence received in support of objections. The Council will be required to consult on any amendments that arise from the Examination before the Inspector completes the binding report.

3.0 Further Information

- 3.1 For more information in regard to any aspect of the preparation of the Joint Local Development Plan or if you wish to be placed on the JLDP's consultation database, please contact the JPPU via email planningpolicy@gwynedd.gov.uk or by telephone 01286 685003/01766 771000.

SUB-REGIONAL CENTRE

1) Bangor

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1552	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T1 - Goetra Uchaf, Bangor	Support	* This site has planning permission as such we have no further comment to make
113	CPERA (Cynghorydd Elin Walker Jones) [2760]	POLICY TAI14, T2 - Former Friars School Playing Field, Bangor	Object	Abolish plans to develop 1) the old Friars site on Ffriddoedd Road 2) the Pen y Ffridd site 3) check that there are no plans to develop the area between Ffordd Eithinog and Bryn Eithinog - build on brownfield and not greenfield
1419	CPERA (Cynghorydd Elin Walker Jones) [2760]	POLICY TAI14, T2 - Former Friars School Playing Field, Bangor	Object	I would like to see the justification for proposing the former Friars site - where did this appear and what justification is there for building on this site? It is a mistake to build more houses without carefully considering the infrastructure and amenities and there needs to be planning to ensure that amenities and infrastructure plans are an integral part of any plans for more housing. I would like to see us collecting our own data, basing our need for housing on data rather than on the Welsh Government's figures.
1553	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T2 - Former Friars School Playing Field, Bangor	Object	* This site may be at a height where mains water cannot be guaranteed at all times. Under the Water Industry Act 1991, DCWW are not obliged to provide mains water to a height greater than that it will flow by gravity from the service reservoir or tank the supply is taken. As such it is likely that a hydraulic modelling assessment will be required to establish if improvements are required to the water network to supply water to this site. Any requirement to upgrade our water network can be acquired through the water requisition provisions of the Water Industry.
1554	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T2 - Former Friars School Playing Field, Bangor	Object	* The public sewerage network can accept the potential foul flows from the proposed development site. * The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
671	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	POLICY TAI14, T3 - Former Jewsons Site, Bangor	Object	T3 is a small redevelopment site which has been empty for some time. T3 would seem vulnerable to flooding and therefore inappropriate for housing.
1556	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T3 - Former Jewsons Site, Bangor	Object	* A water supply can be provided to serve this site. * The site would eventually drain to the Bangor Beach Road SPS and an assessment of this SPS may be required to establish whether flows from this site can be accommodated or whether future improvements would be required to the SPS to allow development to proceed.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				* The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
104	Natural Resources Wales (Mr Gareth Thomas) [2757]	POLICY TAI14, T4 - Former Crosville Site, Bangor	Object	<p>The housing allocation T4 is within flood zone C2 of Welsh Government's TAN15: Development Advice Maps. TAN15 confirms highly vulnerable developments should not be located within such areas.</p> <p>A Strategic Flood Consequences Assessment has been completed, but this site was not included within any such assessment. The SFCA, section 9.3 states that none of the allocations fall within zones C1 or C2.</p> <p>Separate Call-In procedures exist where more than 10 dwellings located within zone C2 would need to be called in by the Local Planning Authority to the Welsh Government for direction. The flood risk has not been assessed.</p> <p>Remove allocation T4 from the Joint Local Development Plan, with possible substitution with a suitable alternative sites outside of flood zones C1 and C2</p>
672	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	POLICY TAI14, T4 - Former Crosville Site, Bangor	Support	T4 is a small redevelopment site which has been empty for some time. T4 is broadly acceptable to us.
1084	Cyfoeth Naturiol Cymru / Natural Resource Wales (Ymgynhoriadau Cynllunio) [1521]	POLICY TAI14, T4 - Former Crosville Site, Bangor	Object	The land is located with flood zone C2 of the Welsh Government's TAN15: Development Advice Maps. Developing this land for residential use would contradict national policy guidance contained within TAN15. NRW recommends that either a stage 2 or stage 3 SFCA is prepared and forwarded to NRW for further assessment to demonstrate that developing this site for residential use would comply with the requirements of TAN15 or that this allocation is removed from the Local Development Plan.
1555	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T4 - Former Crosville Site, Bangor	Object	<p>* A water supply can be provided to serve this site.</p> <p>* The site would eventually drain to the Bangor Beach Road SPS and an assessment of this SPS may be required to establish whether flows from this site can be accommodated or whether future improvements would be required to the SPS to allow development to proceed.</p> <p>* The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions</p>
669	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	POLICY TAI14, T5 - Land opposite The Crematorium, Bangor	Support	The proposed sites in Bangor include a green field site (T5) opposite the crematorium, adjacent to the development boundary and within the SLA; this has good access and may not be convenient for agricultural use as it is separated from other fields. T5 is broadly acceptable to us.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1293	RCH Douglas Pennant [3070]	POLICY TAI14, T5 - Land opposite The Crematorium, Bangor	Support	The proposed accocation of circa 72 residential units on T5 is supported for the following reasons: - Deliverability - Positive Planning - Allocated Housing Numbers - Development Principle - Opportunities and constraints - App 1 - Indicative Masterplan - App 2 - Positive Sustainability Appraisal
1299	Cyngor Dinas Bangor (Mr Gwyn Hughes) [1523]	POLICY TAI14, T5 - Land opposite The Crematorium, Bangor	Object	The City Council are of the opinion that: - The site is located in a prominent and attractive rural location, divorced from the built up area of the City of Bangor and the shopping, community facilities and services it provides. It would therefore not be sustainable development as it would encourage the use of motor cars in order to take advantage of these facilities. - It would extend a ribbon development into an attractive rural landscape to the detriment of the character and visual amenities of the area. - The site occupies a prominent location when viewed from the adjoining highway and buildings erected thereon would dominate the skyline and cause serious injury to the visual amenities of the area. - The residential allocation of the site should be re-considered and the development boundary re-drawn to exclude the site.
1345	Cyngor Dinas Bangor (Mr Gwyn Hughes) [1523]	POLICY TAI14, T5 - Land opposite The Crematorium, Bangor	Object	The City Council are of the opinion that: * The site is located in a prominent and attractive rural location, divorced from the built up area of the City of Bangor and the shopping, community facilities and services that it provides. It would therefore not be sustainable development as it would encourage the use of motor cars in order to take advantage of these facilities. * It would extend a ribbon of development into an attractive rural landscape to the detriment of the character and visual amenities of the area. * The site occupies a prominent location when viewed from the adjoining highway and buildings erected thereon would dominate the skyline and cause serious injury to the visual amenities of the area. * The residential allocation of the site should be re-considered and the development boundary re-drawn to exclude the site.
1557	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T5 - Land opposite The Crematorium, Bangor	Object	* A water supply can be provided to serve this site. * Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
786	Parc Bryn Cegin Cinema campaign (Mrs Tammy Hales) [2745]	POLICY CYF1, C1 - Parc Bryn Cegin, Bangor	Object	<p>We request the planning status of Parc Bryn Cegin, is changed from business planning employment, to include leisure planning permission status A1, A3, C1, D2 & D8. Thus creating;</p> <ol style="list-style-type: none"> 1) Local employment, 2) Much needed leisure facilities, 3) Creating a tourist attraction and 4) Boosting the local economy. <p>If the planning status of Parc Bryn Cegin remain unchanged, it is likely the site will remain dormant.</p> <p>To change the planning status of Parc Bryn Cegin from business planning employment, to include or ideally change to leisure planning permission status A1, A3, C1, D2 & D8.</p>
1611	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C1 - Parc Bryn Cegin, Bangor	Object	<p>* The employment area represents a substantial area of land for development for which the potential demands are unknown at present. Once demands are known an assessment can be made of the extent of any off-site water mains that may be required. This site is crossed by a 250mm water main along its northern boundary which will restrict development density for the site. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times.</p>
1612	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C1 - Parc Bryn Cegin, Bangor	Object	<p>* A sewage pumping station (SPS) is located within the site and an assessment may be required to establish whether the flows from this site can be accommodated or whether future improvements to the SPS will be required to allow development to proceed. Should the existing sewerage infrastructure not be sufficient to accommodate the proposed level of growth the provision of sewerage infrastructure can be acquired through the sewer requisition provisions of the Water Industry Act 1991 (as amended).</p>
1613	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C1 - Parc Bryn Cegin, Bangor	Object	<p>* The site would eventually drain to the Bangor Beach Road SPS and an assessment of this SPS may be required to establish whether flows from this site can be accommodated or whether future improvements would be required to the SPS to allow development to proceed.</p> <p>* The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>
1614	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C2 - Llandygai Industrial Estate, Bangor	Object	<p>* The local water network located within the existing industrial estate is sufficient to provide the domestic water demands required to serve this development area.</p> <p>* The local sewerage network located within the existing industrial estate can accept the domestic foul flows arising from this development area.</p> <p>* The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1615	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C3 - Parc Britannia, Bangor	Object	<p>* Our local water network is sufficient to provide the domestic water demands required to serve this development area.</p> <p>* The public sewerage network can accept the domestic foul flows arising from this development area.</p> <p>* The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>
1616	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C4 - Parc Menai, Bangor	Object	<p>* Our local water network is sufficient to provide the domestic water demands required to serve this development area.</p> <p>* The public sewerage network can accept the domestic foul flows arising from this development area</p> <p>* The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions</p>
1441	Cyfoeth Naturiol Cymru / Natural Resource Wales (Ymgynhoriadau Cynllunio) [1521]	POLICY CYF1, C16 - Hiracl Bay, Bangor	Object	<p>This site is located directly adjacent to Traeth Lafan Special Protection Area, Y Fenai a Bae Conwy Special Area of Conservation, Traeth Lafan Site of Special Scientific Interest and Traeth Lafan Local Nature Reserve. Any proposal to develop the site will need to demonstrate that it will not have an adverse effect on the site features. The requirements of the 2010 Habitat Regulations apply. Drainage proposals for development will need to take into account the proximity of protected sites and in particular any nearby watercourses that are hydrologically connected to protected sites, ensuring that discharges do not affect water quality within protected sites.</p>
1634	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C16 - Hiracl Bay, Bangor	Object	<p>* Our local water network should be sufficient to provide the domestic water demands required to serve this development area.</p> <p>* Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991.</p> <p>* The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>
912	Dr Dewi Roberts [3096]	Map 1 - Bangor	Object	<p>The Proposals Map for Bangor excludes the property Derwen Deg from the settlement boundary together with other properties fronting to Hwfa Road. The Plan should be modified to include these existing properties within the Settlement Boundary. Derwen Deg is a long established property, build 18??, that formed an important part of the original expansion of the city in the late Victorian period and the development of the University. The Conservation Area boundary includes the property and recognizes its importance as part of the built environment. The land use shown on that plan clearly</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				shows the house and its curtilage as part of the existing housing whilst the surrounding oak woodland and green spaces that provide the setting for the built environment are rightly protected.
913	Catrin Eames [3097]	Map 1 - Bangor	Object	<p>We wish to propose a site off Siliwen Road to be included in the development boundary of Bangor. The site is identified as being located immediately adjoining the development boundary in 3 directions. It is considered that the continuation of the development boundary as shown on the attached plan would form a logical and reasonable extension to the development boundary of Bangor. The site is well integrated with and connected to the existing pattern of development along Siliwen Road. The site would sensitively infill a small gap between existing housing.</p> <p>We wish to seek that the development boundary of Bangor be extended to include the land off Siliwen Road as shown on the attached plan which will form a logical and reasonable extension to the development boundary.</p>
915	Dr Dewi Roberts [3096]	Map 1 - Bangor	Object	The Proposals Map for Bangor excludes the property Derwen Deg from the settlement boundary together with other properties fronting to Hwfa Road. The Plan should be modified to include these existing properties within the Settlement Boundary. Derwen Deg is a long established property, build 18??, that formed an important part of the original expansion of the city in the late Victorian period and the development of the University. The Conservation Area boundary includes the property and recognizes its importance as part of the built environment. The land use shown on that plan clearly shows the house and its curtilage as part of the existing housing whilst the surrounding oak woodland and green spaces that provide the setting for the built environment are rightly protected.
1020	Mr Bleddyn Hughes [68]	Map 1 - Bangor	Object	<p>Site SP270 as amended is a natural infill and would be in line with existing dwellings already included within the Deposit Plan boundary and is a natural extension to the settlement. The development of this site answers all the criteria listed within the SA Framework offering housing to local people who work local. It takes account of the relevant community strategy. It is poor agricultural land which would lend itself to housing and would not unduly encroach into open countryside. The alleged traffic issues in Penrhosgarnedd are not insurmountable.</p> <p>We wish the Deposit Plan boundary to include site SP270 as amended.</p>
1022	Mr R Ellerby [3185]	Map 1 - Bangor	Object	<p>The plan fails to provide for sufficient housing in the sub regional centre of Bangor to meet its target growth level of 969 dwelling units. This site would help to address this deficit and its sustainable well screened location would form a logical extension to the urban form of the settlement.</p> <p>Redrafting of the development boundary for Bangor indicated on Inset Map 1 to include this site and its designation as a housing allocation without planning permission.</p>
1416	CPERA (Cynghorydd)	Map 1 - Bangor	Object	I would like to verify that the identified area on Ffordd Eithiog does not include the

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Elin Walker Jones) [2760]			drover's road between Bryn Eithinog and Ffordd Eithinog. In addition, with regards to specific sites, I would like to see Pen y Ffridd be deleted entirely.

URBAN SERVICE CENTRE

2) Amlwch

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
687	Cyngor Tref Amlwch (Mrs M Hughes) [1266]	POLICY TAI14, T6 - Land near Maes Mona, Amlwch	Support	At least 10% should be starter homes for young local people - our youngsters are leaving the area due to the lack of employment. Population is important to Amlwch.
1558	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T6 - Land near Maes Mona, Amlwch	Support	* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. * Amlwch Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed development sites/growth figure.
689	Cyngor Tref Amlwch (Mrs M Hughes) [1266]	POLICY TAI14, T7 - Land near Lôn Bach, Amlwch	Support	At least 10% should be starter homes for young local people - our youngsters are leaving the area due to the lack of employment. Population is important to Amlwch
1559	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T7 - Land near Lôn Bach, Amlwch	Support	* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. Potential developers need to be aware that this site is crossed by a sewer and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site. * Amlwch Wastewater Treatment Works (WwTW) can accommodate the foul flows from these proposed development sites/growth figure.
691	Cyngor Tref Amlwch (Mrs M Hughes) [1266]	POLICY TAI14, T8 - Land at Madryn Farm, Amlwch	Support	At least 10% should be starter homes for young local people - our youngsters are leaving the area due to the lack of employment. Population is important to Amlwch.
1560	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T8 - Land at Madryn Farm, Amlwch	Support	* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. Potential developers need to be aware that this site is crossed by a sewer and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site. * Amlwch Wastewater Treatment Works (WwTW) can accommodate the foul flows from these proposed development sites/growth figure.
693	Cyngor Tref Amlwch	POLICY TAI14, T9 -	Support	At least 10% should be starter homes for young local people - out youngsters are

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	(Mrs M Hughes) [1266]	Land near Rheinwas Field, Amlwch		leaving the area due to the lack of employment. Population is important to Amlwch.
1561	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T9 - Land near Rheinwas Field, Amlwch	Support	<p>* Off-site water mains may be required to serve the site. These can be provided through a water requisition scheme under Sections 41 - 44 of the Water Industry Act 1991.</p> <p>* Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991.</p> <p>* Amlwch Wastewater Treatment Works (WwTW) can accommodate the foul flows from these proposed development sites/growth figure.</p>
685	Cyngor Tref Amlwch (Mrs M Hughes) [1266]	POLICY TAI14, T10 - Land near Tan y Bryn Amlwch	Object	<p>Concern with this site as there is a problem with surface water.</p> <p>The Council feel that if these building areas become reality, that at least 10% should be starter homes for young local people - our youngsters are leaving the area due to lack of employment. Population is important to Amlwch.</p>
1377	mr Chris Jones [1683]	POLICY TAI14, T10 - Land near Tan y Bryn Amlwch	Object	<p>Candidate site T10 includes land owned by the applicants for which permission is refused. Development on site may deny legal rights of access to site by occupier of Tan y Bryn.</p> <p>Removal of T10 from development plan.</p>
1562	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T10 - Land near Tan y Bryn Amlwch	Support	<p>* A water supply can be provided to serve this site.</p> <p>* The public sewerage network can accept the potential foul flows from the proposed development site.</p> <p>* Amlwch Wastewater Treatment Works (WwTW) can accommodate the foul flows from these proposed development sites/growth figure.</p>
824	Cyngor Tref Amlwch (Mrs M Hughes) [1266]	POLICY CYF1, C28 - Former Shell land, Amlwch	Object	Council feel there should be an option on the C28 area - industry and dwellings - starter homes
1649	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C28 - Former Shell land, Amlwch	Support	Our local water network is sufficient to provide the domestic water demands required to serve this development area. The public sewerage network can accept the domestic foul flows arising from this development area. Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement with a possible diversion of the asset. Amlwch Wastewater Treatment Works can accommodate the foul flows from the domestic demands arising from this development area
1650	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C29 - Llwyn Onn Industrial Estate, Amlwch	Support	* Our local water network is sufficient to provide the domestic water demands required to serve this development area. Potential developers need to be aware that this site is crossed by water main and protection measures in the form of easement widths or a diversion of the pipe would be required.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1651	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C29 - Llwyn Onn Industrial Estate, Amlwch	Support	<p>* The public sewerage network can accept the domestic foul flows arising from this development area. Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.</p> <p>* Amlwch Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.</p>
931	Mr Hugh Rowlands [3115]	Map 2 - Amlwch	Object	<p>The site is in perfect location for development especially with the inclusion of site SP561. It would enhance all aspects of Amlwch and remove the current eyesore that effects Amlwch and the future development of SP561 (who wants to buy a house next to a site for fly tipping!). It would provide much needed affordable housing, with the minimum transport infrastructure development costs and disturbance to the residents. Any infrastructure development required for drainage works would only reduce the potential of flood risk not only to the site but also the rest of Amlwch. The site should be included within the development for housing to help meet the settlements needs.</p>
1201	Dafydd Ioan Hughes [2083]	Map 2 - Amlwch	Object	<p>The reason for my objection is as follows in that from a consistency basis the Rhos Place development is an ideal "alternative site" to maximise the land footprint available as part of the Deposit plan. Amlwch has been designated as a primary growth area as part of the overall development plan and this particular site lends itself to mirror the SP561 development and allow for an infilling development which would enhance both the landscape, infrastructure and provide a much needed mixture of housing development right in the middle of Amlwch. Access to the highway and amenities are all walking distance and the Sustainability Matrix addresses the 11 key points.</p> <p>There appears also to be planning history on this particular site in that in January 1978 Anglesey Borough Council granted themselves deemed permission as housing authority in respect of this particular site reaffirming the land's suitability for residential development.</p>
1395	Mr Lloyd Williams [2838]	Map 2 - Amlwch	Object	<p>My client has a plot of development land adjacent to a JLDP considered site in Amlwch (T10). We believe that including this site would improve the housing policy TAI14.</p> <ul style="list-style-type: none"> - Within walking distance to community facilities - All main services present - Land available for development during plan period - Low visual and landscape impact

3) Holyhead

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1563	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T11 - Tyddyn Bach, Holyhead	Support	* This site has planning permission as such we have no further comment to make.
387	Mr Dave Eccles [269]	POLICY TAI14, T12 - Land near Cae Rhos, Holyhead	Object	The AONB, SAC and SPA will all be adversely affected by the proximity and the amount of additional proposed housing developments. Pluvial flooding associated with standing water. Poorly drained land will place significant constraints on development. Bedrock at shallow depth will present constraints on the construction and design of the sites drainage. Bedrock near the surface limits the fall on drainage runs and the options for surface water management and disposal. Alternative brownfield sites with the advantages of services access, no flooding, and green space for amenities are in close proximity. Two large windfall sites resulting from 2 agreed, school closures. That the land at Cae Rhos not be considered as a site designated for housing or other development.
402	Mr Dave Eccles [269]	POLICY TAI14, T12 - Land near Cae Rhos, Holyhead	Object	Note: Previous Representation No. 387 for Land near Cae Rhos referred to Grid References : GR 242 811 GR 246 813 GR 243 810 GR 244 810
660	Mr TA Nevin [244]	POLICY TAI14, T12 - Land near Cae Rhos, Holyhead	Support	The site T12 will meet with all the relevant issues raised by any / all council. Departments to support a housing development.
1564	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T12 - Land near Cae Rhos, Holyhead	Object	* A water supply can be provided to serve this site. * Potential developers need to be aware that the site is crossed by a sewer and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site.
1565	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T12 - Land near Cae Rhos, Holyhead	Object	* There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1566	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T12 - Land near Cae Rhos, Holyhead	Object	* Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from these proposed development sites/growth figure.
389	Mr Dave Eccles [269]	POLICY TAI14, T13 - Land near Yr Ogof,	Object	The AONB, SAC and SPA will all be adversely affected by the proximity and the amount of additional proposed housing developments.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
		Holyhead		Pluvial flooding associated with standing water. Poorly drained land will place significant constraints on development. Bedrock at shallow depth will present constraints on the construction and design of the sites drainage. Bedrock near the surface limits the fall on drainage runs and the options for surface water management and disposal. Alternative brownfield sites with the advantages of services access, no flooding, and green space for amenities are in close proximity. Two large windfall sites resulting from 2 agreed, school closures. That the land at Yr Ogof not be considered as a site designated for housing or other development.
1567	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T13 - Land near Yr Ogof, Holyhead	Object	* A water supply can be provided to serve this site.
1568	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T13 - Land near Yr Ogof, Holyhead	Object	* There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1569	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T13 - Land near Yr Ogof, Holyhead	Object	* Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from these proposed development sites/growth figure
1570	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T14 - Land near Tyddyn Bach Farm, Holyhead	Support	* A water supply can be provided to serve this site.
1571	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T14 - Land near Tyddyn Bach Farm, Holyhead	Object	* There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1572	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T14 - Land near Tyddyn Bach Farm, Holyhead	Support	* Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from these proposed development sites/growth figure.
1573	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T15 - Land near Waunfawr Estate, Holyhead	Support	* This site has planning permission as such we have no further comment to make.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1574	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T16 - Glan y Dŵr, Holyhead	Support	* This site has planning permission as such we have no further comment to make.
1575	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T17 - Cae Serri Road, Holyhead	Support	* This site has planning permission as such we have no further comment to make
1283	Mon a Gwynedd Friends of the Earth (Mr Richard Mills) [2937]	POLICY CYF1, C11 - Parc Cybi, Holyhead	Object	The Cae Glas area is shown as an employment site but is wildlife rich and prone to flooding. It should be protected from economic/industrial development.
1626	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C11 - Parc Cybi, Holyhead	Support	* This site is crossed by 90mm and 125mm water mains along the western and eastern boundaries which may restrict development density for the site. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.
1627	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C11 - Parc Cybi, Holyhead	Support	* Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1686	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C11 - Parc Cybi, Holyhead	Support	* The site is crossed by pumped rising sewer main which may restrict development density for the site. Ty Mawr Sewage Pumping Station (SPS) is located within the site and an assessment of the SPS will be required to establish whether all the flows from the proposed allocation can be accommodated or whether future improvements to the SPS will be required to allow all the proposed development to proceed. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.
1628	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C12 - Penrhos Industrial Estate, Holyhead	Support	Our local water network should be sufficient to provide the domestic water demands required to serve this development area. The public sewerage network can accept the domestic foul flows arising from this development area. The site is located adjacent to Holyhead WwTW which may give rise to odour, fly and noise nuisance for any development in close proximity to the works. As such your authority may wish to consider providing a buffer zone between the works and any proposed development site. Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
829	Robert Llewelyn Jones [3058]	POLICY CYF1, C35 - Holyhead Port, Holyhead	Object	I am objecting to a Conservation Area containing numerous residential amenities being shown as being land marked for business use. The area is covered by the SPG for Holyhead Beach and by a lease held by the County

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>Council.</p> <p>To show clearly on the constraints map that this area is not for the extension of the Port facilities and has to be retained as a public open space.</p>
1286	Mon a Gwynedd Friends of the Earth (Mr Richard Mills) [2937]	POLICY CYF1, C35 - Holyhead Port, Holyhead	Object	In the area shown as an employment site, Newry Beach should be protected from economic/industrial development.
1382	Conygar StenalineLtd [3304]	POLICY CYF1, C35 - Holyhead Port, Holyhead	Object	<p>The inclusion of the port area as an Energy Island Programme "reserve site" within Policy CYF1 is unnecessarily restrictive and detrimental to the port's long term development and viability.</p> <p>This policy is fundamentally flawed and conceived without an understanding of the challenges and opportunities the port faces over the plan period.</p> <p>Policy CYF1 conflicts with the objectives of Policy CYF7 and the role which the port can play in the regeneration of the town and tourism promotion.</p> <p>There is sufficient alternative land in Holyhead allocated for employment uses (200+ ha) to support the exclusion of the port from this policy.</p> <p>Proposed amendment to Policy CYF1 to delete any reference to Holyhead Port as a "reserve site" (C35wg) for the purposes of the Anglesey Energy Island Programme.</p>
1662	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C35 - Holyhead Port, Holyhead	Support	<p>Our local water network should be sufficient to provide the domestic water demands required to serve this development area. The sewerage network in the area is extensive and where sewers cross potential development sites this will restrict development density for the site, and protection measures in respect of these assets will be required. A number of Sewage Pumping Stations (SPS) are located in the area and may need assessment to ascertain their capacity dependant on the location and type of development proposed.</p> <p>Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area</p>
1652	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C30 - Anglesey Aluminium land, Holyhead	Support	<p>* Our local water network is sufficient to provide the domestic water demands required to serve this development area.</p> <p>* The public sewerage network can accept the domestic foul flows arising from this development area. Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.</p>
1653	Dwr Cymru Welsh	POLICY CYF1, C30 -	Support	* The site is located adjacent to Holyhead WwTW which may give rise to odour, fly and

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Water (Mr Dewi Griffiths) [2680]	Anglesey Aluminium land, Holyhead		noise nuisance for any development in close proximity to the works. As such your authority may wish to consider providing a buffer zone between the works and any proposed development site. * Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1654	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C31 - Former site of Eaton Electrical, Holyhead	Support	* Our local water network is sufficient to provide the domestic water demands required to serve this development area.
1655	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C31 - Former site of Eaton Electrical, Holyhead	Support	* Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1689	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C31 - Former site of Eaton Electrical, Holyhead	Object	* Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset. There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1656	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C32 - Kingsland site, Holyhead	Support	* Our local water network is sufficient to provide the domestic water demands required to serve this development area. Potential developers need to be aware that this site is crossed by water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the density achievable on site
916	Holyhead Marina Ltd [3101]	Map 3 - Holyhead	Object	It was clearly the intention of the original plan to use the line of mean high water to define the boundary between the County of Anglesey and the Statutory Harbour Authority. This line was drafted based on an old Ordnance Survey maps. Development and land reclamation have altered the line of mean high water and therefore left a key area of land (which has been developed) between the development boundary and the harbour. This is inconsistent but disjointed permissions for development of Holyhead's waterfront on land surrounding the site. Amend the development boundary to include the land.
947	W H Edwards [2256]	Map 3 - Holyhead	Object	Please include my land in the development plan. There is currently no access to the land but my neighbour has agreed that I can access the land via his field.
952	Lisa Fowlie [2093]	Map 3 - Holyhead	Object	I submitted some land in my ownership in Holyhead as a Candidate Site for residential use (SY287) at Llaingoch. The land is not suitable for agricultural use and is only really useful for grazing horses. It is however ideally suited for sustainable residential use. The land has access both vehicular and pedestrian form the existing highway network.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				It is served by the local bus service and is within walking distance of town centre, local shops and amenities, including primary and secondary schools. The site is on the edge of the development boundary. Technically there are means to sustainably drain surface water and the main sewer is also accessible. The site forms a natural infill between Hirfron and the higher land to the east.
1830	Conygar Stenaline Ltd [3373]	Map 3 - Holyhead	Object	<p>* Change Policy TAI14 to include the Holyhead Waterfront Site as a housing allocation that is part of a mixed-use scheme (site has extant planning consent for 380 residential units, 7,645 m² of commercial space and an 80 bed hotel).</p> <p>* The scheme has the potential to make a critical impact on the regeneration of Holyhead and Anglesey and to deliver the "transformational change" sought in Policy CYF7.</p> <p>* The development has a potentially important role in meeting the objectives of Policy TAI3 (providing key worker accommodation associated with Wylfa Newydd).</p> <p>* Allocation T16 'Glan y Dŵr' should be revised from 90 to 380 units to reflect the residential units approved. The commercial floorspace provision and the hotel proposal should be referenced in policies CYF1 & 7 and TWR2. The development will make a significant contribution to achieving the key objectives which underpin Policies CYF1 and 7, as well as Housing Policies 1, 3 and 9.</p>
1657	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C32 - Kingsland site, Holyhead	Support	* Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1690	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C32 - Kingsland site, Holyhead	Support	* Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset. There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.

4) Llangefni

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1576	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T18 - Land near Ty Hen, Llangefni	Object	* Potential developers need to be aware that this site is crossed by a trunk water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the density achievable on site.
1577	Dwr Cymru Welsh	POLICY TAI14, T18 -	Object	* There are isolated incidents of flooding in the public sewerage system that will need to

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Water (Mr Dewi Griffiths) [2680]	Land near Ty Hen, Llangefni		be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1578	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T18 - Land near Ty Hen, Llangefni	Object	* Off-site sewers required to connect to the public sewerage network can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1579	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T19 - Former Ysgol y Bont, Llangefni	Object	* Potential developers need to be aware that this site is crossed by water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the density achievable on site.
1580	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T19 - Former Ysgol y Bont, Llangefni	Object	* There are isolated incidents of flooding in the public sewerage system that will need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1581	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T19 - Former Ysgol y Bont, Llangefni	Object	* Off-site sewers required to connect to the public sewerage network can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991 * Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area
498	Mr B Pritchard [2951]	POLICY TAI14, T20 - Ty'n Coed, Llangefni	Object	The allocation of housing sites to the north of Llangefni represents a logical extension to the urban area, however, the proposed development boundary is drawn too restrictively and the site allocations are of insufficient size to provide the numbers of new dwellings required in the plan period. Further land is available in this location and a revised development boundary would facilitate appropriate new housing development. Specifically land identified as site SP159 on the Candidate Site register is available to cater for new housing and this would form a logical extension of the urban area.
1273	Aporis Trading LLP [3151]	POLICY TAI14, T20 - Ty'n Coed, Llangefni	Object	It is considered that there is an over-reliance on windfall sites within the LDP. It is not considered that there is sufficient landbank within the development boundary to accommodate the identified windfall needed within the centre of Llangefni. We wish to propose an extension to the allocated site (T20) land adjacent to Tyn Coed to be included within the development boundary for allocation of housing to ensure that the

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				level of housing is maintained over the plan period. It is considered that the extension to the allocated site would form a logical and reasonable addition with well-defined boundaries allowing for more comprehensive and sustainable development.
1582	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T20 - Ty'n Coed, Llangefni	Support	* A water supply can be provided to serve this site.
1583	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T20 - Ty'n Coed, Llangefni	Object	* There are isolated incidents of flooding in the public sewerage system that will need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1584	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T20 - Ty'n Coed, Llangefni	Object	* Off-site sewers required to connect to the public sewerage network can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1585	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T21 - Land near Ysgol y Graig, Llangefni	Support	* A water supply can be provided to serve this site.
1586	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T21 - Land near Ysgol y Graig, Llangefni	Object	* There are isolated incidents of flooding in the public sewerage system that will need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1587	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T21 - Land near Ysgol y Graig, Llangefni	Object	* Off-site sewers required to connect to the public sewerage network can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1588	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T22 - Land near Bro Tudur, Llangefni	Object	* Potential developers need to be aware that this site is crossed by a water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the density achievable on site.
1589	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T22 - Land near Bro Tudur, Llangefni	Object	* There are isolated incidents of flooding in the public sewerage system that will need to be resolved to allow development to proceed. Potential developers can either wait for

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]	Llangefni		DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1590	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T22 - Land near Bro Tudur, Llangefni	Object	* Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991 * Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1591	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T23 - Land near Coleg Menai, Llangefni	Support	* A water supply can be provided to serve this site.
1592	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T23 - Land near Coleg Menai, Llangefni	Object	* There are isolated incidents of flooding in the public sewerage system that will need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages.
1593	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T23 - Land near Coleg Menai, Llangefni	Object	* Off-site sewers required to connect to the public sewerage network can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1629	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C13 - Bryn Cefni Industrial Estate, Llangefni	Support	Our local water network should be sufficient to provide the domestic water demands required to serve this development area. The sewerage network in the area is extensive and where sewers cross potential development sites this will restrict development density for the site, and protection measures in respect of these assets will be required. Llangefni Main Sewage Pumping Station is located in the area and may need assessment to ascertain its capacity dependant on the location and type of development proposed. Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1053	Llywodraeth Cymru (Mr Mark Newey) [1561]	POLICY CYF1, C14 - Land to the north of Lledwigan Farm, Llangefni	Object	The potential loss of BMV land could result in the permanent loss of approximately 40 hectares. The majority of the land is included in allocations TRA1, C14 and C15 and the plan has limited evidence to demonstrate that paragraph 4.10 has been considered at all in allocating these sites for development.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1402	Bob Parry & Co Ltd [3342]	POLICY CYF1, C14 - Land to the north of Lledwigan Farm, Llangefni	Object	Include the Dafarn Newydd site as an alternative to the Lledwigan Farm site. The proposed alternative site for employment in Llangefni is a sustainable development proposal. The suggested site at Dafarn Newydd is an appropriate addition to the settlement, and would perform better against the LDP's criteria than site C14 at Lledwigan Farm.
1630	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C14 - Land to the north of Lledwigan Farm, Llangefni	Support	* Our local water network should be sufficient to provide the domestic water demands required to serve this development area
1631	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C14 - Land to the north of Lledwigan Farm, Llangefni	Support	* Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1687	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C14 - Land to the north of Lledwigan Farm, Llangefni	Support	* The site is crossed by a pumped rising foul main which may restrict development density for the site. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset. The site is adjacent to a pumped rising main and Llangefni Main SPS. An assessment of the SPS may be required to establish whether the flows can be accommodated or whether improvements to the SPS' will be required to allow development to proceed. Off-site sewers would be required to connect to the nearest point of adequacy on the sewerage network.
1054	Llywodraeth Cymru (Mr Mark Newey) [1561]	POLICY CYF1, C15 - Land in the Creamery, Llangefni	Object	The potential loss of BMV land could result in the permanent loss of approximately 40 hectares. The majority of the land is included in allocations TRA1, C14 and C15 and the plan has limited evidence to demonstrate that paragraph 4.10 has been considered at all in allocating these sites for development.
1632	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C15 - Land in the Creamery, Llangefni	Support	* This site is crossed by a 400mm water main which will restrict development density for the site. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset
1633	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C15 - Land in the Creamery, Llangefni	Support	* Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1688	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C15 - Land in the Creamery, Llangefni	Support	* The site is adjacent to a pumped rising main and Llangefni Main SPS. Off-site sewers would be required to connect to the nearest point of adequacy on the sewerage network. The provision of sewerage for the potential development site can be acquired through the sewer requisition provisions of the Water Industry Act 1991 (as amended). An assessment of the SPS may be required to establish whether the flows can be accommodated or whether improvements to the SPS' will be required to allow development to proceed. Under the Water Industry Act 1991 Dwr Cymru Welsh Water

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.
999	Watkin Jones (Mr Stuart Hardy) [3159]	Map 4 - Llangefni	Object	Land at Tan y Capel, Llangefni. The above information, which is supplemented by a comprehensive sustainability appraisal of the site, indicates that the site is suitable for employment uses and should be included for allocation within the JLDP. The site is accessible, available, deliverable and developable and can help Anglesey/Gwynedd meet its employment land requirements throughout the plan period. The site is therefore considered to be appropriate to be brought forward due to its highly sustainable location in Llangefni, which is recognised within the JLDP as a priority area for development.
1000	Watkin Jones (Mr Stuart Hardy) [3159]	Map 4 - Llangefni	Object	Land at Tan y Capel, Llangefni. The above information, which is supplemented by a comprehensive sustainability appraisal of the site, indicates that the site is suitable for housing and should be included as a candidate/allocated site within the JLDP. The site is accessible, available, deliverable and developable and can help Anglesey/Gwynedd meet its housing requirements throughout the plan period. It is therefore considered to be appropriate to be brought forward due to its central location in Llangefni, which is recognised within the JLDP as priority area for development.
1001	Watkin Jones (Mr Stuart Hardy) [3159]	Map 4 - Llangefni	Object	Land adj Fron Farm, Llangefni. The above information, which is supplemented by a comprehensive sustainability appraisal of the site, indicates that the site is suitable for housing and should be included as a candidate/allocated site within the JLDP. The site is accessible, available, deliverable and developable and can help Anglesey/Gwynedd meet its housing requirements throughout the plan period. It is therefore considered to be appropriate to be brought forward due to its central location in Llangefni, which is recognised within the JLDP as a priority area for development.
1002	Owen Devenport Ltd (Mr Berwyn Owen) [2755]	Map 4 - Llangefni	Object	Land at Dafarn Newydd, Llangefni. The proposed alternative site for employment in Llangefni is a sustainable development proposal. The suggested site at Dafarn Newydd is an appropriate addition to the settlement, and would perform better against the LDP's criteria than C14 at Lledwigan Farm.
1005	Rhian Williams [2303]	Map 4 - Llangefni	Object	Land at Gwernhefin, Llangefni. My wish is to see land at Gwernhefin included in the deposit plan for the reasons noted in the enclosed notes.
1006	Alyn Nicholls [3084]	Map 4 - Llangefni	Object	Land at Caeau Bodelis Fields should be allocated for housing development.

5) Blaenau Ffestiniog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
420	Cyngor Tref Ffestiniog (Mrs Ann	POLICY TA114, T24 - Former Playing Fields,	Object	To designate Y Ddôl, the old site of the Rugby Club, for housing. It is very important to note that this site lies on floodplain. The maps that were created by the old

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Coxon) [2940]	Blaenau Ffestiniog		Environmental Agency about flood risks confirm this. Therefore, if houses are built on that site, they would have to be specially designed, perhaps even raised on stilts. Building normal houses would mean forcing future residents to suffer floods time after time.
1594	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T24 - Former Playning Fields, Blaenau Ffestiniog	Support	<ul style="list-style-type: none"> * A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. * Blaenau Ffestiniog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1595	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T25 - Land at Congl y Wal, Blaenau Ffestiniog	Object	* Potential developers need to be aware that this site is crossed by water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the density achievable on site.
1596	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T25 - Land at Congl y Wal, Blaenau Ffestiniog	Object	<ul style="list-style-type: none"> * The foul flows would lead to Tanrhos Manod Pumping Station (SPS) and an assessment of this SPS may be needed to establish whether the flows can be accommodated or whether improvements to the SPS will be required to allow development to proceed. Should off-site sewers be required these can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Blaenau Ffestiniog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1636	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C18 - Tanygrisiau Site, Blaenau Ffestiniog	Support	<ul style="list-style-type: none"> * Our local water network should be sufficient to provide the domestic water demands required to serve this development area. * The public sewerage network can accept the domestic foul flows arising from this development area. * Blaenau Ffestiniog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area
979	Mrs Mair Jones [3144]	Map 5 - Blaenau Ffestiniog	Object	<p>This brownfield site relates to the urban fabric of the settlement rather than the adjoining open countryside and is well located both in terms of access to local services and facilities and public transport services. Its inclusion within the settlement boundary of Blaenau Ffestiniog would represent a logical rounding off of the settlement, where it will be well placed to help contribute towards the required indicative windfall provision of housing units. Any such contributions are important because as the Plan notes this required level of provision is a challenge to achieve due to the significant physical constraints the settlement experiences.</p> <p>Redrafting of the development boundary for Blaenau Ffestiniog indicated on Inset Map 5 to include this site.</p>

6) Caernarfon

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1597	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T26 - Former Hendre School, Caernarfon	Object	<ul style="list-style-type: none"> * A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. * The proposed growth being promoted for this settlement would require improvements at Caernarfon Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1598	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T27 - Land to the rear of Maes Gwynedd, Caernarfon	Object	<ul style="list-style-type: none"> * A water supply can be provided to serve this site
1599	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T27 - Land to the rear of Maes Gwynedd, Caernarfon	Object	<ul style="list-style-type: none"> * Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1600	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T27 - Land to the rear of Maes Gwynedd, Caernarfon	Object	<ul style="list-style-type: none"> * The proposed growth being promoted for this settlement would require improvements at Caernarfon Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1601	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T28 - Cae Phillips Road, Caernarfon	Support	<ul style="list-style-type: none"> * This site has planning permission as such we have no further comment to make.
1617	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C5 - Cibyn Industrial Estate, Caernarfon	Object	<ul style="list-style-type: none"> * Our local water network is sufficient to provide the domestic water demands required to serve this development area. * The public sewerage network can accept the domestic foul flows arising from this development area. Part of the site is crossed by a surface water sewer which may restrict development density for the site. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.
1618	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C5 - Cibyn Industrial Estate, Caernarfon	Object	<ul style="list-style-type: none"> * The proposed growth being promoted for this settlement would require improvements at Caernarfon Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
799	First Investments Ltd [3091]	POLICY CYF1, C19 - Pebblig, Caernarfon	Object	<ul style="list-style-type: none"> FIL object to the current wording of this policy which, instead of promoting investment and improvements to existing employment space, will result in, at best, retaining the

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>status quo at Peblig Mill Industrial Estate owned which is characterised by old and, in some cases, defunct employment floorspace with a high proportion of vacancies. The policy should instead promote investment in existing employment stock and where necessary, promote alternative uses on the Peblig site that are capable of delivering investment and improvements to the overall quality of employment floorspace.</p> <p>FIL request that the policy be amended to include the following changes;</p> <ul style="list-style-type: none"> · Recognise the viability and vacancy issues in relation to this site and support the redevelopment of existing sites in need of investment; · Promote alternative uses where they are able to support such redevelopment/investment at the Peblig site potentially through a link to an amended draft Policy CYF4; · Remove hierarchal approach to employment allocations, particularly given the differences in definitions between the Evidence Base and Draft Policy
1637	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C19 - Peblig, Caernarfon	Object	<p>* Our local water network should be sufficient to provide the domestic water demands required to serve this development area. This site is crossed by a water main which will restrict development density for the site. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.</p>
1638	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C19 - Peblig, Caernarfon	Object	<p>* Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.</p> <p>* The proposed growth being promoted for this settlement would require improvements at Caernarfon Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>
1404	Barton Willmore (Mr Mark Roberts) [1645]	POLICY CYF1, C20 - Former site of Friction Dynamex, Caernarfon	Object	<p>Only partially identifies the extent of the former Friction Dynamex site as being allocated and subject to a policy support for development. This allocation is therefore artificially and inaccurately defined, and does not reflect the extent of the previously developed land on the site.</p> <p>The plan needs to provide a more flexible, responsive and pragmatic approach to redeveloping this site. The site whilst potentially appropriate for B2 development is unlikely ever to secure such development as a single occupant. Perpetuating this policy approach will unlikely result in the development of the site for B2 uses.</p> <p>The site should be deleted from Policies PS10 and CYF1 and identified as a specific regeneration / mixed use development site.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				Reference should be made to the presumption in favour of sustainable development.
1639	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C20 - Former site of Friction Dynamex, Caernarfon	Object	<p>* Our local water network should be sufficient to provide the domestic water demands required to serve this development area.</p> <p>* An extensive distance of off-site sewers would be required to connect to the public sewerage system. Where no public sewerage facilities are available then the provisions of Circular 10/99 Planning Requirement in respect of the 'Use of Non-Mains Sewerage Incorporating Septic Tanks in New Development' apply and consultation with the Environment Agency is required. The provision of sewerage for the potential development site can be acquired through the sewer requisition provisions of the Water Industry Act 1991 (as amended).</p>
1640	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C20 - Former site of Friction Dynamex, Caernarfon	Object	* If a connection was made to the public sewerage network, the proposed growth being promoted for this settlement would require improvements at Caernarfon Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions
988	Watkin Jones & Son (Mr Stuart Hardy) [3150]	Map 6 - Caernarfon	Object	To allocate Gallt y Sill/Tyddyn Pandy (SP632), Caernarfon for Residential Uses. The submission provides further information and justification as to why the site should be allocated within the Joint Local Development Plan. The site has been assessed in accordance with the Council's site assessment methodology (Topic Papers 1 & 1A), and Sustainability Appraisal methodology, set out in the Deposit SA Report. The letter and submitted assessment demonstrates that the subject site is justified, effective, deliverable, viable and consistent with Policy, and therefore justify inclusion in the final Local Development Plan.
989	Mr George Denham [34]	Map 6 - Caernarfon	Object	Support including land adjoining Tyddyn Pandy (SP586), for housing development. The land is based within the proposed line of the new Caernarfon bypass. It is immediately adjacent to housing development T28 and would not be protruding into nearby countryside. Not enough land has been allocated for housing in Caernarfon to compare with Holyhead and smaller towns such as Llangefni and Blaenau Ffestiniog. The vast majority of land allocated within the development boundary for housing in Caernarfon is Council owned land and there are not many privately owned land. The inclusion of the said land would have a positive impact on the people, area and economy of Caernarfon.
990	Aporis Trading LLP [3151]	Map 6 - Caernarfon	Object	<p>It is considered that there is an over-reliance on windfall sites within the Local Development Plan. It is not considered that there is sufficient landbank within the development boundary to accommodate the identified windfall need within the centre of Caernarfon. We wish to propose a site adjacent to Glan Seiont (identified as site SP606 on the candidate site register) to be included within the development boundary of Caernarfon for allocation of housing to ensure that the level of housing is maintained over the plan period.</p> <p>We wish to seek the following changes:</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>1. Additional land should be allocated within the Urban Service Centre of Caernarfon for housing to accommodate the identified housing need to ensure that the level of housing is maintained over the plan period.</p> <p>2. The site adjacent to Glan Seiont should be included within the development boundary of Caernarfon and allocated for housing.</p>

7) Porthmadog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1086	Cyfoeth Naturiol Cymru / Natural Resource Wales (Ymgynhoriadau Cynllunio) [1521]	POLICY CYF1, C8 - Business Park, Porthmadog	Object	The whole site is within flood zone C1. However, flood modelling work suggests that the actual risk to the site is low due to the flood defences within the area. NRW would expect any planning application to be supported by a Flood Consequence Assessment to ensure that development is adequately protected.
1623	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C8 - Business Park, Porthmadog	Support	<p>* Our local water network is sufficient to provide the domestic water demands required to serve this development area.</p> <p>* Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991</p> <p>* Porthmadog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area</p>
101	Mr Bryan Rees Jones [2737]	Map 7 - Porthmadog	Object	Include a plot of land, namely Moelwyn Dairy, Porthmadog Plot OS.56390101 within the Plan based on the fact that it conforms with Policies TAI10 and TAI14. 1. The plot of land should be included within the town boundary. It conforms with the criteria of Policy TAI10 for Affordable Housing. 2. Policy TAI14 states a growth level of 123 for Porthmadog. 3. It is intended to use the plot entirely for Affordable Housing. It is land that was used to prepare and distribute milk and permission has been given for a Rescue Team Centre. 4. All public services are available
137	Mr Llywelyn Rhys [2770]	Map 7 - Porthmadog	Object	Include additional land to develop housing (affordable and for the market) on Moelwyn Dairy land. Map reference O.S. SH5639 and SH5539. As a great deal of the town is effected by flood risk, it is not possible to serve the projected growth level (see Topic Paper 5, Table 16, page 48). Including the plot would conform to the criteria of Policies TAI10 and TAI14. All public services are available for the site.
274	Mr Alun Evans [2854]	Map 7 - Porthmadog	Object	I feel that the 20 acres of land i own should be included in the boundaries of what is

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				deemed to be land that can be part of this policy i.e. Affordable Housing, the land can be used to build one or two houses, the remainder of the land has much many wildlife benefits and can accordingly be developed into a nature reserve or maintained to preserve the enviroment.The land in question is as follows SH5637 and SH5638 Borth y Gest,Porthmadog.
295	Mrs Elen Williams [2874]	Map 7 - Porthmadog	Object	The current development plant outline for Porthmadog is limited to the town centre, and as it stands it will not sufficiently meet the housing shortage problem in the town. This is mainly due to insufficient land within the LDP outline to build new housing. Housing shortages in the town are regularly reported in the local press and therefore other suitable sustainable options and locations need to be considered. In its current state the LDP boundary for Porthmadog is not future proof, and doesn't allow for flexibility to meet potential future housing demands. Amend the development boundary to include Cae Brics near Maes Gerddi.
376	Welsh Highland Railway (Mr Graham Farr) [254]	MAP 7 - Porthmadog	Object	The Company considers that the area covered should a) be shown on the Proposals Map (as indicated in the policy), and b) be extended to include all of the land covered by Candidate Site submission ref: SP870 and surrounding area, including open land on both sides of the new A487(T) bypass road (copies of this submission and earlier related Candidate Site submission ref: SP552 attached).
975	Arwel Williams [3139]	Map 7 - Porthmadog	Object	Our concerns reference Bryn Awel, Hill, Street, Porthmadog LL49 9BD, and at present the development boundary doesn't reflect the established use of the land which forms part of the garden at Bryn Awel. As on the Land Registry copy of the plan (CYM78816), the property's boundary has changed. The extension of the property's land may provide opportunity in the future for new development e.g. a granny flat. The land is accessible and full amenities are available. Amend the development boundary so that it reflects the new boundary of Bryn Awel (see attached map) Include the site shown within the development boundary.
976	Mrs Pamela Beer [266]	Map 7 - Porthmadog	Object	Development boundary near Penbryn Cottage has been shown incorrectly. The line on the Proposal Map does not follow the boundary of the property and it excludes the garden area to the north and south. The area to the south has always been part of the back garden of Penybryn Cottage and the area to the north is a parking area for the property. I believe the development boundary should be redrawn to include the whole of the cottage grounds (see attached plans). I have copies of the old O.S. Maps if required to support the above together with aerial photographs. Redraw Development Boundary as per submitted plans for the reasons explained in 2c.
1044	Mrs Haf Madoc Wilson [263]	Map 7 - Porthmadog	Object	1. Land is outside flood risk 2. Within walking distance of schools, workplaces and public services such as libraries, food shop businesses, 'blue lights' stations. 3. There are already many houses nearby.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>4. The need for affordable housing to keep young people (Welsh speaking) in the area.</p> <p>I would like to see the boundaries of Porthmadog extended to include land at Penclogwyn in case the town loses its new settlement building rights to Penrhyndeudraeth and Cricieth due to flooding problems.</p>

8) Pwllheli

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
411	Dr Richard Roberts [2938]	POLICY TAI14, T29 - Land near Lôn Caernarfon, Pwllheli	Object	No evidence of local housing need that can justify the number that has been designated. Building so many houses would have a detrimental impact on the Welsh language.
1288	Mr Iwan Edgar [251]	POLICY TAI14, T29 - Land near Lôn Caernarfon, Pwllheli	Object	<p>We object to developing this green land for environmental, landscape and visual reasons (C1 (soundness tests).</p> <p>Approving development here would be unacceptable as it would be linear and would adjoin the highway, it is green land and indigenous trees and bushes would be lost.</p> <p>It is also in a narrow corridor with steep sides and used to be a landscape conservation area. Any development would involve excavation and would ruin a gateway of beautiful landscape into the town.</p> <p>A further consideration is that the community of Pwllheli does not require this additional number of houses.</p>
1346	Cyngor Tref Pwllheli (Mr Robin W Hughes) [1235]	POLICY TAI14, T29 - Land near Lôn Caernarfon, Pwllheli	Object	<p>Need to delete for the following reasons:</p> <ol style="list-style-type: none"> 1. Sufficient settlement provision. 2. Ecological reasons.
1347	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	POLICY TAI14, T29 - Land near Lôn Caernarfon, Pwllheli	Object	We object to the allocation for housing of site T29 on land near the Caernarfon Road on grounds of unacceptable ribbon development, damaging landscape impact and significant traffic and access issues. We think alternative sites could be identified in other parts of Pwllheli and in accessible satellite centres such as Y Ffôr.
1411	Julie O'Neil [3350]	POLICY TAI14, T29 - Land near Lôn Caernarfon, Pwllheli	Object	<ol style="list-style-type: none"> 1. Inhospitable combination of North South Facing Valley and polluting main road. 2. Planning housing for today needs attached indoor amenities - sports etc. 3. Looking ahead: Ribbon development will not suffice; still need a proper new village.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				4. The "investment" homes question. 5. Widening/straightening of the main road is necessary re. even less housing & amenities space.
1427	Brian Jones [2173]	POLICY TAI14, T29 - Land near Lôn Caernarfon, Pwllheli	Object	Dismayed at seeing the suggestion to replace land that was to be used for an industrial site was now to be included for housing and a considerable amount of land added as well. I thought that the Council had been forward thinking with the allocation of this land for industrial use as there is a good chance that the site of the existing industrial estate will be lost with the upcoming rising tides. Surely there are other candidates who have put up land for housing. It would be possible to build a road from this land to gain access to land above it which would be just as suitable for housing.
1602	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T29 - Land near Lôn Caernarfon, Pwllheli	Object	* A water supply can be provided to serve this site. * There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1603	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T29 - Land near Lôn Caernarfon, Pwllheli	Object	* A hydraulic modelling assessment (HMA) may be required to determine the point of connection to the public sewerage system and potential developers would be expected to fund investigations during pre-planning stages. * Pwllheli Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
84	Mr Tony Elliott [2717]	POLICY TAI14, T30 - Deiniol Field, Pwllheli	Object	The dangerous hill Salem Terrace/Allt Salem (the only access between the proposed developments and Pwllheli town centre) would become even more dangerous through increased use, and the lack of pavements and lack of room to build any would put pedestrians at particular risk. The present infrastructure is inadequate for the proposed developments and changing it would be intrusive and alter the character of the area. The proposed developments are on a scale that is too big for Penrallt and would involve encroachment on surrounding countryside and harm the environment. The hockey field should be used for educational, recreational and community purposes. Removal of the sites T30 and T31 from the proposed development plan and policy.
208	Derek Soane [2783]	POLICY TAI14, T30 - Deiniol Field, Pwllheli	Object	Allt Salem is not capable of taking the much increased capacity created by the proposed developments T30 and T31, because of the lack of service facilities and infrastructure, and automatic increase of traffic on an already restricted access. Alternative sites for housing developments should be investigated where facilities are

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				easier.
413	Dr Richard Roberts [2938]	POLICY TAI14, T30 - Deiniol Field, Pwllheli	Object	No evidence of local need for housing which justifies the number allocated. Adverse impact upon the Welsh language from building so many.
1604	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T30 - Deiniol Field, Pwllheli	Object	* A water supply can be provided to serve this site. * There are isolated incidents of flooding in the public sewerage system that will need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1605	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T30 - Deiniol Field, Pwllheli	Object	* Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Pwllheli Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area
415	Dr Richard Roberts [2938]	POLICY TAI14, T31 - Former Hockey Field, Pwllheli	Object	No evidence for local need to justify the number of houses proposed. Building so many houses will have a detrimental effect on the Welsh language.
1606	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T31 - Former Hockey Field, Pwllheli	Object	* A water supply can be provided to serve this site. * There are isolated incidents of flooding in the public sewerage system that will need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1607	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI14, T31 - Former Hockey Field, Pwllheli	Object	* Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Pwllheli Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1831	Derek Soane [2783]	POLICY TAI14, T31 - Former Hockey Field, Pwllheli	Object	Allt Salem is not capable of taking the much increased capacity created by the proposed developments T30 and T31, because of the lack of service facilities and infrastructure, and automatic increase of traffic on an already restricted access. Alternative sites for housing developments should be investigated where facilities are easier.
1832	Mr Tony Elliott [2717]	POLICY TAI14, T31 - Former Hockey Field, Pwllheli	Object	The dangerous hill Salem Terrace/Allt Salem (the only access between the proposed developments and Pwllheli town centre) would become even more dangerous through increased use, and the lack of pavements and lack of room to build any would put pedestrians at particular risk. The present infrastructure is inadequate for the proposed developments and changing it

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>would be intrusive and alter the character of the area.</p> <p>The proposed developments are on a scale that is too big for Penrallt and would involve encroachment on surrounding countryside and harm the environment.</p> <p>The hockey field should be used for educational, recreational and community purposes.</p> <p>Removal of the sites T30 and T31 from the proposed development plan and policy.</p>
105	Natural Resources Wales (Mr Gareth Thomas) [2757]	POLICY CYF1, C6 - Adwy'r Hafan, Pwllheli	Object	<p>Site C6 is within flood zone C1 of Welsh Government's TAN15: Development Advice Maps. The flood risk has not been assessed. Locating a new employment unit within the site would contradict national policy TAN15. The SFCA, section 9.3 states that none of the allocations fall within zones C1 or C2. There may be risk of flooding due to a breach of the defences (sand dunes) along the eastern boundary, and the potential for flood water to enter the site from over the quay wall to the west of the site.</p> <p>Either a stage 2/stage 3 SFCA submitted that demonstrates the site would comply with TAN15 requirements, or that no NEW employment units to be provided within this site.</p>
1082	Cyfoeth Naturiol Cymru / Natural Resource Wales (Ymgynhoriadau Cynllunio) [1521]	POLICY CYF1, C6 - Adwy'r Hafan, Pwllheli	Object	<p>The land is located within flood zone C1 of the Welsh Government's TAN15: Development Advice Maps. Developing this land for employment use would contradict national policy guidance contained within TAN15. NRW considers that the flood risk associated with this site has not been adequately assessed.</p> <p>NRW recommends that either a stage 2 or stage 3 SFCA is prepared and forwarded to NRW for further assessment to demonstrate that developing this site for employment use would comply with the requirements of TAN15 or that development brought forward under this allocation includes no erection of new employment units within the site.</p>
1619	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C6 - Adwy'r Hafan, Pwllheli	Support	<p>* Our local water network is sufficient to provide the domestic water demands required to serve this development area.</p> <p>* A sewage pumping station (SPS) is located within the site and an assessment may be required to establish whether the flows from this site can be accommodated or whether future improvements to the SPS will be required to allow development to proceed. Should the existing sewerage infrastructure not be sufficient to accommodate the proposed level of growth the provision of sewerage infrastructure can be acquired through the sewer requisition provisions of the Water Industry Act 1991 (as amended).</p>
1620	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C6 - Adwy'r Hafan, Pwllheli	Support	<p>* Pwllheli Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area</p>
994	Mr Gwyn Llewelyn Jones [77]	Map 8 - Pwllheli	Object	<p>The Plan seeks land for 291 houses in Pwllheli. 110 of these will be windfall - how realistic is this? There isn't enough land to deliver these numbers. The "Assessing Pwllheli's development land potential" report shows that consideration has been given to land in the Denio area, but it was not brought to the plan due to development costs,</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				without giving consideration to smaller developments. Gwyn Jones owns the land, he was brought up there and he farms the land. Positive opinion has been received from the Highways Department (see the enclosed letter). The NFU and the police also support Gwyn Jones building a house on the land. On this basis, we believe that the land displayed on the map is suitable for development. Change the development boundary to include the Ysgubor Wen section of land for up to four houses (see enclosed map).
1049	Owen Lloyd [3189]	Map 8 - Pwllheli	Object	The Plan's allocation of housing land in Pwllheli is inadequate in terms of its proportion of the 55% target for delivery in the Primary Settlements and the town's continued role as an Urban Service Centre. The over-dependence of the proposed housing on a single large site (T29) will effectively create an urban extension of ribbon development on "greenfield" land with poor connectivity to the town centre. The whole of Candidate Site SP765 is excluded from the Proposals Map, despite the opportunity to provide housing on "brownfield" land on the edge of town centre - thereby providing a more sustainable alternative. In the light of the above representations, the changes required would be an amendment of the Pwllheli development boundary to include 10-15 acres of land along and adjacent to the Ala Road frontage.
1050	R K Jones [3194]	Map 8 - Pwllheli	Object	Support the inclusion of SP858 Penmaen Estate Land in the Candidate Site Register. There are comments in the initial responses to the application that the main drawback to it's inclusion are associated with access issues May I respectfully point out that access to potential small scale development sites from the villages of Penrhos and Efailnewydd are already in place; and could quite easily accommodate additional vehicular access The land above Ala Road Pwllheli despite being close to the skyline could with sensitive development ease the pressure on housing estates and business premises in the town which are under increasing threat of rising water levels as a result of climate change It is inevitable that this land will need to be utilised for building purposes in the medium term future I am also aware that a proportion of the land is offered protection under Historic Parks and Gardens designation and is as a result unsuitable for development The same applies to all land adjacent to afon Rhydhir which floods on a regular basis.
1435	H & V Williams [2145]	Map 8 - Pwllheli	Object	The site hasn't been included within the development boundary on the map. Having looked at the sustainability appraisal and the content of Topic Paper 1A, I am of the opinion that the information included in this document highlights the site's suitability for housing development.

9) Beaumaris

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1354	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T32 - Casita, Beaumaris	Support	* This site has planning permission as such we have no further comment to make

10) Benllech

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1355	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T33 - Land adjoining Wendon Cafe, Benllech	Support	<p>* A water supply can be provided to serve this site.</p> <p>* Potential developers need to be aware that the site is crossed by a sewer and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site.</p> <p>* Benllech Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.</p>
1107	Mr M Williams-Bulkeley [3229]	Map 10 - Benllech	Object	<p>The Deposit JLDP allocated T33 for Housing in Benllech, which is classed as a Local Service Village. It is a popular settlement of some growing size and population. There is a growing market housing need here, and an even greater local affordable housing need. Allocation T33 is insufficient in size/density, and inappropriate in location, and is by its beach-side location is patently more attractive and appropriate for in-migrant retiree/holiday homes, for which there is intense demand, to the detriment of local persons in real housing need.</p> <p>According to need, Benllech should be allocated a more appropriately sized and located Housing Site. An alternative site for housing is proposed at Ffordd Amlwch, Benllech. Please refer to the comprehensive Supplementary Information document on the proposed site, dated March 20, 2015.</p> <p>The needs of local persons should override the demands of affluent in-migrants. Such needs are not recognised in the Plan.</p>

11) Bodedern

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1356	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T34 - Land near Llwyn Angharad, Bodedern	Support	<p>* A water supply can be provided to serve this site.</p> <p>* The public sewerage network can accept the potential foul flows from the proposed development site.</p> <p>* Bodedern Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1282	Dr Cledwyn Hughes [129]	Map 11 - Bodedern	Object	Land at Sarn Gannu can be linked with allocation T34 to provide a comprehensive housing allocation which will meet the increased housing needs of anglesey over the plan period given likely significant economic growth led by major infrastructure projects over the plan period. There is an under-supply of housing in the deposit Plan and an over reliance on existing commitments which have failed to deliver in the past, combined with an over reliance of windfall sites. Bodedern is a sustainable settlement with a primary and secondary school which could accommodate significant additional housing.

12) Cemaes

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
504	J & A Parry [2980]	POLICY TAI15, T35 - Land to rear of Holyhead Road, Cemaes	Support	This site is a logical location for new housing development within Cemaes Bay. It is well related to the existing urban area, has ready access to services and has a suitable road access. In addition, the developed site will have no deleterious impact on the visual amenity of the locality or on the landscape.
1300	Cyngor Cymuned Llanbadrig (Carli Evans-Thau) [1375]	POLICY TAI15, T35 - Land to rear of Holyhead Road, Cemaes	Object	In 1990 an application to develop this site was refused following receipt of community survey highlighting the concerns of local residents and there being no safe access on to the highway. This issue is more apparent now than ever with an increase in traffic and road use. Parking is also a big problem in the immediate area. Residents have previously asked for pavements but the road is deemed to narrow and dangerous for pedestrian use.
1303	Miss J Madoc-Jones [3298]	POLICY TAI15, T35 - Land to rear of Holyhead Road, Cemaes	Object	<p>The land refT35 is first class agricultural land and was outside the original boundaries of Cemaes Bay, which have recently been extended to include plot T35.</p> <p>Land at Manora ref SP334 could be extended to link in with Maes Padrig and Maes Cynfor where similar housing already exists. Access for site SP334 extended to Maes Padrig would be from A5025 Holyhead Road with access from Maes Cynfor.</p> <p>Concerns for the development of T35 are:</p> <ol style="list-style-type: none"> 1. Road not designed or constructed to accommodate extra traffic use; 2. Inadequate sewerage capacity for major development with serious problems in the past; 3. Capacity of Cemaes Primary School to cope with additional pupils; 4. Capacity issues relating to the ability of Cemaes Bay Surgery to cope with additional numbers.
1304	Felicity Lillywhite	POLICY TAI15, T35 -	Object	The land refT35 is first class agricultural land and was outside the original boundaries of

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	[3299]	Land to rear of Holyhead Road, Cemaes		<p>Cemaes Bay, which have recently been extended to include plot T35.</p> <p>Land at Manora ref SP334 could be extended to link in with Maes Padrig and Maes Cynfor where similar housing already exists. Access for site SP334 extended to Maes Padrig would be from A5025 Holyhead Road with access from Maes Cynfor.</p> <p>Concerns for the development of T35 are:</p> <ol style="list-style-type: none"> 1. Road not designed or constructed to accommodate extra traffic use; 2. Inadequate sewerage capacity for major development with serious problems in the past; 3. Capacity of Cemaes Primary School to cope with additional pupils; 4. Capacity issues relating to the ability of Cemaes Bay Surgery to cope with additional numbers.
1305	Glyn & Karen Williams [3300]	POLICY TAI15, T35 - Land to rear of Holyhead Road, Cemaes	Object	<p>We are writing to lodge our objection to the change of use and proposed development of land located behind Lon Ysgubor. This land (T35) is located behind our property and runs alongside Ffordd y Felin which is adjacent to the primary school.</p> <p>To summarise, our objections are:</p> <ol style="list-style-type: none"> 1. Loss of habitats, hedgerows and wildlife. 2. Depreciation of value to property. 3. Increase in risk to school children and pedestrians. 4. The ability of sewage systems to cope. 5. The increase in noise and possible crime impact. 6. Reduction in quality of life for residents. 7. Lack of consultation on changes to boundaries and housing needs.
1357	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T35 - Land to rear of Holyhead Road, Cemaes	Object	<p>* A water supply can be provided to serve this site.</p> <p>* The public sewerage network can accept the potential foul flows from the proposed development site.</p> <p>* The proposed growth being promoted for this settlement may require improvements at Cemaes Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>
1379	Miss Gweneth Mary Jones [3303]	POLICY TAI15, T35 - Land to rear of Holyhead Road, Cemaes	Object	This land has always been agricultural land
1397	Mrs Cerrie Douglass	POLICY TAI15, T35 -	Object	Dubious at to the reasons for not developing the land at Manora (SP334) directly behind

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	[2736]	Land to rear of Holyhead Road, Cemaes		Maes Cynfor and do not agree with the 'poor access' argument. There are capacity, parking and road safety issues associated with Cemaes Primary School. Arguments used to discount other sites are a matter of personal opinion. Firmly believe that the land in question is unsuitable for development. Risk of overdeveloping the village and killing the tourist industry. Capacity issues with the local GP. Also an issue with sewage systems. Impact on the Welsh Language.
1426	Mrs G. L. Tennet [3352]	POLICY TAI15, T35 - Land to rear of Holyhead Road, Cemaes	Object	Strongly oppose developemnt for the following grounds: <ul style="list-style-type: none"> * impact on the free and safe flow of traffic, with particular reference to primary school; * inadeqacy of infrastructure, including school, to support development; * site in an area of natural beauty and valuable wildlife; * impact on quality of life; * social housing would de-value properties.
1823	Mr Thomas Conway [3371]	POLICY TAI15, T35 - Land to rear of Holyhead Road, Cemaes	Object	<ul style="list-style-type: none"> * Wrong and misleading description for the site; * Feel there has been a lack of publicity for adjacent neighbours; * Having affordable housing in this location is contrary to original zoning policy with Council estates located elsewhere in the Village; * Maes Cynfor estate was never completed with land to West of boundary available; * It is grade 3 agricultural land; * Limited capacity of sewage plant near Wylfa; * Anglesey document states no further development in Cemaes; * Refusal of previous residential application in 1990 on grounds of lack of need and road safety; * Adverse impact on value and amenity of adjacent houses; * Surface water problems with part of site; * An overage charge on the site impacts on its viability.
954	Mr & Mrs H Rees [31]	Map 12 - Cemaes	Object	<p>Candidate Site SP851 was initially not taken forward in the deposit plan as it was deemed to be in the open countryside. We now wish to resubmit it as an Alternative Site.</p> <p>The site is situated within a cluster/settlement of 9 houses, all within walking distance of Cemaes and all its facilities/services.</p> <p>Development would be restricted to one ecofriendly property only.</p> <p>Accessible from public highway with adequate frontage to provide access. The site is within the geographical spread of the village and would fit within the medium growth option of the Spatial Strategy. (Consider Wylfa Newydd Requirements)</p>
1390	Mr Llyr Jones [3307]	Map 12 - Cemaes	Object	We wish to object to the Deposit Local Development Plan's development boundary for Cemaes. It is proposed that land to the west of the Football field should be included

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>within the development boundary (as outlined in red on the attached plan).</p> <p>The site is within a sustainable location close to the A5025, a key public transport route which will link the village with the planned Wylfa Newydd Nuclear Power Station.</p> <p>The land is also close to the local primary school and could be developed for housing.</p>
1825	Mr Thomas Conway [3371]	Map 12 - Cemaes	Object	<ul style="list-style-type: none"> * Summary of issues identified with SP334 Manora in topic paper 1A is incorrect, biased and based on an unjustified opinion; * The access to the site is suitable and easy and better than those for other estates in the settlement; * Existing access to the property on the site through the Maes Cynfor estate; * The original Maes Cynfor estate land provision extended in a westerly direction as far as the watercourse the original intention was to complete the estate before changes in National Policy in the 1980's; * This area of land would be better suited for development than the T35 site.
1826	Mr Thomas Conway [3371]	Map 12 - Cemaes	Object	<ul style="list-style-type: none"> * Topic paper 1A states the site SP851 land adjacent to Hafod is in the countryside, but so is site T35; * Topic paper 1A states it is unsuitable for housing however no evidence is provided to support this statement; * It further states that the allocation would be contrary to National Policy & JLDP strategy - both these are rejected as not applicable; * The group of houses around the Mill was identified as a Rural Cluster in the Interim Policy in 2011; * SP851 could be developed as the adjoining property Hafod house.
1827	Mr Thomas Conway [3371]	Map 12 - Cemaes	Object	<ul style="list-style-type: none"> * Topic paper 1A states the site SP852 former Faraway Site is in the countryside, but so is site T35; * Topic paper 1A states it is unsuitable for housing however no evidence is provided to support this statement; * It further states that the allocation would be contrary to National Policy & JLDP strategy - both these are rejected as not applicable; * This is the site of the former Faraway hotel and therefore is a brownfield site and should be given a priority for appropriate development; * The access has a steep gradient but never caused any difficulty for the hotel clients nor for the usage in the intervening years for industrial type storage by a local builder; * Should be allocated as a future high quality housing of appropriate size.

13) Gaerwen

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1663	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C36 - Extension to Gaerwen Industrial Estate, Gaerwen	Object	* Off-site water mains may be required to serve the site. These can be provided through a water requisition scheme under Sections 41 - 44 of the Water Industry Act 1991.
1664	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C36 - Extension to Gaerwen Industrial Estate, Gaerwen	Object	* The proposed employment allocations in Gaerwen represent a substantial area of land for development for which the potential demands are unknown at present. It is essential that we understand these demands in order to allow us to assess the capacity of Gaerwen Wastewater Treatment Works (WwTW) to accept the domestic demands from this development area.
1692	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C36 - Extension to Gaerwen Industrial Estate, Gaerwen	Object	* There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment is required to determine an adequate point of connection to the public sewer and potential developers would be expected to fund investigations during pre-planning stages. Off-site sewers would be required to connect to the sewerage network from parts of the site, which can be acquired through the sewer requisition provisions of the Water Industry Act 1991 (as amended).
1658	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C33 - Gaerwen Industrial Estate, Gaerwen	Object	* Our local water network is sufficient to provide the domestic water demands required to serve this development area. Potential developers need to be aware that this site is crossed by water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the density achievable on site.
1659	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C33 - Gaerwen Industrial Estate, Gaerwen	Object	* The proposed employment allocations in Gaerwen represent a substantial area of land for development for which the potential demands are unknown at present. It is essential that we understand these demands in order to allow us to assess the capacity of Gaerwen Wastewater Treatment Works (WwTW) to accept the domestic demands from this development area.
1691	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C33 - Gaerwen Industrial Estate, Gaerwen	Object	* There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment is required to determine an adequate point of connection to the public sewer and potential developers would be expected to fund investigations during pre-planning stages. Off-site sewers would be required to connect to the sewerage network from parts of the site, which can be acquired through the sewer requisition provisions of the Water Industry Act 1991 (as amended).
1180	Cyngor Cymuned	POLICY CYF1, C38 -	Object	Concerns regarding overdevelopment of the existing industrial estate.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Llanfihangel Esc (Alun Foulkes) [3121]	Menai Science Park		Creating a new employment site (C38) is totally inappropriate for the village for a number of reasons such as the effect of traffic, surface water, sewerage and the visual impact. There is already a large employment allocation already in Gaerwen which is over half the size of the village with a number of empty/vacant land and units.
1287	Mon a Gwynedd Friends of the Earth (Mr Richard Mills) [2937]	POLICY CYF1, C38 - Menai Science Park	Object	This should be continued as a farm, ideally as an educational/demonstration resource.
1666	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C38 - Menai Science Park	Support	* Our local water network should be sufficient to provide the domestic water demands required to serve this development area.
1667	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C38 - Menai Science Park	Object	* The proposed employment allocations in Gaerwen represent a substantial area of land for development for which the potential demands are unknown at present. It is essential that we understand these demands in order to allow us to assess the capacity of Gaerwen Wastewater Treatment Works (WwTW) to accept the domestic demands from this development area.
1694	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C38 - Menai Science Park	Object	* There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. A hydraulic modelling assessment is required to determine an adequate point of connection to the public sewer and potential developers would be expected to fund investigations during pre-planning stages. Off-site sewers would be required to connect to the sewerage network from parts of the site, which can be acquired through the sewer requisition provisions of the Water Industry Act 1991 (as amended).
1121	Mrs Sioned Jones [3235]	Map 13 - Gaerwen	Object	The Deposit LDP allocates no land for housing in Gaerwen, which is classed as a Local Service Village. It is a settlement of some growing size and population. There is a growing market housing need here, and an even greater affordable housing need. Such needs are not recognised in the Plan. According to the need, Gaerwen should be allocated a Housing site. An alternative site for Housing is proposed, at Lôn Graig, Gaerwen. Please refer to the Supplementary Information document on the proposed site, dated March 20, 2015.
1124	Christine Webster [3236]	Map 13 - Gaerwen	Object	We wish to object to the lack of allocation of housing within the Local Service Centre of Gaerwen and to the exclusion of the site which surrounds Gaerwen Uchaf Business Park (as identified in red on the attached plan) from the development boundary of Gaerwen. We wish to propose that the site is included within the development boundary and allocated for mixed use development comprising of housing, public open

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				space, community facilities development within the settlement.

14) Llanfairpwll

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1358	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T36 - Land near Bryn Eira, Llanfairpwll	Object	<p>* Potential developers need to be aware that this site is crossed by a water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the density achievable on site.</p> <p>* Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991</p> <p>* Llanfairpwll Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.</p>
1334	Mr TC Roberts [3231]	POLICY TAI15, T37 - Land near Penmynydd Road, Llanfairpwll	Object	<p>Site T37 is not the optimum housing site for the settlement of Llanfairpwll, because -</p> <ol style="list-style-type: none"> 1. In locational terms it is not the most sustainable 2. In locational terms it is not the most accessible 3. The Alternative Site now available and proposed at 2d, was not proposed as a Candidate Site 4. The Deposit Plan is unsound if it does not consider and accept the Alternative Site. <p>Site T37 should be OMITTED in favour of the Alternative Site now available and proposed at - Land at Lon Refail Llanfairpwll LL61 5YY OS GRID REF. SH 53536 72021</p>
1359	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T37 - Land near Penmynydd Road, Llanfairpwll	Support	* This site has planning permission as such we have no further comment to make
723	Mr & Mrs Brooke [3081]	Map 14 - Llanfairpwll	Support	it is considered that the land allocated for housing within the Local Service Centre of Llanfairpwll should remain within the Local Development Plan. The site adjoins the current UDP boundary along its northern boundary and also adjoins the settlement's built form in terms of the residential properties of Y Wern estate. The site forms a logical and sustainable extension to the settlement with the A55 creating a physical boundary preventing intrusion into the open countryside.
1109	Mr TC Roberts [3231]	Map 14 - Llanfairpwll	Object	Site T36 is not the optimum housing site for the settlement of Llanfairpwll because: <ol style="list-style-type: none"> 1. In locational terms it is not the most sustainable

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>2. In locational terms it is not the most accessible</p> <p>3. The Alternative Site now available and proposed at 2d, was not proposed as a Candidate Site</p> <p>4. The Deposit Plan is unsound if it does not consider and accept the Alternative Site.</p> <p>Site T36 should be omitted in favour of the Alternative Site now available and proposed at: Land at Lon Refail, Llanfairpwll, LL61 5YY, OS Grid Ref: SH53536 72021</p>
1388	Mr & Mrs Brooke [3081]	Map 14 - Llanfairpwll	Object	<p>We wish to propose an extension to the allocated site on land adjacent to Bryn Eira for housing. Part of the site has been allocated for housing within the centre of Llanfairpwll to accommodate 30 units. It is considered that extending the allocated site to include fields to the east would ensure that the level of housing is maintained over the plan period and would ensure that there is sufficient land within the boundary to accommodate for the identified housing need.</p>

15) Menai Bridge

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1360	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T38 - Ty Mawr, Menai Bridge	Support	* This site has planning permission as such we have no further comment to make.
1361	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T39 - Tyddyn Mostyn, Menai Bridge	Support	* This site has planning permission as such we have no further comment to make.
1362	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T40 - Land near Lôn Gamfa, Menai Bridge	Object	<p>* A water supply can be provided to serve this site.</p> <p>* The public sewerage network can accept the potential foul flows from the proposed development site.</p> <p>* The proposed growth being promoted within the catchment area of Treborth WwTW would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>
927	Mr & Mrs Brooke [3081]	Map 15 - Menai Bridge	Object	<p>We wish to propose a site off Mount Street be included in the development boundary of Menai Bridge. The site is identified as being located immediately adjoining the development boundary in 3 directions. The proposed inclusion of the site within the development boundary will assist in providing windfall sites to accommodate the housing need over the plan period. It is considered that the site would form a reasonable extension to the development boundary sensitively infilling a small gap between existing housing to accommodate the identified housing need.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1017	Watkin Jones (Mr Stuart Hardy) [3159]	Map 15 - Menai Bridge	Object	Land adj Tyddyn Isaf. The above information, which is supplemented by a comprehensive sustainability appraisal of the site, indicates that the site is suitable for housing and should be included as a candidate/allocated site within the JLDP. The site is accessible, available, deliverable and developable and can help Anglesey/Gwynedd meet its housing requirements throughout the plan period. It is therefore considered to be appropriate to be brought forward due to its highly sustainable location in Menai Bridge, which is recognised within the JLDP as a priority area for development.
1018	Watkin Jones (Mr Stuart Hardy) [3159]	Map 15 - Menai Bridge	Object	Pentraeth Automotive, Henffordd, Menai Bridge. The above information, which is supplemented by a comprehensive sustainability appraisal of the site, indicates that the site is suitable for other uses, preferably for housing (or leisure/retail) and should be included as a candidate/allocated site within the JLDP. The site is brownfield land and as such the principle of built development has already been established. Whilst the site is not currently available, there is reasonable prospect that it would become available in the future. The site is deliverable and developable and can help Anglesey/Gwynedd meet to development requirements.
1157	Cadnant Planning (Mr Rhys Davies) [1366]	Map 15 - Menai Bridge	Object	Land opp Tafarn Four Crosses, Menai Bridge. We wish to object to the development boundary of Menai Bridge. We wish to propose a site on land to the north-west of the Four Crosses Roundabout to be included within the development boundary of Menai Bridge for the allocation of mixed use development on the site is considered to be deliverable due to the site's merits of being located in a popular, accessible and sustainable location, having excellent social and transport links with the nearby regional centre of Bangor.

16) Pentraeth

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1159	Cadnant Planning (Mr Rhys Davies) [1366]	Map 16 - Pentraeth	Object	Meithrinfa Pentraeth Nursery, Pentraeth. Pentraeth has been categorised as a Local Service Centre under Policy TAI15. It is identified within Strategic Policy PS15 that at least 20% of the plan's growth is located within Local Service Centres. However, no land has been allocated within Pentraeth for housing. It is considered that there is an over-reliance on windfall sites with the LDP. It is not considered that there is sufficient landbank within the development boundary to accommodate the identified housing need. Therefore, we wish to propose a brownfield site at Pentraeth Nursery to be included within the development plan and allocated for housing.
1160	Cadnant Planning (Mr Rhys Davies) [1366]	Map 16 - Pentraeth	Object	Land at Glanrafon, Pentraeth. Pentraeth has been categorised as a Local Service Centre under Policy TAI15. It is identified within Strategic Policy P1S15 that at least 20% of the plan's growth is located within Local Service Centres. However, no land has

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				been allocated within Pentraeth for housing. It is considered that there is an over-reliance on windfall sites within the Local Development Plan. It is not considered that there is sufficient landbank within the development boundary to accommodate the identified housing need. We wish to propose the Glanrafon site for inclusion in the development boundary and allocated for housing.

17) Rhosneigr

- No Representations

18) Valley

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1363	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T41 - Former Cattle Market site, Valley	Support	* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. * Holyhead Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figures.
1045	Strutt and Parker (Jo Remond) [3188]	Map 18 - Valley	Object	Land adj Bryn Derwen, Valley. The Authority needs to increase the level of housing than currently planned for to meet expected housing need. For example, in order to meet the needs of Wylfa construction workers, a degree of whom are likely to permanently relocate to Anglesey. There are a number of smaller sustainable settlements, including Valley/Gorad which have the capacity to accommodate more growth than currently planned for.

19) Barmouth

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
978	Mr Rob Bonser [3143]	Map 19 - Barmouth	Object	There are serious errors in the judgements and methods used to calculate the urban capacity for Barmouth detailed in Topic Paper 6 resulting in a significant and inappropriate reliance on the conversion of existing large houses and commercial properties and the contribution of the empty homes strategy. The inclusion of this brownfield site, which has been the subject of previous planning consents for residential

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				development, within the development boundary for Barmouth, would help support and achieve the required indicative windfall provision of 81 dwelling units in Policy TAI15. Redrafting of the development boundary for Barmouth indicated on Inset Map 19 to include this site.
1387	Mr Bruce Davies [3305]	Map 19 - Barmouth	Object	<p>The land for which Planning Permission was granted on the 1st July 2009 whilst the Unitary Development Plan was still current (and is to the present day) should be re-included within the Development Boundary for Barmouth.</p> <p>The land met Planning Policy requirements at that time and thus must hold to be in accord with policies at present time since the UDP had not yet been superseded by the LDP.</p> <p>Barmouth has been identified in the LDP consultation process as requiring 27 no. dwellings to fulfil it's housing requirements for the term of the LDP. This site represents a parcel of land that was previously considered suitable for development under the UDP but would also meet planning windfall criteria.</p>
1707	Cyngor Tref Abermaw (Ms Sue Phillips) [3318]	Map 19 - Barmouth	Object	As planning permission for two dwellings has previously been approved on this land, and in light of the fact that some 90 new dwellings are recommended for the Barmouth area (a number which may not be achieved within the existing time frame), the Town Council is in unanimous agreement that the area of land owned by Mr Evans (adjacent to his home, and previously having been granted planning permission for two dwellings) should be included within the development area.

20) Abersoch

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
953	Emlyn Williams [2153]	Map 20 - Abersoch	Object	<p>I submit that part of the land shown on the proposal map under reference SP352 should be included as land suitable for housing in the future. It is not an encroachment into open countryside but would in fact be infill between already existing housing areas. The benefit from existing mains services and access to the adjoining highway. It is well sheltered and would not be detrimental to the visual amenity. Development would support local employment and residential need.</p> <p>Test of soundness (CE2) - The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives.</p> <p>Extend the development boundary to include land as shown on the attached plan.</p>
956	Mr Rod Thompson [3125]	Map 20 - Abersoch	Object	The settlement boundary drawn on the inset map for Abersoch splits the curtilage of the property (shown edged red on the attached plan) into two. It is illogical that half of the

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>curtilage of the property should be excluded from the settlement boundary particularly when it is adjoined on three sides by residential development that lie within the settlement boundary and on the fourth side by the Cors Llyferin SSSI where further expansion of the settlement would not be permitted.</p> <p>Modification of the Settlement Boundary for Abersoch as indicated on the attached plan</p>
1026	Mr Daniel Bufton [321]	Map 20 - Abersoch	Object	<p>Extend the village boundary along Lon Garmon for the following reasons:</p> <ul style="list-style-type: none"> * Not enough plots available to build the further dwellings in Abersoch * Strong demand for local housing in and around the Abersoch area. * The site is a sustainable, feasible, suitable and a deliverable site, free of development constraints such as issues with drainage, access & flooding. * Form a sensible development boundary as is adjoining to the existing building line. * The site is on a major public transport (bus) route and within close proximity, therefore walking distance of all of Abersoch's amenities, shops, school, banks, etc. * The site is NOT within the AONB, but a conservation area * There is good access.
1027	Mr Alex Badley [255]	Map 20 - Abersoch	Object	<p>Whilst we acknowledge and support the identification of Abersoch as a Local Service Centre, we object to Policy TAI15 on the grounds that no sites are identified as housing land allocations within the settlement. We also object on the grounds that the site promoted (Hen Dy Farm - SP 830) is excluded from the schedule of housing allocations under this policy.</p> <p>We contend that insufficient provision is made in the local service centre of Abersoch as there is limited scope within the existing settlement boundary to provide for local housing needs, including affordable housing.</p> <p>By not providing for necessary growth in such a sustainable settlement the Deposit Plan fails Test of Soundness C2 and CE2.</p> <p>The site in question should be allocated for 90 dwellings in subsequent Focused Changes. This would be of a scale compatible with the role and function of Abersoch and its status as a Local Service Centre.</p>
1292	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 20 - Abersoch	Object	<p>We question whether 65 windfall/infill sites could be found within the village development boundary of Abersoch and would prefer a suitable housing site to be identified. If there is evidence of genuine need for additional affordable/local housing on this scale, then in principle we would support use of SP830 (south) adjacent to the village boundary in the west. We would oppose other candidate site proposals on the Sarn Bach road and in Machroes further from the village boundary, or in Mynytho, principally on grounds of adverse landscape impact.</p>

21) Bethesda

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1635	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C17 - Felin Fawr, Bethesda	Support	<p>* Our local water network should be sufficient to provide the domestic water demands required to serve this development area.</p> <p>* Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.</p> <p>* Tregarth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area</p>
1200	RCH Douglas Pennant [3070]	Map 21 - Bethesda	Object	We do not believe that there is sufficient existing land bank and windfall sites within the Bethesda development boundary to meet the indicative level of growth. A wider settlement boundary should be drawn to include the land adj Maes Coetmor site which was within the UDP development boundary.

22) Criccieth

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1085	Cyfoeth Naturiol Cymru / Natural Resource Wales (Ymgynhoriadau Cynllunio) [1521]	POLICY TAI15, T42 - Land near North Terrace, Criccieth	Object	Although, the site is not identified as being within a flood risk zone, NRW is aware of a history of flooding from the Afon Cwrt which flows through the site. The river enters a culvert at the bottom of the site, and any blockage of the screen could increase flood risk. Due to the steep nature of the land, it is unlikely that flooding would affect a large proportion of the site. However, NRW would expect any planning application to be supported by a Flood Consequence Assessment to ensure that development is adequately protected.
1364	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T42 - Land near North Terrace, Criccieth	Object	<p>* A water supply can be provided to serve this site.</p> <p>* Potential developers need to be aware that the site is crossed by a sewer and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site.</p> <p>* The proposed growth being promoted for this settlement may require improvements at Criccieth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>

23) Llanberis

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1365	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T43 - Land near Victoria Hotel, Llanberis	Support	<p>* A water supply can be provided to serve this site.</p> <p>* The public sewerage network can accept the potential foul flows from the proposed development site.</p> <p>* Llanberis Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.</p>
377	North Wales Wildlife Trust (Mr Chris Wynne) [2626]	POLICY TAI15, T44 - Land near Tŷ Du Road, Llanberis	Object	This area is also a woodland local WS
1366	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T44 - Land near Tŷ Du Road, Llanberis	Support	* This site has planning permission as such we have no further comment to make.
1641	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C21 - Glynrhonwy, Llanberis	Support	<p>* Our local water network should be sufficient to provide the domestic water demands required to serve this development area.</p> <p>* The public sewerage network can accept the domestic foul flows arising from this development area. Glan Rhonwy Sewage Pumping Station is located in the area and may need assessment to ascertain its capacity dependant on the type of development proposed.</p> <p>* Llanberis Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.</p>
917	Ann Sweeney [2052]	Map 23 - Llanberis	Object	<p>This area would be ideal for families having gardens and walking to the school and village. The road at Church Lane could be easily widened on my land to provide passing, parking and the building of some new houses (A small number).</p> <p>I would like to see the boundary extended to include this area and allow for people to have small and affordable house in a very pleasant rural area , with lots of space around. Llanberis is a thriving village and we need to provide for our young people. (CE4).</p>
995	John M Prydderch Roberts [3157]	Map 23 - Llanberis	Object	<p>The Boundary for Llanberis does not extend enough as it has not taken into account my proposed site which falls well within the Village boundary and is not within the Countryside. The site is immediately opposite an area of residential development and is placed within two main roads. The site is not a Greenfield site but a Brownfield site and very suitable for development. I understand for the settlement of Llanberis Indicative additional number of housing required is 53 to 2026 therefore, additional suitable sites in Llanberis is limited therefore not to be missed.</p> <p>To include my suggested site as per enclosed map</p>
1672	Guy (Paddy) Smith	Map 23 - Llanberis	Object	The community of Llainwen, Tŷ Du Road and Yankee Street have extreme concern

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	[2101]			about the proposed inclusion of site SP427 as a suitable housing development site in the joint local development plan. Whilst we note and agree with your consideration at review that access to this site and ensuring traffic and parking problems it will cause are prohibitive to its success, we would like to add in objection the well known and recorded history of this site as a flood plain. We feel this is also prohibitive to its development and subsequent property insurance issues.

24) Llanrug

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1367	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T45 - Church Field, Llanrug	Support	* This site has planning permission as such we have no further comment to make
1295	Mr Ian Trevor [2930]	POLICY TAI15, T46 - Land near Rhythallt Road, Llanrug	Object	Land opposite former Hafod garage, Llanrug: proposed housing allocation & inclusion within development boundary of Llanrug. * Proposed site is a sustainable development proposal. * The suggested site is an appropriate addition to the settlement, and would perform better against the LDP's criteria than site T46. Deletion of housing allocation T46
1368	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T46 - Land near Rhythallt Road, Llanrug	Support	* This site has planning permission as such we have no further comment to make
981	Cyngor Cymuned Llanrug. (Mr Meirion Jones) [3134]	Map 24 - Llanrug	Support	At a recent meeting of the Community Council, Councillor Charles Jones explained the amendments to the above Plan and that he, as a Local Member, was very happy with the amendments. This was endorsed unanimously by the Community Council and I was requested to contact you to express the Community Council's satisfaction with the plan and to express gratitude to you for considering local concerns. The Council intends to contact you again in future to express their views on the type of housing they are eager to see being approved in Llanrug.
1011	Mr D M Price [274]	Map 24 - Llanrug	Object	I wish to submit an alternative site for consideration in the plan for the village of Llanrug. This land was located within the development boundary of Llanrug in the consultative version of the Unitary Development Plan in 2002 which in my opinion acknowledges the suitability of the site to be included as an alternative site.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>The site is located in the centre of the village, adjacent to the Minffordd estate which means that the sewerage infrastructure and the mains water and electricity systems are conveniently located for the site.</p> <p>There is a lack of affordable housing in the village and the document notes that there is a need for 14 extra units. I believe that it is crucially important for the sustainability of Welsh communities that there is sufficient affordable housing provision for local people to enable them to remain within their localities.</p>
1123	Mr Ian Trevor [2930]	Map 24 - Llanrug	Object	<p>Land opposite former Hafod garage, Llanrug: proposed housing allocation & inclusion within development boundary of Llanrug in place of T46.</p> <p>* Proposed site is a sustainable development proposal. * The suggested site is an appropriate addition to the settlement, and would perform better against the LDP's criteria than site T46.</p>

25) Nefyn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1369	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T47 - Land near Helyg, Nefyn	Object	<p>* A water supply can be provided to serve this site. * There are isolated incidents of flooding in the public sewerage system that will need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. * Nefyn Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.</p>
1370	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T48 - Former Allotments, Nefyn	Support	<p>* This site has planning permission as such we have no further comment to make.</p>
1645	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C25 - Nefyn Industrial Estate, Nefyn	Support	<p>Our local water network is sufficient to provide the domestic water demands required to serve this development area. There are isolated incidents of flooding in the public sewerage system that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990. Morfa Nefyn Wastewater Treatment Works</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				(WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
719	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 25 - Nefyn	Object	27.1 We have no objection to site T47 which involves a logical extension to the eastern boundary of the town. There is no explanation of why land near the Holborn Estate included in the GUDP for housing has been deleted and the boundary redrawn. Similarly, an isolated development area to the south east of the town in the GUDP has been deleted from JLDP.
1040	Lord Newborough [3187]	Map 25 - Nefyn	Object	<p>The proposed allocation of alternative site known as Land at Nefyn (East of Y Fron) for 16 residential units. Site is supported for the following reasons: Deliverability - Positive Planning. Allocated Housing Numbers Development Principle Opportunities and Constraints - As attached at Appendix 1 Indicative Masterplan - As attached at Appendix 2 Positive Sustainability Appraisal</p> <p>Allocation of additional site known as Land at Nefyn (East of Y Fron) to provide 16 residential units as indicated on the Opportunities and Constraints Plan. A Sustainability Appraisal has been carried out and is included in the supporting documentation.</p>
1041	Lord Newborough [3187]	Map 25 - Nefyn	Object	<p>The proposed allocation of alternative site known as Site South of Nefyn off A497 for 16 residential units. Site is supported for the following reasons: Deliverability - Positive Planning. Allocated Housing Numbers Development Principle Opportunities and Constraints - As attached at Appendix 1 Indicative Masterplan - As attached at Appendix 2 Positive Sustainability Appraisal</p> <p>Allocation of additional site known as Site South of Nefyn off A497 to provide 16 residential units as indicated on the Opportunities and Constraints Plan. A Sustainability Appraisal has been carried out and is included in the supporting documentation.</p>

26) Penrhyndeudraeth

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1371	Dwr Cymru Welsh Water (Mr Dewi)	POLICY TAI15, T49 - Canol Cae,	Object	<p>* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]	Penrhyndeudraeth		development site. * The foul flows would lead to Penrhyndeudraeth Pumping Station (SPS) and an assessment of this SPS may be needed to establish whether the flows can be accommodated or whether improvements to the SPS will be required to allow development to proceed. * Penrhyndeudraeth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1372	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T50 - Land near former Bron Garth Hospital, Penrhyndeudraeth	Object	* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. * The foul flows would lead to Penrhyndeudraeth Pumping Station (SPS) and an assessment of this SPS may be needed to establish whether the flows can be accommodated or whether improvements to the SPS will be required to allow development to proceed. * Penrhyndeudraeth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1373	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T51 - Land near Canol Cae, Penrhyndeudraeth	Object	* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. * The foul flows would lead to Penrhyndeudraeth Pumping Station (SPS) and an assessment of this SPS may be needed to establish whether the flows can be accommodated or whether improvements to the SPS will be required to allow development to proceed. * Penrhyndeudraeth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1621	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C7 - Business Park, Penrhyndeudraeth	Support	The local water network located within the existing industrial estate is sufficient to provide the domestic water demands required to serve this development area. A sewage pumping station (SPS) is located within the site and an assessment may be required to establish whether the flows from this site can be accommodated or whether future improvements to the SPS will be required to allow development to proceed. Should the existing sewerage infrastructure not be sufficient to accommodate the proposed level of growth the provision of sewerage infrastructure can be acquired through the sewer requisition provisions of the Water Industry Act 1991
1622	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C7 - Business Park, Penrhyndeudraeth	Support	* Penrhyndeudraeth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area
1284	Duncan Teed [289]	POLICY CYF1, C22 - Former site of Ysbyty Bron y Garth, Penrhyndeudraeth	Object	1) Reclassify former hospital from B1 use to C3 & C2 use 2) Correct land area mistake in CYF1 and other tables (1.6ha not 16ha) - Building is former NHS hospital (C2 and Grade 2 listed)

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<ul style="list-style-type: none"> - Deposit Plan changed use class to B1 - Have examined B1 usage and buildings not physically suitable for conversion to B1, Grade 2 listed - No demand for additional business units (vacant units in Penrhyndeudraeth and Blaenau Ffestiniog). Change to B1 not commercially viable - Building needs development to stop deterioration - builder advises to convert to apartments. - Good access onto A496 and tarmac car parks - East side (0.8ha) undeveloped and could develop into housing or employment (hotel, garden centre etc)
1442	Cyfoeth Naturiol Cymru / Natural Resource Wales (Ymgynhoriadau Cynllunio) [1521]	POLICY CYF1, C22 - Former site of Ysbyty Bron y Garth, Penrhyndeudraeth	Object	Part of this site is located within Ysbyty Bron y Garth Site of Special Scientific Interest. We would recommend that a design guide is prepared to guide development at the former Bron y Garth Hospital site.
1642	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C22 - Former site of Ysbyty Bron y Garth, Penrhyndeudraeth	Support	<ul style="list-style-type: none"> * Our local water network is sufficient to provide the domestic water demands required to serve this development area. * The public sewerage network can accept the domestic foul flows arising from this development area. The foul flows would lead to Penrhyndeudraeth Pumping Station (SPS) and an assessment of this SPS may be needed to establish whether the flows can be accommodated or whether improvements to the SPS will be required to allow development to proceed. * Penrhyndeudraeth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area
1083	Cyfoeth Naturiol Cymru / Natural Resource Wales (Ymgynhoriadau Cynllunio) [1521]	POLICY CYF1, C39 - Griffin Industrial Estate, Penrhyndeudraeth	Object	<p>The land is located within flood zone C2 of the Welsh Government's TAN15: Development Advice Maps. Developing this land for employment use would contradict national policy guidance contained within TAN15.</p> <p>NRW recommends that either a stage 2 or stage 3 SFCA is prepared and forwarded to NRW for further assessment to demonstrate that developing this site for employment use would comply with the requirements of TAN15 or that development brought forward under this allocation includes no erection of new employment units within the site.</p>
106	Natural Resources Wales (Mr Gareth Thomas) [2757]	POLICY CYF1, C39 - Griffin Industrial Estate, Penrhyndeudraeth	Object	<p>C39: Griffin Industrial Estate, Penrhyndeudraeth - is within flood zone C2 of Welsh Government's TAN15: Development Advice Maps. Locating a new employment unit within the site would contradict national policy TAN15. The SFCA, section 9.3 states that none of the allocations fall within zones C1 or C2. The flood risk has not been assessed.</p> <p>Either a stage 2/stage 3 SFCA submitted that demonstrates the site would comply with TAN15 requirement, or that no NEW employment units to be provided within this site.</p>
1681	Dwr Cymru Welsh	POLICY CYF1, C39 -	Support	* Our local water network is sufficient to provide the domestic water demands required

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Water (Mr Dewi Griffiths) [2680]	Griffin Industrial Estate, Penrhyndeudraeth		to serve this development area. * The public sewerage network can accept the domestic foul flows arising from this development area. The foul flows would lead to Penrhyndeudraeth Pumping Station (SPS) and an assessment of this SPS may be needed to establish whether the flows can be accommodated or whether improvements to the SPS will be required to allow development to proceed. * Penrhyndeudraeth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1430	Cyngor Tref Penrhydeudraeth (Mr Glyn Roberts) [1261]	Map 26 - Penrhyndeudraeth	Object	Porthmadog's needs should not be satisfied in Penrhyndeudraeth because: * Motoring difficulties along streets, which will be exacerbated anyway when Pont Briwet is completed; * Parking is a major problem; * No room to expand the school; * Create difficulties to gain access to the surgery car park, where an accident occurred in 2015. Intense consideration needs to be given to these spatial and traffic issues.
1437	Cyngor Gwynedd (Cyng/Counc Gareth Thomas) [402]	Map 26 - Penrhyndeudraeth	Object	I object to the fact that Penrhyndeudraeth has to absorb more housing units because Porthmadog is unable to accept its quota of housing. I understand the reason for this, in that Porthmadog is in an area at risk of flooding. But the requirement that adjoining towns like Penrhyndeudraeth and Criccieth accept additional housing is completely unacceptable for a number of reasons, which includes: capacity of streets to deal with extra traffic, capacity of Ysgol Cefn Coch, the surgery and car park, as well as doubt about the suitability and therefore the viability of sites allocated for housing.
1669	Mr Geraint Evans [2855]	Map 26 - Penrhyndeudraeth	Object	We object to the development boundary which runs through the centre of our property. The stable is outside the development boundary and the line of the boundary does not follow any physical or visual line to the south of the buildings. This will lead to uncertainty when assessing policy and will reduce the option to extend the B&B enterprise. As a listed building there is an opportunity to change the use of the stable to safeguard the building for the future. The entire property is considered to be an essential part of the town and its built form. According to our Sustainability Appraisal the site is suitable to be included within the development boundary.

27) Penygroes

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
370	North Wales Wildlife Trust (Mr Chris	POLICY TAI15, T52 - Land near Maes	Object	This area includes part of a local WS

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Wynne) [2626]	Dulyn, Penygroes		
371	North Wales Wildlife Trust (Mr Chris Wynne) [2626]	POLICY TAI15, T52 - Land near Maes Dulyn, Penygroes	Object	This area includes part of a local WS
1374	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T52 - Land near Maes Dulyn, Penygroes	Support	A water supply can be provided to serve this site. Potential developers need to be aware that the site is crossed by a water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site. Potential developers need to be aware that the site is crossed by a sewer and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site. Llanllyfni Wastewater Treatment Works (WwTW) can accommodate
1643	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C23 - Penygroes industrial Estate, Penygroes, Gwynedd	Support	Our local water network is sufficient to provide the domestic water demands required to serve this development area. Potential developers need to be aware that the site is crossed by a number of sewers. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset. Penygroes is served by Llanllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the domestic demands arising from this development area.
925	Mr Malcolm Love [3106]	Map 27 - Penygroes, Gwynedd	Object	I object to the plan as I want the land behind Maes Llyn (No:854, map inset 27) to be included within the development boundary in order to build a house on it. I live in a small terraced house in Penygroes and need a larger house in order to accommodate my growing family. It is currently impossible for me to purchase another house in the area because they are out of my price range. The land behind Maes Llyn is in an ideal location for building a house without extending the development boundary out of Penygroes, by infilling between the Cefn Faes houses and the Penygroes Factory. I wish to see changes made to the deposit plan to include land 854 (map inset 27) in the dwelling boundary.
926	Mr Robert Jones [3107]	Map 27 - Penygroes, Gwynedd	Object	We wish to object to the development boundary proposed for the Local Service Centre of Penygroes. We wish to propose a site adjacent to the Industrial Estate to be included within the development boundary of Penygroes. The inclusion of the site within the development boundary of Penygroes would therefore be considered as a logical extension to the development boundary to provide a mix of commercial, community and leisure development which could include community services including a petrol filling station and retail shop, together with leisure services including a tourist information centre and tourist related workshops.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				We wish to see the development boundary for Penygroes reviewed and altered to include the site adjacent to the Industrial Estate within the development boundary which would form a logical extension to the development boundary to provide a mix of commercial, community and leisure development which could include community services including a petrol filling station and retail shop, together with leisure services including a tourist information centre and tourist related workshops.

28) Tywyn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1375	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T53 - Sŵn y Tonnau, Tywyn	Support	* This site has planning permission as such we have no further comment to make.
1376	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI15, T54 - Garreglwyd, Tywyn	Support	* This site has planning permission as such we have no further comment to make.
1624	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C9 - Pendre Estate, Tywyn	Support	* Our local water network is sufficient to provide the domestic water demands required to serve this development area. * The public sewerage network can accept the domestic foul flows arising from this development area. * Tywyn Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area.
1051	Mr Tim Singh [3195]	Map 28 - Tywyn	Object	Site excluded from the Development Boundary due to the land being claimed to be within the C2 Flood Zone. Site Levels provided for the nearby and adjacent approved dwellings shows that the subject land requested to be included is set at a higher level. Thus the reasoning for exclusion of the land due to it being subject to C2 Zone status on flooding is incorrect. Estimated ground levels on Environment Agency Flood Maps which are conceded to be less accurate than actual Landform levels taken on site and referred directly to Ordnance Survey Datums. The Site to be included within the Development Boundary for Tywyn due to the reasoning for it's exclusion of being within the C2 Zone being proven by actual Ground levels to be wholly incorrect.

SERVICE VILLAGES

29) Gwalchmai

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1335	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T55 - Land near the A5, Gwalchmai	Support	A water supply can be provided to serve this site. Potential developers need to be aware that this site is crossed by a sewer and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site. Gwalchmai Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1413	Mari Ball [2258]	Map 29 - Gwalchmai	Object	The land edged blue on the Plan has been omitted. Could you please let me know the reasons why the land edged red has not been included in the (Joint LDP)

30) Newborough

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1336	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T56 - Tyn Cae Estate, Newborough	Support	This site has planning permission as such we have no further comment to make.
929	Mr Brian Owen [3108]	Map 30 - Newborough	Object	Include land previously granted planning permission within Newborough Development boundary. a) Site is within the stopped udp boundary (PC561) b) Application ref 45C353 was approved c) 'Have your say on the Plan' leaflet states that existing land bank of 26 with an indicative additional of 14 required. is this land within the existing land bank figure d) Windfall figure of 28 required in Newborough
1019	Mr Dafydd Edwards [3118]	Map 30 - Newborough	Object	Land adj Bryn Felin. My client wishes to include the attached plans into the new deposit plan if possible as land available for any possible development - I do not have the policy numbers of inset map numbers to hand, is it possible to complete this section again.
1021	Mr Dafydd Edwards [3118]	Map 30 - Newborough	Object	Land adj Ael-y-Bryn. My client wishes to include the attached plans into the new deposit plan if possible as land available for any possible development - I do not have the policy numbers of inset map numbers to hand, is it possible to complete this section again.
1039	Mr Dafydd Edwards [3118]	Map 30 - Newborough	Object	Land adj Ty Lawr. My client wishes to include the attached plans into the new deposit plan if possible as land available for any possible development - I do not have the policy numbers of inset map numbers to hand, is it possible to complete this section again.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1257	Mrs Ann Evans [2781]	Map 30 - Newborough	Object	<p>Current SA Report on Cae Glas not realistic (see attached matrix) which shows it should be included within development boundary.</p> <p>The indicative housing growth predicted of 40 for Newborough is not realistic and not flexible to deal with the proposed Wylfa site which will take 10 years to construct and an estimate of 8500 staff will need housing (owned or rented) for the construction phase, with various sites needed for logistics, transport spin offs. On completion of construction there will be an estimate of 1000 staff working on site.</p> <p>Cae Glas has no issues identified in the Plan and has good access links and should be accepted within the development boundary irrespective of allocation within above housing growth.</p>

31) Llannerch-y-medd

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
704	Mrs G Griffiths [3043]	POLICY TAI16, T57 - Land near Tyn y Ffynnon, Llannerchymedd	Support	I would like to support TAI16 (site T57). This site is suitable for development.
718	Mrs H Thomas [3078]	POLICY TAI16, T57 - Land near Tyn y Ffynnon, Llannerchymedd	Support	We support designation T57 and are happy to offer more land if needed (SP82).
722	Hugh R. Jones [3079]	POLICY TAI16, T57 - Land near Tyn y Ffynnon, Llannerchymedd	Support	I support designation T57 as the land is suitable for development.
1199	Cyngor Cymdeithas Llannerchymedd (Mrs Sydna Roberts) [2881]	POLICY TAI16, T57 - Land near Tyn y Ffynnon, Llannerchymedd	Object	Llannerchymedd County Council wishes to submit the following observations: Concern regarding site T57 on the map regarding Llannerchymedd because of additional parking and traffic problems - Lack of affordable plots in the future for the young people of our area - Complex process of finding information regarding the Plan on the Internet or in the documents received from the Community Council. It would have been much easier and more cost effective to send a map of our area for consideration. - As a result of the above, finding out how to respond to the Plan was not an easy process either.
1337	Dwr Cymru Welsh Water (Mr Dewi)	POLICY TAI16, T57 - Land near Tyn y	Object	<p>* A water supply can be provided to serve this site.</p> <p>* Off-site sewers would be required to connect to the public sewerage network. These</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]	Ffynnon, Llanerchymedd		can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * The proposed growth being promoted for this settlement would require improvements at Llanerchymedd Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
490	M & O Roberts [2978]	Map 31 - Llanerchymedd	Object	The development boundary around Llanerchymedd has been drawn very tightly and only one housing development site has been allocated within that boundary. An overly restrictive boundary will limit significantly the prospects for much needed new housing in the village. There is an opportunity to include suitable land to the west of the village, namely site SP431 on the Candidate Site register.
918	Mr Anthony Lewis [3102]	Map 31 - Llanerchymedd	Object	Enclosed is the LDP plan for Llannerch-y-medd. Would you please include the area shaded red on the plan. I would only require one plot for my daughter and family who would like to return to Llannerch-y-medd.
997	Mr Hugh Owen Jones [3156]	Map 31 - Llanerchymedd	Object	I am resubmitting SP340 but have reduced its size from 0.3 3ha to 0.25ha. I hope you will give the submission due attention.
1106	Thomas Arfon Jones [2293]	Map 31 - Llanerchymedd	Object	A decision was made to object to the inclusion of SP359 into the Deposit Plan. nllun Adnau. The reason for this is Tudor Street is unsuitable for a development of this site. The Community Council and I have decided to resubmit a smaller piece of land (0.5ha) which would be suitable for 5 dwellings. The road should therefore be suitable. There is water, electric and sewerage connections on site.
1253	Frank Parry [2287]	Map 31 - Llanerchymedd	Object	According to the housing figures for Anglesey the indicative additional number required for Llanerchymedd is 22. It appears that SP82 (T57) has been allocated for affordable housing in part only would not be able to sustain the building of 22 affordable homes. But according to the site register no alternative areas have been allocated. There is therefore no scope to increase the number of houses to 22 in the future. I would therefore like you to reconsider SP30 for the additional development required as it is in the same area as SP82 and has good access to the B5112 and is between existing housing.
1381	mr /mrs john owen [2622]	Map 31 - Llanerchymedd	Object	We wish to record our objection to SP30 land adjacent to Pendref, Llanerchymedd. In order to make a new entrance to the site trees would have to be cut down and uprooted and this should not be permitted. Including the site would go against highways rules and regulations, which ask for a distance from the entrance to see clearly the oncoming traffic. There is a hump in the road restricting the view of oncoming traffic from Llanerchymedd and would be a major concern to road safety.
1389	Mr Elwyn Schoffield [3306]	Map 31 - Llanerchymedd	Object	It is considered that there is an over-reliance on windfall sites within the LDP. It is not considered that there is sufficient landbank within the development boundary to

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				accommodate the identified windfall need. We wish to propose a site adjacent to Eithinog (Site SP 615) to be included within the development boundary of Llanerchymedd and allocated for housing. The site would form a reasonable extension to the development boundary to accommodate the identified housing need. The site is well integrated with and connected to the existing pattern of development along the B5111 and would sensitively infill a small gap between existing housing. The site has good connection to services and is deliverable in the short term and forms a logical infill which will deliver a modest amount of housing as frontage development onto the B5111 with a single point of access.

32) Bethel (Gwynedd)

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
94	Mr Steven Burgess [2699]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	<p>2ch Summary</p> <p>We believe that the designated site T58 is too small to accommodate the number of units proposed to Bethel in the Joint LDP. We request that the site at the rear of Capel Bethel be included as a housing development site within the village in order to accommodate the future housing needs. We request that the village development boundary be extended to include this site.</p> <p>We wish to change the Joint LDP so that the site at the rear of Capel Bethel be included within the village development boundary as shown on the attached plan</p>
369	North Wales Wildlife Trust (Mr Chris Wynne) [2626]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	This area includes part of a local WS
1230	Owen M Jones [3286]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	I object to this development, first of all because it is too large. Second of all the land is higher than the garden which will affect the privacy of my house. Third of all I anticipate that there will be a risk of flooding to the houses that back onto this land, as nearly every yard of it will be covered by concrete or tarmacadam.
1254	Nia Lloyd Griffith [3287]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	<ol style="list-style-type: none"> Concerns over the boundary wall. Concerns over flooding if it is not meticulously prepared
1256	Hefin Evans [3288]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	<ol style="list-style-type: none"> Economic factors - the houses currently for sale in the village are not selling. Environmental factors - public footpath runs through the site and history of flooding and the impact on adjoining houses. T58 is likely to exacerbate the problem. <p>Both factors are essential and highlight the fact that the site is totally unsuitable. Smaller</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				sites should be considered and sites that are less intrusive. T58 abuts too much on open countryside. Consideration must be given to sites that extend existing development and are not likely to create a detrimental environmental impact.
1338	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	<ul style="list-style-type: none"> * A water supply can be provided to serve this site. * The foul flows would lead to Bethel Sewage Pumping Station (SPS) and an assessment of this SPS may be needed to establish whether the flows can be accommodated or whether improvements to the SPS will be required to allow development to proceed. * The proposed growth being promoted for this settlement would require improvements at Treborth Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1391	Dr J Elwyn Hughes, MA. [3308]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	<ul style="list-style-type: none"> * I am unaware of any proof that there is need for further house-building in Bethel. * There are 'empty' plots on Stad Bro Egwys ready for development. * Building more houses could attract non Welsh-speakers, thus eroding the 'old Welsh way of life', anglicizing the area, and contributing towards destroying our language and culture. * Adding another entrance/exit to the B4366 would create an additional flow of traffic, already comprising heavy lorries and farm vehicles, thus causing further problems and dangers on a road which is already constantly busy. * Any kind of development on the proposed site would affect the present unadulterated scenery.
1456	Cyng/Counc Sion Jones [308]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	<p>Discussions with residents have drawn my attention to the following:</p> <ul style="list-style-type: none"> * Robust evidence required via a detailed study under the Council's supervision to demonstrate that drainage and sewerage problems can be overcome, particularly from the perspective of Saron's residents who are near the proposed site; * Full consideration needs to be given to views from nearby properties; * Need to ensure that Saron's residents have a new access and parking spaces in order to tackle the parking situation.
1458	Dilwyn Jones [3356]	POLICY TAI16, T58 - Land near Saron, Bethel, Gwynedd	Object	There is no need for more housing in the village. One estate remains unfinished, that is Bro Eglwys. There are sewerage problems and the school is too small to accept more children. And what will happen to the bus stop by the gate, - a lot of people and children use this bus!
996	Mr Steven Burgess [2699]	Map 32 - Bethel, Gwynedd	Object	<p>We believe that the designated site T58 is too small to accommodate the number of units proposed to Bethel in the Joint LDP. We request that the site at the rear of Capel Bethel be included as a housing development site within the village in order to accommodate the future housing needs. We request that the village development boundary be extended to include this site.</p> <p>We wish to change the Joint LDP so that the site at the rear of Capel Bethel be included</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				within the village development boundary as shown on the attached plan
1004	Mr Sam Davies [3160]	Map 32 - Bethel, Gwynedd	Object	<p>There are no physical obstructions to developing the site and it is less visible than the designated site T58. It is better in a relatively small village to have a greater variety of sites for smaller local developers. This would be more sustainable and would improve the operational chances of the Plan to realise the spatial strategy and to provide the housing numbers. There are no negative impacts deriving from the site's Sustainability Appraisal.</p> <p>That site SP 282 is designated and that site T58 is reduced to accommodate approximately 20 houses.</p> <p>Bod safle SP 282 yn cael ei ddynodi a bod safle T58 yn cael ei leihau I gymryd oddeutu 20 o dai.</p>
1008	Mr Dafydd Hughes [185]	Map 32 - Bethel, Gwynedd	Object	<p>I have submitted an application for a new access into Tŷ'n Rhos; the reason is because I need to undertake work on the house, and it needs to be wide enough to bring lorries/vans and trailers up to the house.</p> <p>I have received a letter from the Council noting that I cannot build on the land of Tŷ'n Rhos. I never asked for permission to build on the land, but, as I have been given this information, I would like to know why? The Council refuses permission to build on land in the centre of the village, and then decides to build houses on the outskirts (T58). I would like to know, where is the sense in this? If I were to submit an application for building, at most, I would only permit 6 houses.</p>
1009	Olwen Davies [3163]	Map 32 - Bethel, Gwynedd	Object	<p>We support including site LS029 in the Local Development Plan. The site is ideal for development due to its location as a gap site. The land has been developed in the past with the installation of above ground sewage pipes, therefore it is currently a brownfield site, not a site in open countryside. The proposed development would comply with the Council's main policies including creating affordable housing, creating a house as high quality accommodation for tourists, improving the environment through suitable design and using appropriate materials from the area, assisting the Welsh language and culture, energy efficiency etc.</p> <p>Include LS029 (Land at Tŷ Cerrig) in the Plan as a suitable site for development.</p>
1189	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 32 - Bethel, Gwynedd	Support	Bethel is served by Malltraeth Wastewater Treatment Works (WWTW) which can accommodate the foul flows from the growth figure allocated for the catchment area.
1289	Mr Sam Davies [3160]	Map 32 - Bethel, Gwynedd	Object	I would like to see the surface area of designation T58 reduced for around 20 units, and an alternative site designated opposite the Rhoslan Estate with around 20 units (site SP282).

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>I object due to the fact that the site is too large for the village and more choice of sites in the village is needed to ensure that the relevant development occurs within the life of the plan. The Bro Eglwys development for 48 dwellings has commenced since 1985 and still is not complete. This shows that the market for large sites does not exist.</p> <p>The designation is not realistic therefore, given the alternative sites available that were considered in Background Paper 1A. This undermines the robustness of the plan under CE2.</p>
1457	Cyng/Counc Sion Jones [308]	Map 32 - Bethel, Gwynedd	Object	Ty Cerrig, Bethol (LS029) - I have met the owners of this land and I don't have any objections to the proposal. Therefore I would appreciate if the matter can be reconsidered.

33) Bontnewydd

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1339	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T59 - Land near Glanrafon Estate, Bontnewydd	Support	* This site has planning permission as such we have no further comment to make.
1281	Lord Newborough [3187]	POLICY TAI16, T60 - Land near Pont Glan Beuno, Bontnewydd	Support	<p>The proposed allocation of circa 10 residential units on site T60 is supported for the following reasons:</p> <ul style="list-style-type: none"> - Deliverability - positive planning - Allocated housing numbers - Development principle - Opportunities and Constraints (App 1) - Indicative Masterplan (App 2) - Positive Sustainability Appraisal
1340	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T60 - Land near Pont Glan Beuno, Bontnewydd	Object	<p>* A water supply can be provided to serve this site.</p> <p>* Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991.</p> <p>* The proposed growth being promoted for this settlement would require improvements at Llanfaglan Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.</p>
980	Mr Huw M Jones [3145]	Map 33 - Bontnewydd	Object	Land adjacent to Pont Glan Beuno (T60) has been allocated within Bontnewydd for housing. It is not considered that this site is the best site for housing allocation to

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>accommodate the identified housing need for Bontnewydd. We wish to propose a site at Ceirw to be included within the development boundary for Bontnewydd for allocation of housing. It is considered that the site would form a natural and modest extension to the development boundary of Bontnewydd without resulting in a sporadic intrusion into the countryside.</p> <p>We wish to seek that the land allocated for housing within Bontnewydd be reviewed and altered to include land at Ceirw.</p>
982	Joe Brown [3146]	Map 33 - Bontnewydd	Object	<p>To include the land within the plan as a petrol station and associated business uses along with a caravan site on the remainder of the site. The new Bontnewydd/Caernarfon road will open this land up for this use and there are no stations on the roadside for 10 miles in both direction. Suitable land for this use and no flood risk.</p> <p>Allocate land for use as a petrol station and holiday site.</p>

34) Botwnnog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
476	Mr Geraint Evans [2962]	POLICY TAI16, T61 - Land near Cefn Capel, Botwnnog	Support	<p>Re: T61: Cefn Capel, Botwnnog: Agree with this potential site. Central to the village, direct access from the site either to the B4413 highway or to a quieter road before joining the B4413. A footpath already exists from this site all the way to the center of the village to the services. Botwnnog is a village which services through two schools, a central Pen Llyn surgery, Congl y Meinciau Business Park, phone exchange etc.</p>
1341	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T61 - Land near Cefn Capel, Botwnnog	Support	<p>* A water supply can be provided to serve this site. * Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Botwnnog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.</p>
1342	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T62 - Land near Pentre, Botwnnog	Support	<p>* A water supply can be provided to serve this site. * Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Botwnnog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.</p>

35) Chwilog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
382	WYG/Alliance Planning (Mr Mark Walton) [2905]	POLICY TAI16, T63 - Land to rear of Madryn Arms, Chwilog	Object	Delete Allocation T63 as this is now a committed Site with planning approval (April 2015) for 15 homes and allocated the adjacent land to the south for future housing. Amend indicative growth levels to 10-30
441	WYG/Alliance Planning (Mr Mark Walton) [2905]	POLICY TAI16, T63 - Land to rear of Madryn Arms, Chwilog	Object	Extend allocation T63 to include land to the south of the proposed allocation.
1343	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T63 - Land to rear of Madryn Arms, Chwilog	Support	* A water supply can be provided to serve this site. * Off-site sewers would be required to connect to the public sewerage network. These can be provided through the sewer requisition scheme under Sections 98-101 of the Water Industry Act 1991. * Chwilog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1409	Admiral Taverns [3348]	POLICY TAI16, T63 - Land to rear of Madryn Arms, Chwilog	Object	Site allocation T63 already granted planning permission and therefore allocation should be deleted as it no longer comprises an allocation, but a committed site. Similarly T64 is highly likely to be granted planning during 2015. Policy TAI (i) envisages that both allocations T63 and T64 will deliver 38 units where in fact will only bring forward 32 leaving a shortfall of 7 units. The Service Village has limited previously developed land opportunities available within the proposed development boundary and shortfall will need to be accommodated on suitable adjacent land to the development boundary. Given the two allocations will have most likely been consented in 2015 the Deposit Plan is unrealistic in assuming that the Service Village will not deliver further housing for the remainder of the plan period. Will impact on the viability of existing community facilities. Proposed a further allocation of land for residential use to the south of T63 which is a logical and definable boundary to the Village.
1410	Admiral Taverns [3348]	POLICY TAI16, T63 - Land to rear of Madryn Arms, Chwilog	Object	Site allocation T63 already granted planning permission and therefore allocation should be deleted as it no longer comprises an allocation, but a committed site. Similarly T64 is highly likely to be granted planning during 2015. Policy TAI (i) envisages that both allocations T63 and T64 will deliver 38 units where in fact will only bring forward 32 leaving a shortfall of 7 units. The Service Village has limited previously developed land opportunities available within the proposed development boundary and shortfall will need to be accommodated on suitable adjacent land to the development boundary. Given the two allocations will have most likely been

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>consented in 2015 the Deposit Plan is unrealistic in assuming that the Service Village will not deliver further housing for the remainder of the plan period. Will impact on the viability of existing community facilities.</p> <p>Proposed a further allocation of land for residential use to the south of T63 which is a logical and definable boundary to the Village.</p>
1348	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T64 - Land near Cae Capel, Chwilog	Support	<p>* Potential developers need to be aware that this site is crossed by water main and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the density achievable on site.</p> <p>* The public sewerage network can accept the potential foul flows from the proposed development site.</p> <p>* Chwilog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.</p>
667	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 35 - Chwilog	Object	<p>Why has a 0.7 ha GUDP site near Ty'n Rhos estate on the northern side of the village been deleted and the boundary redrawn to exclude the area? The old Afon Wen laundry site was safeguarded as a redevelopment site in the GUDP but is not included in the JLDP. A proposal for 13 houses was refused here in 2014 mainly because it was not allocated for housing. It is proposed for housing in the CSR (SP839). It is close to the main road and the new laundry premises. The site is a derelict eyesore and urgently needs redevelopment.</p>
1023	Ms Daphne Marini [326]	Map 35 - Chwilog	Object	<p>The current deposit plan omits approximately 1.7 acres of unused land to the rear of our property (Brookside, Madryn Terrace) which is ideally suited for new build residences, community parking space (either for residents and or public in general) or light commercial development and is positioned within easy access of the centre of the village, its amenities, recreational facilities and a public transport node. Our suggested changes to the 2015 Deposit Plan align with the objectives of the Sustainability Appraisal report and would significantly support a number of the SA objectives in particular 2/3/6/7/10 whilst incurring none of the negative outcomes mentioned therein.</p>
1255	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 35 - Chwilog	Object	<p>Why has the 0.7ha GUDP site near the Ty'n Rhos estate on the northern side of the village been deleted and the boundary redrawn to exclude the area? The old Afon Wen laundry site was safeguarded as a redevelopment site in the GUDP but not included in the JLDP. A proposal for 13 houses was refused here in 2014 mainly because it was not allocated for housing. It is proposed for housing in the CSR (SP839). Although the site is well outside the Chwilog village boundary, it is close to the main road and the new laundry premises. The site is a derelict eyesore and urgently needs redevelopment. We would advocate flexible treatment in respect of its re-use.</p>

36) Deiniolen

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1349	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T65 - Land near Pentre Helen, Deiniolen	Support	* This site has planning permission as such we have no further comment to make.

37) Rachub

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
521	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	POLICY TAI16, T66 - Land near Maes Bleddyn, Rachub	Support	We have no objection to the site identified in Rachub (T66).
1350	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T66 - Land near Maes Bleddyn, Rachub	Object	* A water supply can be provided to serve this site. * Potential developers need to be aware that this site is crossed by a sewer and protection measures in the form of easement widths or a diversion of the pipe would be required, which may impact upon the housing density achievable on site. * The proposed growth being promoted for this settlement would require improvements at Bethesda Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

38) Tremadog

- No Representations

39) Y Ffôr

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1344	Cyngor Cymuned Llannor (Mr Haydn Jones) [1549]	POLICY TAI16, T67 - Land near Tyn Lôn, Y Ffor	Object	If application C14/0999/40/LL is successful, there is no need to include T67 in the plan.
1351	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T67 - Land near Tyn Lôn, Y Ffor	Object	* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				* The proposed growth being promoted for this settlement would require improvements at Y Ffor Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1181	Cyngor Cymuned Llannor (Mr Haydn Jones) [1549]	POLICY TAI16, T68 - Land near the School, Y Ffor	Object	The location of T68, the current site for Ysgol Hafod Lon has been included in the deposit plan. The members do not support this. In a public meeting that was organised many years ago by Gwynedd Council, it was agreed that consideration would be given to using the site as a car park for the village of Y Ffor. The members would like to see T68 removed from the plan.
1352	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T68 - Land near the School, Y Ffor	Object	* A water supply can be provided to serve this site. * The public sewerage network can accept the potential foul flows from the proposed development site. * The proposed growth being promoted for this settlement would require improvements at Y Ffor Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1353	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY TAI16, T69 - Land near Bro Gwystil, Y Ffor	Support	* This site has planning permission as such we have no further comment to make.
1285	Cyngor Cymuned Llannor (Mr Haydn Jones) [1549]	POLICY CYF1, C10 - Adjacent to the petrol station, Y Ffor	Object	Site number C10 (land near OH Griffiths garage) limited to light industrial use only.
1385	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	POLICY CYF1, C10 - Adjacent to the petrol station, Y Ffor	Object	We support C10 around the garage (Tir Dolwar). While we note that the 2.8ha C27 employment site (Industrial estate, partly included in the GUDP, is still vacant, we suggest that C10 should therefore be allocated flexibly, whether to housing or employment, depending on emerging priorities and development proposals.
1625	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C10 - Adjacent to the petrol station, Y Ffor	Object	* Our local water network is sufficient to provide the domestic water demands required to serve this development area. * The public sewerage network can accept the domestic foul flows arising from this development area. * The proposed growth being promoted for this settlement would require improvements at Y Ffor Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions
1647	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C27 - Y Ffôr Industrial Estate, Y Ffôr	Object	* Our local water network is sufficient to provide the domestic water demands required to serve this development area. * The public sewerage network can accept the foul flows arising from this development area. Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset
1648	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C27 - Y Ffôr Industrial Estate, Y Ffôr	Object	* The proposed growth being promoted for this settlement would require improvements at Y Ffor Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
720	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 39 - Y Ffôr	Object	We support development of housing and employment sites on suitable sites in the Service Village of Y Ffôr. The settlement offers scope for expansion as a self-contained residential and employment centre within easy access of the urban services of Pwllheli. We support the two housing land proposals T67 and T68, as well as C10 which is proposed for employment land. We note that the housing site near Hafod Lôn has been deleted, We do not see the logic of this and would argue for reinstatement and use of this site for housing.
721	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 39 - Y Ffôr	Object	We support development of housing and employment sites on suitable sites in the Service Village of Y Ffôr. The settlement offers scope for expansion as a self-contained residential and employment centre within easy access of the urban services of Pwllheli. We support the two housing land proposals T67 and T68, as well as C10 which is proposed for employment land. We note that the housing site near Hafod Lôn has been deleted, We do not see the logic of this and would argue for reinstatement and use of this site for housing.
1037	Lord Newborough [3187]	Map 39 - Y Ffôr	Object	The proposed allocation of circa 18 residential units on Site T67 (Land near Tyn Lôn) Y Ffôr is supported for the following reasons: Deliverability - Positive Planning. Allocated Housing Numbers Development Principle Opportunities and Constraints - As attached at Appendix 1 Indicative Masterplan - As attached at Appendix 2 Positive Sustainability Appraisal An additional site opposite Site T68 (land near the School) has also been put forward for consideration as indicated on the Opportunities and Constraints Plan. A Sustainability Appraisal has been carried out and is included in the supporting documentation.
1038	Cyngor Cymuned Llannor (Mr Haydn Jones) [1549]	Map 39 - Y Ffôr	Object	The Plan provides an indicative figure that 40 houses are needed in Ffôr between 2011 and 2026. Planning permission has already been granted for nine houses which reduces the need to 31 houses. Planning application C14/0999/40LI has been submitted (but not determined) on the site for 40 houses. Land is in the previous Plan and the Community Council is concerned that it is not included in the new plan. The Community Council supports this application.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				It does not support location T68. Include the site of planning application C14/0999 in the new deposit plan.
1116	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 39 - Y Ffôr	Object	We note that the GUDP housing site near Hafod Lôn has been deleted from the GUDP, although it is the subject of a pending outline application for 40 housing units (C14/0999/40/AM), while the proposed village development boundary has been redrawn to exclude this area. We do not see the logic of this and would argue for reinstatement and use of this site for housing.

LOCAL VILLAGES

40) Bethel (Anglesey)

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
914	Ceri Pritchard [3098]	Map 40 - Bethel (Ynys Môn)	Object	To extend Bethel's development boundary to include land shown on attached map to allow a dwelling for a local person. The site is located on a former quarry and is classified as brownfield land. The site can be accessed from the main road. The site itself is level, not at risk of flooding or surface water problems. Development of the site would not lead to a loss of trees and hedgerows. Utilities are directly on site.
1396	Iolo Owen & Co [2237]	Map 40 - Bethel (Ynys Môn)	Object	My client wishes to include the attached plans into the new deposit plan if possible as land available for any possible development.

41) Bodffordd

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
933	Iolo Owen & Co [2237]	Map 41 - Bodffordd	Object	My client wishes to include the attached plans into the new deposit plan if possible as land available for any possible development
934	Iolo Owen & Co [2237]	Map 41 - Bodffordd	Object	My client wishes to include the attached plans into the new deposit plan if possible as land available for any possible development
1190	Dwr Cymru Welsh	Map 41 - Bodffordd	Object	The proposed growth being promoted for this settlement would require improvements at

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Water (Mr Dewi Griffiths) [2680]			Bodffordd Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

42) Bryngwran

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
935	Mr Gwyn Williams [3119]	Map 42 – Bryngwran	Object	The site in question already has planning approval for one plot (given on appeal APP/L6805/A/2195898 20/09/13). The inspector deemed the site suitable for an infill site within the village of Bryngwran. We wish you to look favourably for one more building plot on this site.
1191	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 42 - Bryngwran	Support	No additional growth is anticipated in Bryngwran as the indicative housing growth is provided for by completed units and the existing landbank.

43) Brynsiencyn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
386	Mrs Rosamund James [2726]	Map 43 - Brynsiencyn	Object	I am objecting to the proposed inclusion within the Brynsiencyn village boundary of the field bounded by properties in Lôn Uchaf and Ty'n y Bryn. I am objecting on the grounds that this is prime, agricultural land that is currently in use for grazing and free-range poultry. There are other sites available for potential housing development that are currently neither used nor maintained. I am also objecting on grounds of increased traffic, insufficient capacity in the sewerage system, adverse effect on wildlife, and basic lack of facilities within the village to support current population, never mind an increase.
924	Cyngor Cymuned Llanidan (Mr ME Jones) [1392]	Map 43 - Brynsiencyn	Object	Remove filed marked A on the map from the development boundary: i) We believe that the sewerage treatment works would not be able to cope with the development ii) Access to the field is poor because it would lead to traffic going through existing estates to reach the site. As a way forward the Community Council would like to see the filed marked B on the map included within the development boundary because this site benefits from existing

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				planning permission.
1192	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 43 - Brynsiencyn	Support	Brynsiencyn Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1405	Mr Dave Shone [3347]	Map 43 - Brynsiencyn	Object	<p>Objecting on the grounds that this is prime, agricultural land. There are other non-agricultural sites available? I refer specifically to land at Ty'n y Cwrt/Merddyn Gwyn</p> <p>Other considerations are that it would bring an unwelcome increase in traffic and I have it on authority that the present sewerage system is near capacity and might not be able to cope with any further load.</p> <p>Also objecting to this proposal on environmental grounds. It would also destroy the open aspect currently enjoyed by local residents. An increase in intensive urbanization of Brynsiencyn will ultimately result in the loss of village character.</p> <p>I would like the field bounded by properties in Lôn Uchaf and Ty'n y Bryn to remain outside the village boundary, so that it can't be used for building development.</p>

44) Caergeiliog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1110	Mr HR Michael [3232]	Map 44 - Caergeiliog	Object	<p>I object to the plan on the basis that the development boundary for Caergeiliog should include my alternative site.</p> <p>The site is located in the centre of the village opposite a housing estate which means that infrastructure such as sewerage and water and electricity supply are located convenient to the site.</p> <p>A lack of affordable housing exists in the settlement and I note from the document that more houses are required and I believe that it is essentially important in terms of sustainable Welsh communities that the provision of affordable houses is sufficient for the needs of local people who want to remain in their localities.</p>
1117	Mr Selwyn Owen [3233]	Map 44 - Caergeiliog	Object	<p>The development boundary for Caergeiliog, which currently excluded this site, should be amended to include it and the land should be designated as a housing allocation with planning permission to correctly reflect the land's status as a committed site for development of 69 dwellings and 4 flats.</p> <p>In Appendix 5, the removal of the reference to 73 units in Caergeiliog in the table of sites within Ynys Môn which are unlikely to be developed during the Plan period.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				The addition of these 73 units into the figure for the number of units with permission in the villages section of table 18 and a corresponding reduction in the figure for the additional number of dwelling unites required.
1193	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 44 - Caergeiliog	Object	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1194	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 44 - Caergeiliog	Support	Caergeiliog is served by Holyhead Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area

45) Dwyran

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1195	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 45 - Dwyran	Object	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1196	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 45 - Dwyran	Support	Dwyran is served by Newborough Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

46) Llandegfan

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1197	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 46 - Llandegfan	Support	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1198	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 46 - Llandegfan	Object	The total growth being promoted within the catchment area of Treborth Wastewater Treatment Works (WwTW) would necessitate improvements to the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1797	Mrs Mary Davidson [3359]	Map 46 - Llandegfan	Object	Land should be allocated for housing to accommodate the identified housing need. We wish to seek that our site adjacent to Gwel y Llan Estate should be included within the development boundary of Llandegfan and allocated for housing.

47) Llanddaniel Fab

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
967	Carolyn Watcyn [2216]	Map 47 - Llanddaniel Fab	Object	Please include my land in the Joint Local Development Plan for reasons shown on the attachments.
968	W G Davies [2218]	Map 47 - Llanddaniel Fab	Object	1) Llanddaniel is a local village listed in table 20 and is therefore under policy TAI17 2) The site shown on the candidate site register attached is in the village boundary and is considered to meet criteria in TAI17 3) Current proposals to extend Ysgol Parc y Bont and the creation of a science park in nearby Gaerwen will increase the demand for local homes. The provision therefore requires amendment. Include site SP769 in the new Local Development Plan.
991	W G Davies [2218]	Map 47 - Llanddaniel Fab	Object	1) Llanddaniel is listed in table 20 as a local village and is therefore under policy TAI17. 2) The sites shown on the candidate sites register attached are infill sites within the village area which will meet the criteria in TAI17 3) Current proposals to amalgamate Ysgol Parc y Bont and Llangaffo, the demand by local welsh families will increase, thus provision requires amendment. Include the parcels of land (identified as SP123 on the Candidate Site Register) in the new Local Development Plan.
1202	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 47 - Llanddaniel Fab	Support	Llanddaniel Fab is served by Gaerwen Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area

48) Llanfachraeth

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1203	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 48 - Llanfachraeth	Support	Llanfachraeth Wastewater Treatment Works (WwTW) can accommodate the foul flows from from the proposed growth figure allocated for this catchment area.

49) Llanfaethlu

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
920	Mr Tom Carpenter [2863]	Map 49 - Llanfaethlu	Object	We wish to object to the Deposit Local Development Plan's boundary for Llanfaethlu. The inclusion of the land to the north of Bryn Llwyd Estate would ensure that Llanfaethlu could accommodate the new area primary school together with additional housing ensuring that the level of housing is maintained over the plan period. The site is within a sustainable location alongside the A5025, a key public transport route which will link the village with the planning Wylfa Newydd Nuclear Power Station and also with the larger settlements of Holyhead and Valley to the west where there are accessible links to the national public transport network via the mainline railway stations.
1204	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 49 - Llanfaethlu	Support	No additional growth is anticipated in Llanfaethlu as the indicative housing growth is provided for by completed units and the existing landbank.

50) Llanfechell

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1205	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 50 - Llanfechell	Object	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1206	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 50 - Llanfechell	Support	Llanfechell Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area

51) Llanfihangel yn Nhowyn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1207	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 51 - Llanfihangel yn Nhowyn	Support	Llanfihangael yn Nhowyn is served by Holyhead Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area

52) Llangaffo

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1208	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 52 - Llangaffo	Object	The proposed growth being promoted for this settlement would require improvements at Llangaffo Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

53) Llangristiolus

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
921	Muriel Williams [2075]	Map 53 - Llangristiolus	Object	Extend the development boundary to include the land marked in red in the map. There should be a choice of housing needs ion local villages which recognises the housing needs of all. TAI17 currently conflicts with the wider aims and objectives of PPW with respect to housing in rurall areas. It is difficult to reconcile the draft JLDP's narrowly defined housing strategy The policy will prove unrealistic in fulfilling its objectives and is not reasonably flexible to deal with the changing circumstances which are currently faced by Anglesey as opposed to Gwynedd.
1007	Mr & Mrs D.R. & K.M. Jones [3161]	Map 53 - Llangristiolus	Object	Building housing will provide work for local tradesmen and trade for local merchandisers. The site had planning permission granted for housing 29/07/1970 no A/1369a which has lapsed.
1014	Watkin Jones (Mr Stuart Hardy) [3159]	Map 53 - Llangristiolus	Object	Land adj Llanfawr Newydd. The above information, which is supplemented by a comprehensive sustainability appraisal of the site, indicates that the site holds strategic importance in Anglesey and should be allocated for a range of uses (light industrial/commercial/mixed uses/leisure) that can be brought forward during the plan

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				period. In summary, the site has excellent access; could be an enabling factor in the initiating of development on the adjacent service station site, would increase the critical mass or gravity pull with investors and would provide synergy between mixed used development and employments.
1209	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 53 - Llangristiolus	Support	No additional growth is anticipated in Llangristiolus as the indicative housing growth is provided for by completed units and the existing landbank.

54) Llanrhyddlad

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1210	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 54 - Llanrhyddlad	Support	No additional growth is anticipated in Llanrhyddlad as the indicative housing growth is provided for by the existing landbank.

55) Pencarnisiog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
76	Michael D Whitehead [2724]	Map 55 - Pencarnisiog	Support	<p>Confirm support subject to correct interpretation-</p> <ul style="list-style-type: none"> * Planning applications must conform to all points of TA17. * Development is restricted to within outline boundaries (map 55) * Preference is given to Sustainable living SO5 - whilst respecting the varied role and character of the centres, villages and countryside. * Preference is given to protect and enhance the natural and built environment SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats, and its landscape character.
632	Mr Martin Singleton [3044]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the development plan:</p> <p>Theme 2: Sustainable Living S05 ...supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>the centres villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment S016 Protect, enhance and manage the natural and heritage assets of the plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
636	Mr Geraint Simpson [3046]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the development plan:</p> <p>Theme 2: Sustainable Living S05 ...Ensure that development in the Plan area supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres villages and countryside.</p> <p>Theme 5: Protect, enhance and manage the natural and heritage assets of the plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
639	Ms Kerris Singleton [3053]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes with the development plan:</p> <p>Theme 2: Sustainable Living S05 supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment SO16 protect, enhance and manage the natural and heritage assets of the area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
643	Myfanwy Williams [3054]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable Living. SO5... supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
646	Trevor Roberts [3042]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable Living. SO5... supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
650	Tina Raistrick [3055]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable Living. SO5... supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
652	Ms Gwion Llyn Williams [3056]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the development plan:</p> <p>Theme 2: Sustainable Living SO5...supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment SO16 Protect, enhance and manage the natural and heritage assets of the plan area, including its natural resources, wildlife habitats and its landscape character and historic environment.</p>
655	Mr Dennis Whitehead [3057]	Map 55 - Pencarnisiog	Support	<p>Confirm support subject to correct interpretation -</p> <ol style="list-style-type: none"> 1. Planning applications must conform to all points of TAI17. 2. Development is restricted to within outline boundaries (map 55).

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>3. Preference is given to Sustainable living SO5 - whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>4. Preference is given to protect and enhance the natural and built environment SO16 - Protect, enhance and manage the natural and heritage assets of the plan area, including its natural resources, wildlife habitats and its landscape character.</p>
663	A.E. Stewart [3063]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the development plan:</p> <p>Theme 2: Sustainable Living SO5...supports the principles of sustainable development and creates communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment SO16 Protect, enhance and manage the natural and heritage assets of the plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
666	Dr Medwyn Williams [3064]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the development plan:</p> <p>Theme 2: Sustainable living SO5...supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment SO16 Protect, enhance and manage the natural and heritage assets of the plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
668	Miss Siwan Mair Williams [3065]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the development plan:</p> <p>Theme 2: Sustainable living SO5...supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment SO16..Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats, and its landscape character and historic</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				environment.
670	Susan Nason [3066]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the development plan:</p> <p>Theme 2: Sustainable living SO5...supports the principles of sustainable development creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment SO16 Protect, enhance and manage the natural and heritage assets of the plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
684	A.M. Nason [3067]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm my support for the development boundary as shown on Map/Inset 55 for Pencarnisiog. I believe that this boundary in particular supports the following themes within the development plan:</p> <p>Theme 2: Sustainable living SO5...supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the natural and built environment SO16 Protect, enhance and manage the natural and heritage assets of the plan area, including its natural resources, wildlife habitats, and its landscape character and historic environment.</p>
710	Dorothy Whitehead [3076]	Map 55 - Pencarnisiog	Support	<p>Confirm support subject to correct interpretation-</p> <ul style="list-style-type: none"> * Planning applications must conform to all points of TAI17. * Development is restricted to within outline boundaries (map 55) * Preference is given to Sustainable living SO5 - whilst respecting the varied role and character of the centres, villages and countryside. * Preference is given to protect and enhance the natural and built environment SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats, and its landscape character.
715	Nerys F. Owen [3077]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm that I support the development boundary as shown on map 55 - Pencarnisiog. I believe this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable living. SO5 - Ensuring that development in the plan area supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				Theme 5: Protect and enhance the built and natural environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats and its landscape character and historic environment.
724	Mr T.H. Jones [3080]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm that I support the development boundary as shown on map 55 - Pencarnisiog. I believe this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable living. SO5 - Ensuring that development in the plan area supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the built and natural environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats and its landscape character and historic environment.</p>
725	Mrs J Jones [3082]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm that I support the development boundary as shown on map 55 - Pencarnisiog. I believe this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable living. SO5 - Ensuring that development in the plan area supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the built and natural environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats and its landscape character and historic environment.</p>
745	Margaret E.P. Roberts [3085]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm that I support the development boundary as shown on map 55 - Pencarnisiog. I believe this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable living. SO5 - Ensuring that development in the plan area supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the built and natural environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats and its landscape character and historic environment.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
746	Wyn Owen [3086]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm that I support the development boundary as shown on map 55 - Pencarnisiog. I believe this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable living. SO5 - Ensuring that development in the plan area supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the built and natural environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats and its landscape character and historic environment.</p>
747	Elen Wyn Simpson [3088]	Map 55 - Pencarnisiog	Support	<p>I wish to confirm that I support the development boundary as shown on map 55 - Pencarnisiog. I believe this boundary in particular supports the following themes within the Development Plan:</p> <p>Theme 2: Sustainable living. SO5 - Ensuring that development in the plan area supports the principles of sustainable development and creates sustainable communities whilst respecting the varied role and character of the centres, villages and countryside.</p> <p>Theme 5: Protect and enhance the built and natural environment. SO16 - Protect, enhance and manage the natural and heritage assets of the Plan area, including its natural resources, wildlife habitats and its landscape character and historic environment.</p>
1211	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 55 - Pencarnisiog	Support	Pencaernisiog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figures for this catchment area.

56) Penysarn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1212	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 56 - Penysarn	Support	Penysarn is served by Amlwch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area

57) Rhosybol

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1213	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 57 - Rhosybol	Support	Rhosybol is served by Amlwch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

58) Talwrn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
992	Mr Emlyn Williams [40]	Map 58 - Talwrn	Object	I would like to include my land in the development boundary for the following reasons: - access - adjacent to development boundary - suitability - flat / dry land - walking distance to Talwrn school - walking distance to bus route - active community with village hall where groups are held
993	Mr Emlyn Williams [40]	Map 58 - Talwrn	Object	I would like to include my land in the development boundary for the following reasons: - access - adjacent to development boundary - suitability - flat / dry land - walking distance to Talwrn school - walking distance to bus route - active community with village hall where groups are held
1214	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 58 - Talwrn	Support	Talwrn is served by Llangefni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from these growth figure allocated for the catchment area

59) Treglele

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1215	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 59 - Treglele	Object	Treglele is served by Cemaes Bay Wastewater Treatment Works (WwTW). The proposed growth being promoted for this settlement may require improvements to the

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]			treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

60) Abererch

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
717	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 60 - Abererch	Object	Why has a 0.9 ha area allocated for housing in the GUDP near Ty Gwyn on the south side of the village been deleted and the village boundary redrawn?
1231	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 60 - Abererch	Object	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1232	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 60 - Abererch	Object	The proposed growth being promoted for this settlement would require improvements at Abererch Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

61) Brynrefail

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
919	Mr Hefin Williams [3103]	Map 61 - Brynrefail	Object	<p>In order to provide housing choice, allow for increased flexibility and for the sustainability of existing services the target housing figure for the village of Brynrefail should be increased by a further 8 units and brownfield site identified on the attached plan should be included within the settlement boundary.</p> <p>Amend table 20 to allow for 15 residential units as the indicative growth level of Brynrefail.</p> <p>Amend the settlement boundary of Brynrefail to include the proposed site within the settlement.</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1233	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 61 - Brynrefail	Support	Deiniolen Brynrefail Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

62) Caeathro

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
983	Cyng/Counc Eurig Wyn [364]	Map 62 - Caeathro	Object	I am aware that permission has been granted to construct 19 houses for the field that lies across the road from Gwalia Garage. Is this development going to proceed? If it is, I would want assurance that the appropriate proportion of affordable houses would be part of the development. I believe that in certain circumstances the quota of affordable housing should be increased. Hopefully the plan will consider this.
1234	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 62 - Caeathro	Object	Caeathro is served by Caernarfon Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

63) Carmel

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1235	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 63 - Carmel	Object	Carmel is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

64) Cwm y Glo

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1236	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 64 - Cwm y Glo	Support	No additional growth is anticipated in Cwm y Glo as the indicative housing growth is provided for by completed units and the existing landbank

65) Dinas (Llanwnda)

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1237	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 65 - Dinas (Llanwnda)	Support	No additional growth is anticipated in Dinas as the indicative housing growth is provided for by completed units and the existing landbank.

66) Dinas Dinlle

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1238	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 66 - Dinas Dinlle	Object	Dinas Dinlle is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

67) Dolydd a Maen Coch

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1239	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 67 - Dolydd & Maen Coch	Object	Dolydd a Maen Coch is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

68) Efailnewydd

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
961	Megan Jones [3131]	Map 68 - Efailnewydd	Object	Since the Parc yr Efail estate has been established, 12 houses have been built on the land with local families residing in every house up to now. The fact that these houses were sold so effortlessly together with a varying waiting list proves the need for sustainable housing in Efailnewydd. A local survey discovered that 12 were in need of moving. Designation of 6 (LDP) is low

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				compared to the need that was found in the survey. Ideal site to build houses with services nearby.
963	Megan Jones [3131]	Map 68 - Efailnewydd	Object	Since the Parc yr Efail estate has been established, 12 houses have been built on the land with local families residing in every house up to now. The fact that these houses were sold so effortlessly together with a varying waiting list proves the need for sustainable housing in Efailnewydd. A local survey discovered that 12 were in need of moving. Designation of 6 (LDP) is low compared to the need that was found in the survey. Ideal site to build houses with services nearby. 10 of the 12 are Welsh speakers who cannot afford housing on the open market and not enough available houses to let or buy locally. Result - move to an unfamiliar area away from their family and friends Enquiries by local Welsh speakers looking for open market plots. Extend the current boundary to include part of land near Parc yr Efail.
966	Dr B Hughes-Parry [3132]	Map 68 - Efailnewydd	Object	Alteration of the proposed development boundary for Efailnewydd (Map Inset 68) to include Land at Penllwyn to provide for a deliverable site on the edge of the settlement boundary suitable for residential development of circa 6 dwellings. Objection to the restriction of growth in Efailnewydd to 8 windfall dwellings over the plan period and the drawing of the development boundary. Objection to the sustainability assessment for Efailnewydd (settlement score). The current approach actually puts at risk the viability of local services.
1240	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 68 - Efailnewydd	Support	Efailnewydd Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

69) Garndolbenmaen

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1241	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 69 - Garndolbenmaen	Support	The proposed growth being promoted for this settlement would require improvements at Garndolbenmaen Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

70) Garreg-Llanfrothen

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1242	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 70 - Garreg-Llanfrothen	Support	Llanfrothen Garreg Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

71) Groeslon

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
922	Mr Kenneth Pitts [3104]	Map 71 - Groeslon	Object	<p>My request is that the village boundary be extended to include the field as indicated on the enclosed map.</p> <p>On checking the plan of the village boundary there does not appear to be any other suitable sites for building. My field is landlocked and is only occasionally by horses to keep the grass down.</p> <p>my proposal is to be able to build a bungalow alongside the existing house (for our own private use). Access could be gained via the gate leading to the field. The remaining parcel of land could be used as further development and access could be gained along the existing driveway to the main house. According to the indicative plan 11 houses are required in the village, a percentage of your quota might be achieved by developing this land.</p> <p>This site is particularly suitable for development due to easy access to all services.</p>
1228	Mr Eurwyn Jones [2884]	Map 71 - Groeslon	Object	<p>Please include SP71 in the Development Plan.</p> <ul style="list-style-type: none"> - The site was one of the four sites proposed for the new Primary School. - It has good access to the highway. - Has the potential of creating more local housing in the village of Groeslon. - Attracting more people of working age and thier children into the community to support school. - Reduce outmigration of working age people and families enabling young people to remain in village via affordable housing. - Safeguard the Welsh language. - Promote community interaction and social inclusion. - Opposite Lôn Arfon providing opportunity for healthier lifestyles. <p>-</p>
1243	Dwr Cymru Welsh	Map 71 - Groeslon	Object	Groeslon is served by Llanfaglan Wastewater Treatment Works (WwTW). The

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Water (Mr Dewi Griffiths) [2680]			proposed growth being promoted for this catchment area would require improvements which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

72) Llandwrog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1244	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 72 - Llandwrog	Object	Llandwrog is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

73) Llandygai

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
923	Mr B Carter [3105]	Map 73 - Llandygai	Object	We wish to object to the exclusion of land at Hewden's Plant Hire and the adjacent warehouse from the development boundary of Llandygai as it is considered that the exclusion of this substantial previously developed land is contrary the advice contained within Planning Policy Wales. We wish for the sites to be included within the development boundary of Llandygai.
1245	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 73 - Llandygai	Support	No additional growth is anticipated in Llandygai as the indicative housing growth is provided for by completed units and the existing landbank.

74) Llangybi

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1246	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 74 - Llangybi	Support	Llangybi Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

75) Llanllyfni

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1247	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 75 - Llanllyfni	Support	Llanllyfni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

76) Llanystumdwy

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1248	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 76 - Llanystumdwy	Support	Llanystumdwy Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

77) Nantlle

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
928	Mrs Vera Jones [3113]	Map 77 - Nantlle	Object	<p>A stream springs from the Pen yr Orsedd quarry and then under the land at Tŷ Mawr and Sycharth. Comes out as a stream on land in the south and into the 'mud'. Risk of pollution and an impact on the balance of the area's wildlife. Risk of flooding to developments given the local history of floods in the Barics.</p> <p>Move the boundary closer to the houses (perhaps to where it was originally) to ensure that there will be no building on the land. To ensure that there will be enough suitable land to permit housing developments in Nantlle, the proposed development boundary to the south of Swn y Nant should be expanded to be a 60m boundary which abuts Sycharth. Here, there would be no risk of an impact on nature and wildlife or the possibility of creating unnecessary pollution. By giving more room here it is believed that there would also be less traffic encroaching on the centre of Nantlle village.</p>
1249	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 77 - Nantlle	Support	Nantlle is served by Llanllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1290	Cyng/Counc Craig ab Iago [347]	Map 77 - Nantlle	Object	Proposal moves the village's boundary to the west in order to provide land for 6 new houses that are part of the LDP.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>I foresee several problems with this:</p> <ul style="list-style-type: none"> - A public footpath runs through the middle of the site - A stream runs through the middle of the site which comes off the quarry and has created a long list of problems for the barracks - The site has no obvious entrance <p>The best option is to extend the boundary down the main road to the right (SP430). The land is dryer, has access from the main road and there is no public footpath. More importantly, local people with children wish to build houses on it.</p>

78) Penisarwaun

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1250	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 78 - Penisarwaun	Support	Pensairwaun Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1386	Cyngor Cymuned Llanddeiniolen (Ms Eleri Bean) [1531]	Map 78 - Penisarwaun	Object	<p>As land to build houses upon is scarce in the Penisarwaun area, we would like to make an application to slightly extend the development boundary, permitting the construction of one or two houses in some areas that abut the current development boundary - See numbers 1, 2, 3 and 4 in the included map. There are several young people who live in the area at present with their parents, or who have had to leave to have a house to live in, who are very eager to settle down in Penisarwaun.</p> <p>The deposit plan as it currently stands does not permit the construction of enough housing to meet the demand in Penisarwaun.</p> <p>Nid yw'r cynllun adnau ar hyn o bryd yn caniatáu adeiladu digobn o dai ym Mhenisarwaun ar gyfer yr angen.</p>

79) Pentref Uchaf

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1251	Dwr Cymru Welsh Water (Mr Dewi	Map 79 - Pentref Uchaf	Support	Pentre Uchaf Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]			

80) Rhiwlas

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
998	Robert Harrison [3158]	Map 80 - Rhiwlas	Object	<p>The land is located immediately adjacent to the settlement boundary and has an existing access road. There are no international, national or local biodiversity designations or designated heritage assets within or adjacent to the site. Approximately half of the proposed site is adjacent to the existing village boundary and therefore would not be viewed as encroachment into open countryside and would integrate with the built form of a settlement. The site is not within a flood risk area.</p> <p>Hoped that housing on the site will have positive effects to promote social inclusion and community cohesion. Lack of potential new building land within the existing village boundary, and site could provide low cost affordable local needs housing which in turn could benefit the local school.</p> <p>I wish to submit a proposal for a new site to be added that lies outside the existing village boundary of Rhiwlas, Gwynedd, North Wales.</p>
1252	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 80 - Rhiwlas	Support	Rhiwlas Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area

81) Rhosgadfan

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1306	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 81 - Rhosgadfan	Object	* There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1307	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 81 - Rhosgadfan	Object	Rhosgadfan is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions

82) Rhostryfan

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
946	Delyth Owen [3122]	Map 82 - Rhostryfan	Object	I would like to request a change to the deposit plan (82 Rhostryfan). To include the land outlined in red in the enclosed copy of the deposit plan. I believe that before the plan was changed that this piece of land was within the village boundary, as I was told previously by a representative of the planning office in Caernarfon to go in for full planning as outlined planning wasn't needed. The land in question is surrounded by houses on all sides, with no access problems. To add the land marked red to be included in the village boundary.
1308	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 82 - Rhostryfan	Support	No additional growth is anticipated in Rhostryfan as the indicative housing growth is provided for by completed units and the existing landbank

83) Sarn Mellteyrn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1309	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 83 - Sarn Mellteyrn	Support	Sarn Mellteyrn Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area

84) Talysarn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
553	Cyngor Cymuned Llanllyfni (Mrs Alwen Johnson) [2835]	Map 84 - Talysarn	Object	Object to the size of the land (SP860) in question for the use of a small village such as Talysarn. Of course building land is needed in the Village, but if the plan is adopted in its current form, it will change the character of the village and will adversely affect the language, noise level and will also add to traffic on the streets which are already too narrow and dangerous for existing traffic.
1261	Gareth Lloyd Jones [3171]	Map 84 - Talysarn	Object	I wish for the land identified as SP860 to be taken out of the development plan.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>1. The fact that there is a covenant preventing the change of use of a section of the land.</p> <p>2. Any development on this land will have a detrimental effect on the privacy and amenities of the properties surrounding it.</p> <p>3. Any subsequent proposals for developing the land, if included within the new LDP would be in contradiction to a number of the Council's own planning policies.</p> <p>4. A brownfield site, already located within the current UDP area has been refused planning permission for its clearance for development twice since 2007. This being in contradiction of Council planning policy C3.</p>
1310	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 84 - Talysarn	Support	Talysarn is served by Llanllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

85) Trefor

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1313	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 85 - Trefor	Support	Trefor Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

86) Tregarth

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1010	MWJ Properties Ltd (Mark Jones) [3165]	Map 86 - Tregarth	Object	<p>Would be grateful if you would consider the land edged red on the plan attached as a housing designation within the proposed Gwynedd and Mon Local Plan, for the following reason:</p> <ul style="list-style-type: none"> * Closely follows the development boundary for Tregarth; * Used to alleviate the housing pressure within larger towns of Bethesda and Bangor; * Junction onto B4409 has sufficient capacity for sustainable housing development * In a position to provide planning, highway and amenity gains.
1270	Mr mark richards [2907]	Map 86 - Tregarth	Object	<p>A large % of the community at Craig y Pandy and Waen y Pandy Tregarth wish to object to the inclusion of land that covers our two streets.</p> <p>We feel it would make our area less safe for residents, an increase in traffic, the</p>

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>infrastructure in not suitable, effects on biodiversity and affect the living conditions of adjacent occupiers.</p> <p>There are no village services and a diminishing public transport service.</p> <p>In previous consultations the council was of the opinion that "the land at Craig y Pandy and Waun y Pandy is unsuitable to be included within the development boundary and/or allocated for housing".</p>
1311	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 86 - Tregarth	Object	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1312	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 86 - Tregarth	Support	Tregarth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

87) Tudweiliog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1314	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 87 - Tudweiliog	Support	Tudweiliog Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area

88) Waunfawr

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
949	Jason Anderson [3123]	Map 88 - Waunfawr	Object	I wish to make a representation to include the site 'Cae Top Frondeg' for inclusion for the development of housing within the Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026. I feel that the current proposed development boundary around this site does not take into account the natural and historical boundary of the village and also the fact that this site is situated between 3 residential properties and the road making it suitable for inclusion within the boundary as windfill/infill site. The site is not green belt, has never been agricultural use, also there has also been development

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				of an area only 25 metres away also outside the boundary into hard standing car park for Antur Waunfawr, this shows that there is scope for development. I request that this site is included within the boundary as windfall/infill site.
1298	Cyng/Counc Eurig Wyn [364]	Map 88 - Waunfawr	Object	The field opposite Snowdonia Fire has not been included within the development boundary even though there are plans to developed a surgery and football field on the site. I would like to see the field included within the village's development boundary. There is an agreement between the Betsi Cadwaladr Health Board and the village surgery that this is the location for the new village surgery. There is also an informal agreement that a football field will be located to the rear of the new surgery.
1315	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 88 - Waunfawr	Support	No additional growth is anticipated in Waunfawr as the indicative housing growth is provided for by completed units and the existing landbank

89) Y Fron

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1316	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 89 - Y Fron	Support	Y Fron is served by Llanllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

COASTAL / RURAL VILLAGES

90) Aberffraw

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1216	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 90 - Aberffraw	Support	Aberffraw Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

91) Carreglefn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1217	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 91 - Carreglefn	Object	Carreglefn does not have public sewerage facilities therefore the provisions of Circular 10/99 'Planning Requirement in respect of the Use of Non-Mains Sewerage incorporating Septic Tanks in New Development' apply and consultation with Natural Resources Wales will be required.

92) Llanbedrgoch

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1108	Mr Greg Donald [3230]	Map 92 - Llanbedrgoch	Object	The land hatched in red on the attached plan we feel should be considered for development in the future as Llanbedrgoch is an established village and needs to grow in order to sustain the village community.
1219	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 92 - Llanbedrgoch	Object	Llanbedrgoch does not have public sewerage facilities therefore the provisions of Circular 10/99 'Planning Requirement in respect of the Use of Non-Mains Sewerage incorporating Septic Tanks in New Development' apply and consultation with Natural Resources Wales will be required

93) Llanbedrgoch

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1220	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 93 - Llanddona	Support	Llanddona is served by Llangoed Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area

94) Llanfaelog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1221	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 94 - Llanfaelog	Object	Llanfaelog is served by Rhosneigr Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements which would need to be funded through our Asset Management Plan or potentially

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				earlier through developer contributions.

95) Llangoed

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1222	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 95 - Llangoed	Object	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1223	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 95 - Llangoed	Support	Llangoed Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

96) Malltraeth

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1224	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 96 - Malltraeth	Support	Malltraeth Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

97) Moelfre

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
480	Mr B Pritchard [2951]	Map 97 - Moelfre	Object	The development boundary around the village of Moelfre has been drawn very tightly and in a manner that will limit the prospect of any new housing development in an overly restrictive way. There are opportunities to develop small infill sites within the existing built form of the village but outside the defined boundary. Land to the west of the village, specifically part of the site referred to as SP164 on the Candidate Site register can offer such a solution. The Plan identifies limited housing growth for Moelfre but is not clear as to where such sites will be found.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1158	Cadnant Planning (Mr Rhys Davies) [1366]	Map 97 - Moelfre	Object	Land adj Ystant Nant Bychan, Moelfre. Moelfre should be included as a Local Service Centre under Policy TAI15. It is considered that there is an over-reliance on windfall sites within the Local Development Plan. Land should be allocated for housing to accommodate the identified housing need. It is considered that only allowing local market housing and affordable housing within Moelfre will weaken the community, resulting in an increase in deprivation and will threaten the sustainability of the settlement. We propose a site adjacent to Ystad Nant Bychan to be included within the development boundary for housing.
1225	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 97 - Moelfre	Support	Moelfre is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1259	Mr Neil Fairburn [3290]	Map 97 - Moelfre	Object	The proposal map for Moelfre shows the garden curtilage of my property as having fields. These green areas are my garden, not fields and need to be amended. The garden curtilage of Cocyn Uchaf should be included in the LDP for Moelfre as house is part of the village. I am looking to apply for planning permission to build a property within the curtilage for my son and elderly mother (see figure 2 &3).

98) Four Mile Bridge

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1218	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 98 - Four Mile Bridge	Support	Pont Rhyd y Bont is served by Holyhead Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area

99) Trearddur

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1042	Planning Consultant (Ms Jan Tyrer) [1515]	Map 99 - Trearddur	Object	Old Cricket Ground, Trearddur. This site has a fairly recently approved, and now extant planning consent, for the erection of 17 dwellings as a result of the not insubstantial works already undertaken on site. The site contributes to the current 5 year housing land supply and as a committed site for a housing development it should be included in the development boundary for Trearddur Bay as has happened in other LDPs.
1161	Cadnant Planning	Map 99 - Trearddur	Object	Land adj Timant, Trearddur. It is considered that Trearddur has been categorised

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	(Mr Rhys Davies) [1366]			incorrectly and should be included as a Service Village under Policy TAI16. It is considered that there is an over-reliance on windfall sites within the LDP. Land should be allocated for housing to accommodate the identified housing need. It is considered that only allowing local market housing and affordable housing within Trearddur will weaken the community both socially and economically resulting in an increase in deprivation. We wish to propose a site at Lôn St Ffraid to be included in the development boundary and allocated for housing.
1226	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 99 - Trearddur	Object	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1227	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 99 - Trearddur	Support	Trearddur is served by Holyhead Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area

100) Aberdaron

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1317	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 100 - Aberdaron	Support	Aberdaron Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

101) Borth y Gest

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1174	Mr Alun Evans [2854]	Map 101 - Borth y Gest	Object	I feel that the 20 acres of land i own should be included in the boundaries of what is deemed to be land that can be part of this policy i.e. Affordable Housing, the land can be used to build one or two houses, the remainder of the land has much many wildlife benefits and can accordingly be developed into a nature reserve or maintaiated to preserve the enviroment.The land in question is as follows SH5637 and SH5638 Borth y Gest,Porthmadog.
1318	Dwr Cymru Welsh	Map 101 - Borth y	Support	Borth y Gest is served by Porthmadog Wastewater Treatment Works (WwTW) which

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Water (Mr Dewi Griffiths) [2680]	Gest		can accommodate the foul flows from the proposed growth figure allocated for this catchment area

102) Clynnog Fawr

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
712	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 102 - Clynnog Fawr	Object	As a Coastal/Rural Village, Clynnog is assigned an indicative housing provision of 10 units, all to come from windfall sites. As there are no allocated housing sites, we are puzzled why an extension to the village boundary is shown on the map in north east of the village. It would be preferable to developing land (SP673) in the south west. We understand that part of the latter area is subject to a covenant restricting development and we would oppose housing here, particularly in the southern part of the site, on grounds of adverse visual impact on the church and graveyard.
714	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 102 - Clynnog Fawr	Object	As a Coastal/Rural Village, Clynnog is assigned an indicative housing provision of 10 units, all to come from windfall sites. As there are no allocated housing sites, we are puzzled why an extension to the village boundary is shown on the map in north east of the village. It would be preferable to developing land (SP673) in the south west. We understand that part of the latter area is subject to a covenant restricting development and we would oppose housing here, particularly in the southern part of the site, on grounds of adverse visual impact on the church and graveyard.
1319	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 102 - Clynnog Fawr	Support	Clynnog Fawr is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

103) Corris

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1320	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 103 - Corris	Support	Lower Corris Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area

104) Edern

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1321	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 104 - Edern	Support	Edern is served by Morfa Nefyn Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

105) Fairbourne

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1322	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 105 - Fairbourne	Support	No additional growth is anticipated in Fairbourne as the indicative housing growth is provided for by completed units and the existing landbank.

106) Llanaelhaearn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
716	Council for the Protection of Rural Wales (Mr Noel Davey) [1169]	Map 106 - Llanaelhaearn	Object	A strip to the east of the main road in the south of the village is proposed to be included within the JDLP village development boundary, although there is no allocated housing site or proposal on the candidate site register. Why has this change from the GUDP boundary been made? This may be an appropriate area for infill development given an existing group of buildings to the south and line of housing on the opposite side of the road. However, ribbon development along the main road is a growing source of traffic hazard in this village.
1323	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 106 - Llanaelhaearn	Object	The proposed growth being promoted for this settlement would require improvements at Llanaelhaearn Wastewater Treatment Works (WwTW) which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

107) Llanbedrog

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1025	John Brinley Jones [2087]	Map 107 - Llanbedrog	Object	The site that was included in the Candidate Site Register under site reference number SP422 during the consultation period should be included in the final Plan. The site is 0.17ha in size and is located in a brownfield site in the centre of the village. The development boundary of Llanbedrog lies directly east, south and west of the site with

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>only the North site of the village not included within the Boundary. This site was included within the Draft UDP of Gwynedd in 2004. I only need a single dwelling as a home on the site.</p> <p>To Include Candidate Site SP422 within the development boundary of Llanbedrog, within inset Map 107 Llanbedrog of the Deposit Plan. The site is a brownfield site and is located at the centre of this coastal village. The site was included in the last UDP Deposit Plan back in 2004.</p>
1297	Cyngor Cymuned Llanbedrog (Mr John Harris) [1547]	Map 107 - Llanbedrog	Object	<p>Why has the development boundary for Llanbedrog been extended to include a piece of land on Lon Pwllheli as a red area in the map as an appendix, whilst the land known as SP422 rear of Capel Seion which is coloured blue in the appendix has not been included. Both sites have had planning permission as a parking area etc recently but why haven't both sites been included? Certainly there isn't a consistent approach to extending the boundary where planning permission recently.</p>
1325	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 107 - Llanbedrog	Support	No additional growth is anticipated in Llanbedrog as the indicative housing growth is provided for by completed units and the existing landbank.
1384	John Brinley Jones [2087]	Map 107 - Llanbedrog	Object	<p>Include SP422 within the development boundary of Llanbedrog. The site is 0.17ha in size and is located in a brownfield site in the centre of the village. The development boundary of Llanbedrog lies directly east, south and west of the site with only the north site of the village not included within the Boundary.</p> <p>The site was included within the draft UDP of Gwynedd in 2004.</p> <p>I only need a single dwelling as a home on the site.</p>

108) Llangian

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1324	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 108 - Llangian	Support	Llangian is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area

109) Llithfaen

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1326	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 109 - Llithfaen	Support	Llithfaen Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area

110) Morfa Bychan

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1327	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 110 - Morfa Bychan	Support	No additional growth is anticipated in Morfa Bychan as the indicative housing growth is provided for by completed units and the existing landbank.

111) Morfa Nefyn

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
465	Tai Twnti Cyf [2868]	Map 111 - Morfa Nefyn	Object	<p>1. Community need housing is not defined. Plan should be clarified to confirm the status of community need housing as open market housing (and not otherwise restricted).</p> <p>2. Additional open market housing sites would not harm the plan strategy nor the welsh language.</p> <p>3. Additional land could be allocated for housing or the development boundary extended to accommodate development. Two sites are suggested.</p>
1328	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 111 - Morfa Nefyn	Support	No additional growth is anticipated in Morfa Nefyn as the indicative housing growth is provided for by completed units and the existing landbank

112) Mynytho

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1329	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 112 - Mynytho	Object	There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]			proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1330	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 112 - Mynytho	Support	Mynytho Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area

113) Rhoshirwaun

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1258	Mr William Rickards [3289]	Map 113 - Rhoshirwaun	Object	It is my belief that the alternative site mentioned and outlined in the attached plan is eligible to be included in the deposit plan. My reasons for believing are so: - The site lies between existing dwellings and the construction of a single dwelling would not be harmful to the natural beauty of the area. - The site has existing services as there has been a static caravan on the north side of the site for as long as anyone can remember. If a dwelling was built it would replace the caravan. - The site has adequate access to the highway ie good visibility splay etc - The site is close to Ysgol Llidiardau.
1331	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 113 - Rhoshirwaun	Object	Rhoshirwaen does not have public sewerage facilities therefore the provisions of Circular 10/99 'Planning Requirement in respect of the Use of Non-Mains Sewerage incorporating Septic Tanks in New Development' apply and consultation with Natural Resources Wales will be required.

114) Sarn Bach

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1332	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 114 - Sarn Bach	Support	Sarn Bach is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

115) Y Felinheli

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
296	Mr Geraint Lewis [2877]	Map 115 - Y Felinheli	Object	The Site adjacent to Y Wern Tan y Maes, Felinheli forms part of the current UDP, this is owned by Mr Lewis who has instructed us to proceed with the development in partnership with CCG who own a plot of land adjacent. CCG are proposing a development of 6 affordable houses and our client is proposing 8 affordable and 8 open market housing. Our main objection is that this plot of land has been omitted from the JLDP for no apparent reason, this is a scheme that will see fruition in the near future.
1024	Amcen Ltd [3186]	Map 115 - Y Felinheli	Object	<p>It is considered that Y Felinheli has been categorised incorrectly and should be included as a Local Service Centre under Policy TAI15. Y Felinheli offers local facilities and services including a primary school, convenience store, post office and a health centre and is located on a bus route linking the village with Caernarfon, Bangor and Llandudno. It is considered that there is an over-reliance on windfall sites within the LDP. Land should be allocated for housing to accommodate the identified housing need.</p> <p>We wish to seek the following changes:</p> <ol style="list-style-type: none"> 1. Y Felinheli to be categorised as Local Service Centre under Policy TAI15 2. Our site at Beach Road should be included within the development boundary of Y Felinheli and allocated for housing.
1333	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 115 - Y Felinheli	Support	No additional growth is anticipated in Felinheli as the indicative housing growth is provided for by completed units and the existing landbank.

CLUSTERS

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1463	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 116 - Bodorgan	Support	Bodorgan is served by Malltraeth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1464	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 117 - Bro Iarddur (Treaddur)	Support	* Bro Iarddur is served by Holyhead Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1465	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 118 - Bryn Du	Object	* Bryn Du is served by Rhosneigr Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements to the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1824	Mr Thomas Conway [3371]	Map 118 - Bryn Du	Object	* Planning approval given for 12 units in the small hamlet of Bryn Du in 2014; * Anglesey's guidance on affordable housing state that they should be sited in settlements where there are public facilities to support them; * Bryn Du does not have any facilities other than limited stopping train service at Ty Croes railway and a limited bus service; * The nearest settlement to Bryn Du is Rhosneigr which is approximately 5 miles away.
1466	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 119 - Old Llandegfan	Object	Old Llandegfan is served by Treborth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements to the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1467	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 120 - Brynrefail (Anglesey)	Object	* Brynrefail is served by Rhosneigr Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements to the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions
442	Mr B Pritchard [2951]	Map 121 - Brynteg	Object	The village of Brynteg has not been included within any classification characterised as being capable of receiving new housing development. This is an oversight as the village displays many of the characteristics associated with other local villages and clusters. Talwyrn for example, a similar village, has been classified as a local village. It is essential for the social and economic well-being of Brynteg that new development is promoted and such a designation given. There are suitable sites for such development within the village, including site ref SP162 in the list of Candidate sites.
1468	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 122 - Bwlch Gwyn	Support	* Bwlch Gwyn is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1016	Mr Dafydd Edwards [3118]	Map 124 – Capel Mawr	Support	Land at Capel Mawr. My client wishes to include the attached plans into the new deposit plan if possible as land available for any possible development - I do not have the policy numbers of inset maps numbers to hand, is it possible to complete this section again.
484	Miss Nia Morris [2972]	Map 126 - Carmel - Anglesey	Object	The village of Carmel is defined as a cluster settlement however, the boundary of the cluster omits parts of the village which are very much part of the village fabric. There appears to be no logical reason for this. It is important that the village has an opportunity to expand and to regenerate and there must be opportunities provided for that to take place. There are development opportunities available including site ref SP91 on the Candidate Site register, which is a suitable site largely surrounded by built development. Such a site can make a positive contribution to the village.
1469	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 128 - Cichle	Object	* Cichle is served by Treborth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements to the treatment woks which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1470	Dwr Cymru Welsh	Map 129 - Haulfre	Support	* Llangoed Wastewater Treatment Works (WwTW) can accommodate the foul flows

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Water (Mr Dewi Griffiths) [2680]	(Llangoed)		from the proposed growth figure allocated for this catchment area.
1471	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 130 - Elim	Support	* Elim is served by Llanddeusant Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1472	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 131 - Glanyrafon	Support	* Glanyrafon is served by Llangoed Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1473	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 132 - Glyngarth	Object	* Glyn Garth is served by Treborth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1474	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 133 - Gaerwen Station	Support	* Gaerwen Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1475	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 135 - Hendre Hywel (Pentraeth)	Object	* Hendre Hywel is served by Pentraeth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions
1476	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 136 - Hermon	Support	* Hermon is served by Malltraeth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1477	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 137 - Llanddeusant	Support	* Llanddeusant Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1478	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 138 - Llaneilian	Support	* Llaneilian is served by Amlwch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the growth figure allocated for the catchment area.
932	Excelsior Properties [3117]	Map 139 - Llanfaes	Object	<p>We wish to object to the exclusion from the Former Lairds Site, Llanfaes from the allocated sites of the Deposit Plan and seek its allocation for mixed use development. The site is a substantial brownfield site located in Llanfaes approximately 1.5km to the north of the coastal town of Beaumaris.</p> <p>It is considered that the site ne allocated for mixed use development incorporating employment, commercial, leisure and residential land uses providing a feasible and deliverable re-development proposal for the site. This brownfield site is considered a strategic site.</p>
383	Mr Emyr Jones [2935]	Map 139 - Llanfaes	Object	This policy defines the village of Llanfaes as a cluster. A more appropriate categorisation would be as a local village, given its size and characteristics. There are

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				discrepancies in the assessment process which has been carried out, given that Talwrn for example, a settlement similar in characteristics to Llanfaes, has been defined as a local village. There is a need for both affordable and market housing in Llanfaes to support and develop local services. The site identified as SP49 in the Candidate Site Register would be a suitable site for small scale expansion of the village.
1479	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 139 - Llanfaes	Object	* There are isolated incidents of flooding in the public sewerage system in Llanfaes that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1480	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 139 - Llanfaes	Object	* Llanfaes is served by Beaumaris Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1481	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 141 - Llangadwaladr	Support	* Llangadwaladr is served by Malltraeth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the growth figure allocated for the catchment area
1482	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 142 - Llansadwrn	Object	* Llansadwrn is served by Treborth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions
1483	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 144 - Llynfaes	Support	* Llynfaes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1484	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 146 - Mynydd Mechell	Support	* Mynydd Mechell is served by Llanfechell Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1485	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 147 - Nebo (Anglesey)	Support	* Nebo is served by Amlwch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1486	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 148 - Penygroes (Anglesey)	Support	* Penygroes is served by Llanddeusant Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1487	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 149 - Pen y Marian	Support	* Pen y Marian is served by Llangoed Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1488	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 150 - Pengorffwysfa	Support	* Pengorffwysfa is served by Amlwch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]			catchment area.
1489	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 151 - Penlon	Support	* Penlon is served by Newborough Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1490	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 153 - Pentre Berw	Object	* There are isolated incidents of flooding in the public sewerage system in Pentre Berw that may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1491	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 153 - Pentre Berw	Support	* Pentre Berw is served by Gaerwen Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1492	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 156 - Bull Bay	Support	* Bull Bay is served by Amlwch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1493	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 157 - Rhoscefnhir	Object	* Rhoscefnhir is served by Pentraeth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions
1494	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 158 - Rhosmeirch	Support	* Rhosmeirch is served by Llangefni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
463	Mr & Mrs O R & M Roberts [2955]	Map 159 - Rhostrehwfa	Object	Rhostrehwfa has been classified as a cluster settlement despite having many of the characteristics of a local village. It is important to the health and vitality of the village that new housing is brought forward on suitable site(s). The limitation imposed by cluster designation combined with the tightly drawn boundary of such designation will act to impede any reasonable prospect of new housing development. Other local villages such as Llangristiolos, which displays many similar characteristics, have a local village designation. Suitable sites such as site ref SP163 on the Candidate Site register should be included within a redrawn boundary.
1495	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 159 - Rhostrehwfa	Support	* Rhostrehwfa is served by Llangefni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1496	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 160 - Bryn y Mor (Valley)	Support	* Bryn y Mor is served by Holyhead Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1497	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 161 - Rhydwyn	Support	* Rhydwyn Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]			
1403	Mr Brian Owen [3108]	Map 162 - Star	Object	Request that the land edged red to be included in the new plan for adoption. The proposed site is an infill between existing buildings of 'Dol Frait' and 'Dolwen' as stated in TAI 18. If agreed prepared to 2No units stated in your policy. To include laand edged red in the new 'Plan' for adoption to TAI 18 - Housing in Clusters.
1498	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 162 - Star	Support	* Star is served by Llanfairpwll Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
450	Mr B Pritchard [2951]	Map 166 - Tynyngogl	Object	It is not clear why the development boundary for Benllech has been drawn to exclude the housing area around Tynyngogl to the west. This forms part of the urban area of Benllech and functions as part of the town. There is no logical reason to define this area as a cluster village given its relationship with the rest of Benllech. Future housing development within Benllech can be accommodated on sites other than that shown on the proposals map, namely site SP161 on the Candidate Site register. This is suitable land for the expansion of the town.
1499	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 166 - Tynyngogl	Support	* Tynyngogl is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1500	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 167 - Aberdesach	Support	* Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1501	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 168 - Aberllefenni	Support	* Aberllefenni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1502	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 170 - Bethesda Bach	Object	* Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1503	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 171 - Bryncir	Support	* Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
964	Cyngor Cymuned Botwnnog (Mrs Gwenda Roberts) [1541]	Map 172 - Bryncroes	Object	The Plan refers to only 2 houses being permitted in the village of Bryncroes - this number is very limited considering the number of years the proposed Plan will be in force. Again this limits the rights of the individual.
1504	Dwr Cymru Welsh Water (Mr Dewi	Map 172 - Bryncroes	Support	* Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]			
1505	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 173 - Bryn Eglwys	Support	* Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1506	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 174 - Bwlchtocyn	Object	* There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
1507	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 174 - Bwlchtocyn	Support	* Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1508	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 176 - Caerhun / Waen Wen	Support	* Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1509	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 177 - Capel Uchaf	Support	* Capel Uchaf is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1510	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 178 - Capel y Graig (Bangor)	Object	* Capel y Graig is served by Treborth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1511	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 180 - Corris Uchaf	Support	* Corris Uchaf Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1512	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 181 - Crawia	Support	* Crawiau is served by Llanrug Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1513	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 183 - Dinorwig	Support	* Bro Elidir Dinorwig Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1514	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 185 - Gallt y Foel	Support	* Gallt y Foel is served by Deiniolen Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1515	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 186 - Glasinfryn	Support	* Glasinfryn is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1516	Dwr Cymru Welsh	Map 187 - Groeslon	Support	* Waunfawr Wastewater Treatment Works (WwTW) can accommodate the foul flows

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Water (Mr Dewi Griffiths) [2680]	(Waunfawr)		from the proposed growth figure allocated for this catchment area.
1229	Mr Alun Morris [2956]	Map 189 - Llandderfel	Object	We would appreciate if the land that has been appended and outlined in red could be included in the local development plan as it is a very suitable site to be developed as an affordable home for a young couple who wish to remain in their local communities. Only a very small number of sites are being developed in the rural village of Llandderfel, therefore, including this land to build one affordable home would not have a detrimental impact on the sensitive character (environmental and social) of the Village.
1517	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 189 - Llandderfel	Support	* Llandderfel Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1518	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 190 - Llanengan	Support	* Llanengan is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1519	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 191 - Llanfor	Support	* Llanfor Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1520	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 193 - Llaniestyn	Support	* Llaniestyn Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1521	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 194 - Llanllechid	Object	* Llanllechid is served by Bethesda Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1522	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 195 - Llannor	Support	* Llannor Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1523	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 196 - Llanwnda	Object	* Llanwnda is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1271	RI & C Jones [2147]	Map 197 - Llwyn Hudol	Object	We would like Bryn Tirion to be included within the Llwyn Hudol cluster. It is already within the access road to 8 of the existing dwellings. The site has been identified as SP760.
1524	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 197 - Llwyn Hudol	Support	* Llwyn Hudol is served by Pwllheli Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1525	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 198 - Machroes	Support	* Machroes is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]			catchment area.
1526	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 199 - Maes Tryfan	Object	* Maes Tryfan is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1527	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 200 - Minffordd	Support	* Minffordd is served by Penrhyndeudraeth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1528	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 201 - Minffordd (Bangor)	Object	* Minffordd (Bangor) is served by Treborth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions
1529	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 202 - Mynydd Llandygai	Support	* Mynydd Llandygai is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1530	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 203 - Nebo	Support	* Nebo is served by Llanllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1531	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 204 - Pant Glas	Support	* Pantglas Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1532	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 205 - Pencaenewydd	Support	* Pencaenewydd Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1533	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 206 - Penmorfa	Support	* Penmorfa is served by Porthmadog Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1534	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 207 - Penrhos	Support	* Penrhos Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1535	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 208 - Pentir	Support	* Pentir is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1536	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 209 - Pentrefelin	Support	* Pentrefelin Dwyfor Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1537	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 210 - Pistyll	Support	* Pistyll Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1274	Ms Helena Jones [2864]	Map 211 - Pontllyfni	Object	<p>I wish for the SP157 section of land to be considered part of the Pontllyfni cluster. There is a need to extend the Deposit Plan in order for Burnside and Dolwen to be earmarked red within the area.</p> <p>The section of land in question is not agricultural land. In the past, it was part of the garden of an adjacent house, namely Burnside. The land has a wide, clear and convenient access. The land is surrounded by trees and it is not intended to fell these trees. The location of the land and the trees around it would not disturb other views in the area, should it be developed. There is currently a garage and a caravan on the land with facilities such as electricity, water, sewerage and a phone line.</p>
1538	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 211 - Pontllyfni	Support	* Pontllyfni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1539	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 212 - Rhiw	Support	* Rhiw Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1540	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 213 - Rhos Isaf	Object	* Rhos Isaf is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1541	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 214 - Rhoslan	Support	* Rhoslan Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1542	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 215 - Rhydyclafdy	Support	* Rhydyclafdy Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1543	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 216 - Sarn (Llanwnda)	Object	* Sarn is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1544	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 217 - Sling	Support	* Sling is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1545	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 218 - Swan	Support	* Swan is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1546	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 219 - Tai'n Lon	Support	* Tai Lon Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1547	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 220 - Talwaenydd	Support	* Talwaenydd Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area
1548	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 221 - Talybont	Support	* Talybont Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1549	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 222 - Tan y Coed	Support	* Tan y Coed is served by Llanrug Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.
1550	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 224 - Ty'n Lon	Object	* Ty'n-Lon is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.
1551	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	Map 225 - Ty'n y Lon, Treborth (Bangor)	Object	* Ty'n y Lon is served by Treborth Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions
1398	MR Taliesyn Roberts [2711]	Map 226 - Waun (Penisarwaun)	Object	Waun (Penisarwaun) consists of a tight cluster of 21 houses around Tai Arthur as well as the more scattered development of 10 houses shown on map 226. In accordance with paragraph 7.4.129 "Inset Plans are provided to identify the cohesive nature of each cluster with relevant buildings coloured to allow the assessment against the second criteria within the policy", the cluster centred around Tai Arthur, Waun should be shown as inset Map 226.

Employment Sites

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
1660	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C34 - Land near Mona Airfield, Mona	Support	* Our local water network is sufficient to provide the domestic water demands required to serve this development area. * The public sewerage network can accept the foul flows arising from this development area. Potential developers need to be aware that the site is crossed by a sewer. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights to access its apparatus at all times. Protection measures in respect of these assets will be required either in the form of an easement width or a possible diversion of the asset.
1644	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C24 - Agricultural Park,	Support	* Our local water network is sufficient to provide the domestic water demands required to serve this development area.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
	Griffiths) [2680]	Llanystumdwy		* There are no public sewers in close proximity to this site, as such the provisions of 'Circular 10/99 Planning Requirement in respect of the Use of Non-Mains Sewerage in New Development' apply and potential developers may wish to consider installing a private package plant treatment works. Consultation with Natural Resources Wales would be required on this matter
1661	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C34 - Land near Mona Airfield, Mona	Support	* Mona Sewage Pumping Station (SPS) is located near the site and an assessment of the SPS may be required to establish whether all the flows from the proposed allocation can be accommodated or whether future improvements to the SPS will be required to allow all the proposed development to proceed. * Llangefni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the domestic demands arising from this development area
1665	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C37 - Former site of Shell, Rhosgoch	Object	* Off-site water mains may be required to serve the site. These can be provided through a water requisition scheme under Sections 41 - 44 of the Water Industry Act 1991.
1693	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C37 - Former site of Shell, Rhosgoch	Object	* There are no public sewers in close proximity to this site. The nearest public sewers are approximately 2km away in Amlwch to the north, or approximately 2km to the south east in Rhosybol. Off-site sewers would be required however a development of this size would result in expensive off-site solutions for sewerage provision. Where no public sewerage facilities are available in close proximity, as with this site, then the provisions of 'Circular 10/99 Planning Requirement in respect of the Use of Non-Mains Sewerage in New Development' apply and potential developers may wish to consider installing a private package plant treatment works. Consultation with Natural Resources Wales would be required on this matter.
1275	Karen Taylor [3291]	POLICY CYF1, C26 - Wynnstay Farmer's site, Rhosfawr	Object	Pease remove the area highlighted in green from employment allocation C26: <ul style="list-style-type: none"> - Unacceptable extension of existing site into agricultural land - Existing developed site appears under utilised - It would have unacceptable impact on residential amenity. Existing site already causes noise problems from operations and movement of large vehicles. - Inadequate highway network to accommodate additional use. Dangerous access onto the B4354 - Unsustainable location - not served by regular bus service, only accessible by car - Unacceptable visual intrusion into the open countryside - Fields are potentially of high biodiversity value - unimproved grassland.
1378	Mr & Mrs R Moore [3302]	POLICY CYF1, C26 - Wynnstay Farmer's site, Rhosfawr	Object	Unacceptable impact on residential amenity. Existing site already causes noise & disturbance problems. A bigger site would exacerbate this & bring the use much closer to the back of our house which would be dominating and oppressive. There are still plenty of empty spaces on other industrial estates in the locality that are more suitable and could meet a need if there is one.

Rep ID	Name	Section	Type	Summary of Representation / Change(s) to Plan
				<p>Inadequate highway network to accommodate more use. Junction to the B4354 is dangerous.</p> <p>Unsuitable location - not served by a regular bus service. Only accessible by car. Too far to walk and no pavement from Y Ffôr.</p> <p>The designation completely removed as an employment site or the area in the attached plan highlighted in green removed from the designation so it contained to the existing developed site.</p>
1646	Dwr Cymru Welsh Water (Mr Dewi Griffiths) [2680]	POLICY CYF1, C26 - Wynnstay Farmer's site, Rhosfawr	Support	<p>* Our local water network is sufficient to provide the domestic water demands required to serve this development area.</p> <p>* There are no public sewers in close proximity to this site, as such the provisions of 'Circular 10/99 Planning Requirement in respect of the Use of Non-Mains Sewerage in New Development' apply and potential developers may wish to consider installing a private package plant treatment works. Consultation with Natural Resources Wales would be required on this matter.</p>