

2680' 1500' M18' Anglesey.

	 CYNGOR SIR YNYS MÔN ISLE OF ANGLESEY COUNTY COUNCIL	For office use only: Representor No. Date received: 31/12/15 Date acknowledged: <i>20/1/16</i>
---	--	--

**Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026
Representation Form**

Data Protection

How your representation and the information that you give us will be used. All information submitted will be seen in full by the Joint Planning Policy Unit staff dealing with the Joint Local Development Plan (Joint LDP). Your name and comments as set out in your representation form will be published together with the Councils' response. This helps to show that the consultation was carried out properly. Please note that this form may also be made available to any Public Examination on the Joint LDP.

We would prefer that you submit your representations directly online. Alternatively, an electronic version of this form can be completed online at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp Separate forms should be completed for each comment that you wish to make.

Additional representation forms can be obtained from the Joint Planning Policy Unit on 01286 685003 or may be downloaded from the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp or you may photocopy this form. When making comments please use additional sheets as required clearly numbering each consecutive sheet.

PART 1: Contact details

	Your details/ Your client's details	Agent's details (if relevant)
Name	D. GRIFFITHS	
Address	WELSH WATER	
Postcode		
Telephone Number		
Email address		

Guidance Note.

Please set out your comments in Part 2 of this form. Use additional sheets of paper where necessary. **Separate forms should be completed for each comment** that you wish to make.

Question 2dd and 2e seeks your views on the soundness of the Joint Deposit Plan. The tests of soundness and additional information on how they are applied are detailed on the last page of this form.

If you want changes made to the Deposit Plan, please be as specific as you can. For example, if you want new text added, please set out the new text and explain where you would like it to go in the Deposit Plan and why. Similarly, if you want to add a new or amend a policy or a paragraph, please set out clearly the new text and explain where you think it should go in the Deposit Plan and why.

If you wish to delete a site that is allocated in the Deposit Plan or suggest amendments to it or you wish to propose a new site, please attach a 1:1250 or 1:2500 scale plan that clearly identifies the site boundaries. If you are proposing a new site (one that is not included within the Deposit Plan) the comment form must be accompanied by a detailed site assessment in accordance with the Council's Candidate Site assessment methodology and the Sustainability Appraisal framework. The Candidate Site assessment methodology and the Sustainability Appraisal framework can be found on the Council's website at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

Further information about this matter can be obtained from the Joint Planning Policy Unit on **01286 685003** or on the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp in the leaflet 'Guidance about alternative sites'.

Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant Sustainability Appraisal information. This information must be consistent with the scope and level of detail of the Sustainability Appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

You should include all your comments on the Deposit Plan and set out your full case on the official form, using accompanying documents where necessary. If you seek more than one change and consider that the Deposit Plan fails to meet more than one test of soundness **separate forms should be completed for each representation**. Similarly, if your representation is in support of the Deposit Plan or individual elements of the Deposit Plan it would be helpful if separate representations were made. Please indicate if you are submitting other material to support your comments.

You will only be able to submit further information to the Examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you have made in response to previous consultations. If you do not consider the Deposit Plan to be sound and that it should be changed, please explain clearly why you think the changes are needed. If you think a change is needed for the Deposit Plan to meet one or more of the tests of soundness, please tell us which one(s).

Where a group shares a common view on how it wishes the Deposit Plan to be changed, the Councils will accept a signed petition. In submitting a representation form on behalf of a group, the representation form should include the contact details of a lead individual at Section 1 and the comments should be clearly set out on the representation form. The signed petition should state clearly how many people are being represented and how the representation has been authorised. Signing a petition does not prevent the submission of individual forms.

Enman Nephed Abdul
11

Enman Nephed Abdul
11

Enman Nephed Abdul
11

Enman Nephed Abdul
11

2ch. If your response to 2c above exceeds 100 words, please provide a summary (no more than 100 words).

2d. Please detail the changes you wish to see made to the Deposit Plan.

2dd. Is the Deposit Plan sound?

Yes ☐ No ☐

2e. If you think that the Deposit Plan is unsound which test of soundness do you think that it fails? (Please tick below). *More details are provided at the back of this form.*

Procedural				Consistency								Coherence & Effectiveness							
P1	☐	P2	☐	C1	☐	C2	☐	C3	☐	C4	☐	CE 1	☐	CE 2	☐	CE 3	☐	CE 4	☐

Part 3: What Happens Next?

At this stage of the Joint LDP process, you can only make comments in writing (these are called 'written representations'). However, the Inspector may call on those who want to change the Plan to appear and speak to the Inspector at a 'hearing session' during the Public Examination. You should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session.

3a. Do you want your comments to be considered by 'written representations' or do you want to speak at a hearing session of the Public Examination? (Please tick one of the following)

I do not want to speak at a hearing session and am happy for my written comments to be considered by the Inspector.



I want to speak at a hearing session.



3b. If you wish to speak, please confirm which part of your representation you wish to speak to the Inspector about and why you consider it to be necessary to speak at the Hearing.

3c. Would you like to be informed about the following (Please tick the relevant boxes)

Submission of documents and evidence to the examination



Publish Inspector's report



Plan's adoption



If additional documents have been provided to support your representations, please list below:

Signed:



Dated:

31/3/15.

THANK YOU FOR YOUR COMMENTS ON THE DEPOSIT PLAN

Please do not forget to enclose any relevant documentation (e.g. a Sustainability Appraisal) with this form.

Completed representation forms should be returned to the Joint Planning Policy Unit at:

ONLINE – By completing the electronic form at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

BY EMAIL – planningpolicy@gwynedd.gov.uk

BY POST – By sending to: Joint Planning Policy Unit, 1st Floor, Bangor City Council Offices, Ffordd Gwynedd, Bangor, Gwynedd LL57 1DT

**REPRESENTATION FORMS SHOULD BE RETURNED BY NO LATER THAN 5.00pm on the 31st March 2015
REPRESENTATIONS RECEIVED AFTER THIS TIME WILL NOT BE CONSIDERED**

Test of Soundness

Test	Procedural Tests
P1	It has not been prepared in accordance with the Delivery Agreement including the Community Involvement Scheme.
P2	The plan and its policies have not been subjected to Sustainability Appraisal including Strategic Environmental Assessment.
	Consistency Tests
C1	It is a land use plan which does not have regard to other relevant plans, policies and strategies relating to the area or to adjoining areas.
C2	It does not have regard to national policy.
C3	It does not have regard to the Wales Spatial Plan.
C4	It does not have regard to the relevant community strategy.
	Coherence and Effectiveness Tests
CE1	The plan does not set out a coherent strategy from which its policies and allocations logically flow and/or, where cross boundary issues are relevant, it is not compatible with the development plans prepared by neighbouring authorities.
CE2	The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives and/or are not founded on a robust and credible evidence base.
CE3	There are no clear mechanisms for implementation and monitoring.
CE4	It is not reasonably flexible to enable it to deal with changing circumstances.

The Planning and Compulsory Purchase Act 2004 states that the purpose of the examination of a Local Development Plan (the Plan) is to consider whether it is "sound". This means that anyone who wants to comment on or object to the Deposit Plan should seek to say how it is unsound and what is needed to make it sound. Sound may be considered in this context within its ordinary meaning of "*showing good judgement*" and "*able to be trusted*". To assess the Deposit Plan we use 10 tests as set out above. The Deposit Plan will be examined by an independent Inspector appointed by the Welsh Government and it will be the Inspector's job to consider whether the Plan is sound.

Where you propose a change to the Deposit Plan you should therefore make clear which test(s) of soundness you believe the Deposit Plan fails. The tests are in 3 groups - 'Procedural' (2 tests); 'Conformity' (4 tests); and 'Coherence and Effectiveness' (4 tests). If you wish to comment on the way in which the Councils have prepared the Deposit Plan, it is likely that your comments or objections would fall under one of the procedural tests. If you wish to comment on or object to the content of the Deposit Plan, it may help to look at the 'consistency' and the 'coherence and effectiveness' tests.

Tynygongl

- Tynygongl is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1499

GWYNEDD

Aberdesach

- Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1500

Aberllefeni

- Aberllefeni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1501

Bethesda Bach

- Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

1502

Bryncir

- Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1503

Bryncroes

- Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1504

Bryn Eglwys

- Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1505

Bwlchtocyn

- There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
- Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1506

1507

Caerhun/Waen Wen

- Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1508

2686-1501-Thi 18 - Anglesey

	 CYNGOR SIR YNYS MÔN ISLE OF ANGLESEY COUNTY COUNCIL	For office use only: Representor No. Date received: 31/12/15 Date acknowledged: <i>[Signature]</i>
---	--	--

**Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026
Representation Form**

Data Protection

How your representation and the information that you give us will be used. All information submitted will be seen in full by the Joint Planning Policy Unit staff dealing with the Joint Local Development Plan (Joint LDP). Your name and comments as set out in your representation form will be published together with the Councils' response. This helps to show that the consultation was carried out properly. Please note that this form may also be made available to any Public Examination on the Joint LDP.

We would prefer that you submit your representations directly online. Alternatively, an electronic version of this form can be completed online at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp Separate forms should be completed for each comment that you wish to make.

Additional representation forms can be obtained from the Joint Planning Policy Unit on 01286 685003 or may be downloaded from the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp or you may photocopy this form. When making comments please use additional sheets as required clearly numbering each consecutive sheet.

PART 1: Contact details

	Your details/ Your client's details	Agent's details (if relevant)
Name	D. GRIFFITHS	
Address	WELSH WATER	
Postcode		
Telephone Number		
Email address		

Guidance Note.

Please set out your comments in Part 2 of this form. Use additional sheets of paper where necessary. **Separate forms should be completed for each comment** that you wish to make.

Question 2dd and 2e seeks your views on the soundness of the Joint Deposit Plan. The tests of soundness and additional information on how they are applied are detailed on the last page of this form.

If you want changes made to the Deposit Plan, please be as specific as you can. For example, if you want new text added, please set out the new text and explain where you would like it to go in the Deposit Plan and why. Similarly, if you want to add a new or amend a policy or a paragraph, please set out clearly the new text and explain where you think it should go in the Deposit Plan and why.

If you wish to delete a site that is allocated in the Deposit Plan or suggest amendments to it or you wish to propose a new site, please attach a 1:1250 or 1:2500 scale plan that clearly identifies the site boundaries. If you are proposing a new site (one that is not included within the Deposit Plan) the comment form must be accompanied by a detailed site assessment in accordance with the Council's Candidate Site assessment methodology and the Sustainability Appraisal framework. The Candidate Site assessment methodology and the Sustainability Appraisal framework can be found on the Council's website at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

Further information about this matter can be obtained from the Joint Planning Policy Unit on 01286 685003 or on the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp in the leaflet 'Guidance about alternative sites'.

Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant Sustainability Appraisal information. This information must be consistent with the scope and level of detail of the Sustainability Appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

You should include all your comments on the Deposit Plan and set out your full case on the official form, using accompanying documents where necessary. If you seek more than one change and consider that the Deposit Plan fails to meet more than one test of soundness **separate forms should be completed for each representation**. Similarly, if your representation is in support of the Deposit Plan or individual elements of the Deposit Plan it would be helpful if separate representations were made. Please indicate if you are submitting other material to support your comments.

You will only be able to submit further information to the Examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you have made in response to previous consultations. If you do not consider the Deposit Plan to be sound and that it should be changed, please explain clearly why you think the changes are needed. If you think a change is needed for the Deposit Plan to meet one or more of the tests of soundness, please tell us which one(s).

Where a group shares a common view on how it wishes the Deposit Plan to be changed, the Councils will accept a signed petition. In submitting a representation form on behalf of a group, the representation form should include the contact details of a lead individual at Section 1 and the comments should be clearly set out on the representation form. The signed petition should state clearly how many people are being represented and how the representation has been authorised. Signing a petition does not prevent the submission of individual forms.

Enwan Nkoyda Akabid
4

2b. Are you objecting or supporting the Deposit Plan?			
Objecting	☐	Supporting	☐

Please use additional sheet if necessary.
Please state how many additional sheets have been used.....

2ch. If your response to 2c above exceeds 100 words, please provide a summary (no more than 100 words).

2d. Please detail the changes you wish to see made to the Deposit Plan.

2dd. Is the Deposit Plan sound?

Yes ☐ No ☐

2e. If you think that the Deposit Plan is unsound which test of soundness do you think that it fails? (Please tick below). *More details are provided at the back of this form.*

Procedural				Consistency								Coherence & Effectiveness							
P1	☐	P2	☐	C1	☐	C2	☐	C3	☐	C4	☐	CE 1	☐	CE 2	☐	CE 3	☐	CE 4	☐

Part 3: What Happens Next?

At this stage of the Joint LDP process, you can only make comments in writing (these are called 'written representations'). However, the Inspector may call on those who want to change the Plan to appear and speak to the Inspector at a 'hearing session' during the Public Examination. You should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session.

3a. Do you want your comments to be considered by 'written representations' or do you want to speak at a hearing session of the Public Examination? (Please tick one of the following)

I do not want to speak at a hearing session and am happy for my written comments to be considered by the Inspector.



I want to speak at a hearing session.



3b. If you wish to speak, please confirm which part of your representation you wish to speak to the Inspector about and why you consider it to be necessary to speak at the Hearing.

3c. Would you like to be informed about the following (Please tick the relevant boxes)

Submission of documents and evidence to the examination



Publish Inspector's report



Plan's adoption



If additional documents have been provided to support your representations, please list below:

Signed:



Dated:

31/3/15.

THANK YOU FOR YOUR COMMENTS ON THE DEPOSIT PLAN

Please do not forget to enclose any relevant documentation (e.g. a Sustainability Appraisal) with this form.

Completed representation forms should be returned to the Joint Planning Policy Unit at:

ONLINE – By completing the electronic form at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

BY EMAIL – planningpolicy@gwynedd.gov.uk

BY POST – By sending to: Joint Planning Policy Unit, 1st Floor, Bangor City Council Offices, Ffordd Gwynedd, Bangor, Gwynedd LL57 1DT

REPRESENTATION FORMS SHOULD BE RETURNED BY NO LATER THAN 5.00pm on the 31st March 2015
REPRESENTATIONS RECEIVED AFTER THIS TIME WILL NOT BE CONSIDERED

Test of Soundness

Test	Procedural Tests
P1	It has not been prepared in accordance with the Delivery Agreement including the Community Involvement Scheme.
P2	The plan and its policies have not been subjected to Sustainability Appraisal including Strategic Environmental Assessment.
	Consistency Tests
C1	It is a land use plan which does not have regard to other relevant plans, policies and strategies relating to the area or to adjoining areas.
C2	It does not have regard to national policy.
C3	It does not have regard to the Wales Spatial Plan.
C4	It does not have regard to the relevant community strategy.
	Coherence and Effectiveness Tests
CE1	The plan does not set out a coherent strategy from which its policies and allocations logically flow and/or, where cross boundary issues are relevant, it is not compatible with the development plans prepared by neighbouring authorities.
CE2	The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives and/or are not founded on a robust and credible evidence base.
CE3	There are no clear mechanisms for implementation and monitoring.
CE4	It is not reasonably flexible to enable it to deal with changing circumstances.

The Planning and Compulsory Purchase Act 2004 states that the purpose of the examination of a Local Development Plan (the Plan) is to consider whether it is "sound". This means that anyone who wants to comment on or object to the Deposit Plan should seek to say how it is unsound and what is needed to make it sound. Sound may be considered in this context within its ordinary meaning of "*showing good judgement*" and "*able to be trusted*". To assess the Deposit Plan we use 10 tests as set out above. The Deposit Plan will be examined by an independent Inspector appointed by the Welsh Government and it will be the Inspector's job to consider whether the Plan is sound.

Where you propose a change to the Deposit Plan you should therefore make clear which test(s) of soundness you believe the Deposit Plan fails. The tests are in 3 groups - 'Procedural' (2 tests); 'Conformity' (4 tests); and 'Coherence and Effectiveness' (4 tests). If you wish to comment on the way in which the Councils have prepared the Deposit Plan, it is likely that your comments or objections would fall under one of the procedural tests. If you wish to comment on or object to the content of the Deposit Plan, it may help to look at the 'consistency' and the 'coherence and effectiveness' tests.

Tynygongl

- Tynygongl is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1499

GWYNEDD

Aberdesach

- Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1500

Aberllefeni

- Aberllefeni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1501

Bethesda Bach

- Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

1502

Bryncir

- Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1503

Bryncroes

- Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1504

Bryn Eglwys

- Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1505

Bwlchtocyn

- There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
- Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1506

1507

Caerhun/Waen Wen

- Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1508

2680-1502-Trail8- BETHEDA BACH

	 CYNGOR SIR YNYS MÔN ISLE OF ANGLESEY COUNTY COUNCIL	For office use only: Representor No. Date received: 31/12/15 Date acknowledged: <i>20/1/16</i>
---	--	--

**Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026
Representation Form**

Data Protection

How your representation and the information that you give us will be used. All information submitted will be seen in full by the Joint Planning Policy Unit staff dealing with the Joint Local Development Plan (Joint LDP). Your name and comments as set out in your representation form will be published together with the Councils' response. This helps to show that the consultation was carried out properly. Please note that this form may also be made available to any Public Examination on the Joint LDP.

We would prefer that you submit your representations directly online. Alternatively, an electronic version of this form can be completed online at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp Separate forms should be completed for each comment that you wish to make.

Additional representation forms can be obtained from the Joint Planning Policy Unit on 01286 685003 or may be downloaded from the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp or you may photocopy this form. When making comments please use additional sheets as required clearly numbering each consecutive sheet.

PART 1: Contact details

	Your details/ Your client's details	Agent's details (if relevant)
Name	D. GRIFFITHS	
Address	WELSH WATER	
Postcode		
Telephone Number		
Email address		

Guidance Note.

Please set out your comments in Part 2 of this form. Use additional sheets of paper where necessary. **Separate forms should be completed for each comment** that you wish to make.

Question 2dd and 2e seeks your views on the soundness of the Joint Deposit Plan. The tests of soundness and additional information on how they are applied are detailed on the last page of this form.

If you want changes made to the Deposit Plan, please be as specific as you can. For example, if you want new text added, please set out the new text and explain where you would like it to go in the Deposit Plan and why. Similarly, if you want to add a new or amend a policy or a paragraph, please set out clearly the new text and explain where you think it should go in the Deposit Plan and why.

If you wish to delete a site that is allocated in the Deposit Plan or suggest amendments to it or you wish to propose a new site, please attach a 1:1250 or 1:2500 scale plan that clearly identifies the site boundaries. If you are proposing a new site (one that is not included within the Deposit Plan) the comment form must be accompanied by a detailed site assessment in accordance with the Council's Candidate Site assessment methodology and the Sustainability Appraisal framework. The Candidate Site assessment methodology and the Sustainability Appraisal framework can be found on the Council's website at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

Further information about this matter can be obtained from the Joint Planning Policy Unit on **01286 685003** or on the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp in the leaflet 'Guidance about alternative sites'.

Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant Sustainability Appraisal information. This information must be consistent with the scope and level of detail of the Sustainability Appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

You should include all your comments on the Deposit Plan and set out your full case on the official form, using accompanying documents where necessary. If you seek more than one change and consider that the Deposit Plan fails to meet more than one test of soundness **separate forms should be completed for each representation**. Similarly, if your representation is in support of the Deposit Plan or individual elements of the Deposit Plan it would be helpful if separate representations were made. Please indicate if you are submitting other material to support your comments.

You will only be able to submit further information to the Examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you have made in response to previous consultations. If you do not consider the Deposit Plan to be sound and that it should be changed, please explain clearly why you think the changes are needed. If you think a change is needed for the Deposit Plan to meet one or more of the tests of soundness, please tell us which one(s).

Where a group shares a common view on how it wishes the Deposit Plan to be changed, the Councils will accept a signed petition. In submitting a representation form on behalf of a group, the representation form should include the contact details of a lead individual at Section 1 and the comments should be clearly set out on the representation form. The signed petition should state clearly how many people are being represented and how the representation has been authorised. Signing a petition does not prevent the submission of individual forms.

Enwan Nefydd Arabad 4

2b. Are you objecting or supporting the Deposit Plan?			
Objecting	☐	Supporting	☐

Please use additional sheet if necessary.
Please state how many additional sheets have been used.....

2ch. If your response to 2c above exceeds 100 words, please provide a summary (no more than 100 words).

2d. Please detail the changes you wish to see made to the Deposit Plan.

2dd. Is the Deposit Plan sound?

Yes ☐ No ☐

2e. If you think that the Deposit Plan is unsound which test of soundness do you think that it fails? (Please tick below). *More details are provided at the back of this form.*

Procedural				Consistency								Coherence & Effectiveness							
P1	☐	P2	☐	C1	☐	C2	☐	C3	☐	C4	☐	CE 1	☐	CE 2	☐	CE 3	☐	CE 4	☐

Part 3: What Happens Next?

At this stage of the Joint LDP process, you can only make comments in writing (these are called 'written representations'). However, the Inspector may call on those who want to change the Plan to appear and speak to the Inspector at a 'hearing session' during the Public Examination. You should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session.

3a. Do you want your comments to be considered by 'written representations' or do you want to speak at a hearing session of the Public Examination? (Please tick one of the following)

I do not want to speak at a hearing session and am happy for my written comments to be considered by the Inspector.



I want to speak at a hearing session.



3b. If you wish to speak, please confirm which part of your representation you wish to speak to the Inspector about and why you consider it to be necessary to speak at the Hearing.

3c. Would you like to be informed about the following (Please tick the relevant boxes)

Submission of documents and evidence to the examination



Publish Inspector's report



Plan's adoption



If additional documents have been provided to support your representations, please list below:

Signed:

Dated:

31/3/15.

THANK YOU FOR YOUR COMMENTS ON THE DEPOSIT PLAN

Please do not forget to enclose any relevant documentation (e.g. a Sustainability Appraisal) with this form.

Completed representation forms should be returned to the Joint Planning Policy Unit at:

ONLINE – By completing the electronic form at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

BY EMAIL – planningpolicy@gwynedd.gov.uk

BY POST – By sending to: Joint Planning Policy Unit, 1st Floor, Bangor City Council Offices, Ffordd Gwynedd, Bangor, Gwynedd LL57 1DT

REPRESENTATION FORMS SHOULD BE RETURNED BY NO LATER THAN 5.00pm on the 31st March 2015
REPRESENTATIONS RECEIVED AFTER THIS TIME WILL NOT BE CONSIDERED

Test of Soundness

Test	Procedural Tests
P1	It has not been prepared in accordance with the Delivery Agreement including the Community Involvement Scheme.
P2	The plan and its policies have not been subjected to Sustainability Appraisal including Strategic Environmental Assessment.
	Consistency Tests
C1	It is a land use plan which does not have regard to other relevant plans, policies and strategies relating to the area or to adjoining areas.
C2	It does not have regard to national policy.
C3	It does not have regard to the Wales Spatial Plan.
C4	It does not have regard to the relevant community strategy.
	Coherence and Effectiveness Tests
CE1	The plan does not set out a coherent strategy from which its policies and allocations logically flow and/or, where cross boundary issues are relevant, it is not compatible with the development plans prepared by neighbouring authorities.
CE2	The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives and/or are not founded on a robust and credible evidence base.
CE3	There are no clear mechanisms for implementation and monitoring.
CE4	It is not reasonably flexible to enable it to deal with changing circumstances.

The Planning and Compulsory Purchase Act 2004 states that the purpose of the examination of a Local Development Plan (the Plan) is to consider whether it is "sound". This means that anyone who wants to comment on or object to the Deposit Plan should seek to say how it is unsound and what is needed to make it sound. Sound may be considered in this context within its ordinary meaning of "*showing good judgement*" and "*able to be trusted*". To assess the Deposit Plan we use 10 tests as set out above. The Deposit Plan will be examined by an independent Inspector appointed by the Welsh Government and it will be the Inspector's job to consider whether the Plan is sound.

Where you propose a change to the Deposit Plan you should therefore make clear which test(s) of soundness you believe the Deposit Plan fails. The tests are in 3 groups - 'Procedural' (2 tests); 'Conformity' (4 tests); and 'Coherence and Effectiveness' (4 tests). If you wish to comment on the way in which the Councils have prepared the Deposit Plan, it is likely that your comments or objections would fall under one of the procedural tests. If you wish to comment on or object to the content of the Deposit Plan, it may help to look at the 'consistency' and the 'coherence and effectiveness' tests.

Tynygongl

- Tynygongl is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1499

GWYNEDD

Aberdesach

- Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1500

Aberllefeni

- Aberllefeni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1501

Bethesda Bach

- Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

1502

Bryncir

- Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1503

Bryncroes

- Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1504

Bryn Eglwys

- Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1505

Bwlchtocyn

- There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
- Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1506

1507

Caerhun/Waen Wen

- Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1508

2680-1505. Trail 8- BRYN EGWEDD

	 CYNGOR SIR YNYS MÔN ISLE OF ANGLESEY COUNTY COUNCIL	For office use only: Representor No. Date received: 31/12/15 Date acknowledged: <i>[Signature]</i>
---	--	--

**Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026
Representation Form**

Data Protection

How your representation and the information that you give us will be used. All information submitted will be seen in full by the Joint Planning Policy Unit staff dealing with the Joint Local Development Plan (Joint LDP). Your name and comments as set out in your representation form will be published together with the Councils' response. This helps to show that the consultation was carried out properly. Please note that this form may also be made available to any Public Examination on the Joint LDP.

We would prefer that you submit your representations directly online. Alternatively, an electronic version of this form can be completed online at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp Separate forms should be completed for each comment that you wish to make.

Additional representation forms can be obtained from the Joint Planning Policy Unit on 01286 685003 or may be downloaded from the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp or you may photocopy this form. When making comments please use additional sheets as required clearly numbering each consecutive sheet.

PART 1: Contact details

	Your details/ Your client's details	Agent's details (if relevant)
Name	D. GRIFFITHS	
Address	WELSH WATER	
Postcode		
Telephone Number		
Email address		

Guidance Note.

Please set out your comments in Part 2 of this form. Use additional sheets of paper where necessary. **Separate forms should be completed for each comment** that you wish to make.

Question 2dd and 2e seeks your views on the soundness of the Joint Deposit Plan. The tests of soundness and additional information on how they are applied are detailed on the last page of this form.

If you want changes made to the Deposit Plan, please be as specific as you can. For example, if you want new text added, please set out the new text and explain where you would like it to go in the Deposit Plan and why. Similarly, if you want to add a new or amend a policy or a paragraph, please set out clearly the new text and explain where you think it should go in the Deposit Plan and why.

If you wish to delete a site that is allocated in the Deposit Plan or suggest amendments to it or you wish to propose a new site, please attach a 1:1250 or 1:2500 scale plan that clearly identifies the site boundaries. If you are proposing a new site (one that is not included within the Deposit Plan) the comment form must be accompanied by a detailed site assessment in accordance with the Council's Candidate Site assessment methodology and the Sustainability Appraisal framework. The Candidate Site assessment methodology and the Sustainability Appraisal framework can be found on the Council's website at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

Further information about this matter can be obtained from the Joint Planning Policy Unit on **01286 685003** or on the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp in the leaflet 'Guidance about alternative sites'.

Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant Sustainability Appraisal information. This information must be consistent with the scope and level of detail of the Sustainability Appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

You should include all your comments on the Deposit Plan and set out your full case on the official form, using accompanying documents where necessary. If you seek more than one change and consider that the Deposit Plan fails to meet more than one test of soundness **separate forms should be completed for each representation**. Similarly, if your representation is in support of the Deposit Plan or individual elements of the Deposit Plan it would be helpful if separate representations were made. Please indicate if you are submitting other material to support your comments.

You will only be able to submit further information to the Examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you have made in response to previous consultations. If you do not consider the Deposit Plan to be sound and that it should be changed, please explain clearly why you think the changes are needed. If you think a change is needed for the Deposit Plan to meet one or more of the tests of soundness, please tell us which one(s).

Where a group shares a common view on how it wishes the Deposit Plan to be changed, the Councils will accept a signed petition. In submitting a representation form on behalf of a group, the representation form should include the contact details of a lead individual at Section 1 and the comments should be clearly set out on the representation form. The signed petition should state clearly how many people are being represented and how the representation has been authorised. Signing a petition does not prevent the submission of individual forms.

Enwan Nefydd Arabiad

2b. Are you objecting or supporting the Deposit Plan?			
Objecting	☐	Supporting	☐

*Please use additional sheet if necessary.
Please state how many additional sheets have been used.....*

2ch. If your response to 2c above exceeds 100 words, please provide a summary (no more than 100 words).

2d. Please detail the changes you wish to see made to the Deposit Plan.

2dd. Is the Deposit Plan sound?

Yes ☐ No ☐

2e. If you think that the Deposit Plan is unsound which test of soundness do you think that it fails? (Please tick below). *More details are provided at the back of this form.*

Procedural				Consistency								Coherence & Effectiveness							
P1	☐	P2	☐	C1	☐	C2	☐	C3	☐	C4	☐	CE 1	☐	CE 2	☐	CE 3	☐	CE 4	☐

Part 3: What Happens Next?

At this stage of the Joint LDP process, you can only make comments in writing (these are called 'written representations'). However, the Inspector may call on those who want to change the Plan to appear and speak to the Inspector at a 'hearing session' during the Public Examination. You should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session.

3a. Do you want your comments to be considered by 'written representations' or do you want to speak at a hearing session of the Public Examination? (Please tick one of the following)

I do not want to speak at a hearing session and am happy for my written comments to be considered by the Inspector.



I want to speak at a hearing session.



3b. If you wish to speak, please confirm which part of your representation you wish to speak to the Inspector about and why you consider it to be necessary to speak at the Hearing.

3c. Would you like to be informed about the following (Please tick the relevant boxes)

Submission of documents and evidence to the examination



Publish Inspector's report



Plan's adoption



If additional documents have been provided to support your representations, please list below:

Signed:

Dated:

31/3/15.

THANK YOU FOR YOUR COMMENTS ON THE DEPOSIT PLAN

Please do not forget to enclose any relevant documentation (e.g. a Sustainability Appraisal) with this form.

Completed representation forms should be returned to the Joint Planning Policy Unit at:

ONLINE – By completing the electronic form at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

BY EMAIL – planningpolicy@gwynedd.gov.uk

BY POST – By sending to: Joint Planning Policy Unit, 1st Floor, Bangor City Council Offices, Ffordd Gwynedd, Bangor, Gwynedd LL57 1DT

REPRESENTATION FORMS SHOULD BE RETURNED BY NO LATER THAN 5.00pm on the 31st March 2015
REPRESENTATIONS RECEIVED AFTER THIS TIME WILL NOT BE CONSIDERED

Test of Soundness

Test	Procedural Tests
P1	It has not been prepared in accordance with the Delivery Agreement including the Community Involvement Scheme.
P2	The plan and its policies have not been subjected to Sustainability Appraisal including Strategic Environmental Assessment.
	Consistency Tests
C1	It is a land use plan which does not have regard to other relevant plans, policies and strategies relating to the area or to adjoining areas.
C2	It does not have regard to national policy.
C3	It does not have regard to the Wales Spatial Plan.
C4	It does not have regard to the relevant community strategy.
	Coherence and Effectiveness Tests
CE1	The plan does not set out a coherent strategy from which its policies and allocations logically flow and/or, where cross boundary issues are relevant, it is not compatible with the development plans prepared by neighbouring authorities.
CE2	The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives and/or are not founded on a robust and credible evidence base.
CE3	There are no clear mechanisms for implementation and monitoring.
CE4	It is not reasonably flexible to enable it to deal with changing circumstances.

The Planning and Compulsory Purchase Act 2004 states that the purpose of the examination of a Local Development Plan (the Plan) is to consider whether it is "sound". This means that anyone who wants to comment on or object to the Deposit Plan should seek to say how it is unsound and what is needed to make it sound. Sound may be considered in this context within its ordinary meaning of "*showing good judgement*" and "*able to be trusted*". To assess the Deposit Plan we use 10 tests as set out above. The Deposit Plan will be examined by an independent Inspector appointed by the Welsh Government and it will be the Inspector's job to consider whether the Plan is sound.

Where you propose a change to the Deposit Plan you should therefore make clear which test(s) of soundness you believe the Deposit Plan fails. The tests are in 3 groups - 'Procedural' (2 tests); 'Conformity' (4 tests); and 'Coherence and Effectiveness' (4 tests). If you wish to comment on the way in which the Councils have prepared the Deposit Plan, it is likely that your comments or objections would fall under one of the procedural tests. If you wish to comment on or object to the content of the Deposit Plan, it may help to look at the 'consistency' and the 'coherence and effectiveness' tests.

Tynygongl

- Tynygongl is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1499

GWYNEDD

Aberdesach

- Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1500

Aberllefeni

- Aberllefeni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1501

Bethesda Bach

- Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

1502

Bryncir

- Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1503

Bryncroes

- Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1504

Bryn Eglwys

- Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1505

Bwlchtocyn

- There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
- Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1506

1507

Caerhun/Waen Wen

- Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1508

2680-1503- TA118- BARNIER.

	 CYNGOR SIR YNYS MÔN ISLE OF ANGLESEY COUNTY COUNCIL	For office use only: Representor No. Date received: 31/12/15 Date acknowledged: [Signature]
---	--	---

**Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026
Representation Form**


Data Protection

How your representation and the information that you give us will be used. All information submitted will be seen in full by the Joint Planning Policy Unit staff dealing with the Joint Local Development Plan (Joint LDP). Your name and comments as set out in your representation form will be published together with the Councils' response. This helps to show that the consultation was carried out properly. Please note that this form may also be made available to any Public Examination on the Joint LDP.

We would prefer that you submit your representations directly online. Alternatively, an electronic version of this form can be completed online at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp Separate forms should be completed for each comment that you wish to make.

Additional representation forms can be obtained from the Joint Planning Policy Unit on 01286 685003 or may be downloaded from the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp or you may photocopy this form. When making comments please use additional sheets as required clearly numbering each consecutive sheet.

PART 1: Contact details

	Your details/ Your client's details	Agent's details (if relevant)
Name	D. GRIFFITHS	
Address	WELSH WATER	
		
Postcode		
Telephone Number		
Email address		

Guidance Note.

Please set out your comments in Part 2 of this form. Use additional sheets of paper where necessary. **Separate forms should be completed for each comment** that you wish to make.

Question 2dd and 2e seeks your views on the soundness of the Joint Deposit Plan. The tests of soundness and additional information on how they are applied are detailed on the last page of this form.

If you want changes made to the Deposit Plan, please be as specific as you can. For example, if you want new text added, please set out the new text and explain where you would like it to go in the Deposit Plan and why. Similarly, if you want to add a new or amend a policy or a paragraph, please set out clearly the new text and explain where you think it should go in the Deposit Plan and why.

If you wish to delete a site that is allocated in the Deposit Plan or suggest amendments to it or you wish to propose a new site, please attach a 1:1250 or 1:2500 scale plan that clearly identifies the site boundaries. If you are proposing a new site (one that is not included within the Deposit Plan) the comment form must be accompanied by a detailed site assessment in accordance with the Council's Candidate Site assessment methodology and the Sustainability Appraisal framework. The Candidate Site assessment methodology and the Sustainability Appraisal framework can be found on the Council's website at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

Further information about this matter can be obtained from the Joint Planning Policy Unit on **01286 685003** or on the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp in the leaflet 'Guidance about alternative sites'.

Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant Sustainability Appraisal information. This information must be consistent with the scope and level of detail of the Sustainability Appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

You should include all your comments on the Deposit Plan and set out your full case on the official form, using accompanying documents where necessary. If you seek more than one change and consider that the Deposit Plan fails to meet more than one test of soundness **separate forms should be completed for each representation**. Similarly, if your representation is in support of the Deposit Plan or individual elements of the Deposit Plan it would be helpful if separate representations were made. Please indicate if you are submitting other material to support your comments.

You will only be able to submit further information to the Examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you have made in response to previous consultations. If you do not consider the Deposit Plan to be sound and that it should be changed, please explain clearly why you think the changes are needed. If you think a change is needed for the Deposit Plan to meet one or more of the tests of soundness, please tell us which one(s).

Where a group shares a common view on how it wishes the Deposit Plan to be changed, the Councils will accept a signed petition. In submitting a representation form on behalf of a group, the representation form should include the contact details of a lead individual at Section 1 and the comments should be clearly set out on the representation form. The signed petition should state clearly how many people are being represented and how the representation has been authorised. Signing a petition does not prevent the submission of individual forms.

PART 2: Your Comments and Suggested Changes. (Please use one Part 2 section for each comment that you wish to make)

Enwan Nefydd Mollad
4

2a. Which part of the Deposit Plan are you commenting on?

Policy number (please specify)	TA118 HOUSING IN CLUSTERS.
Paragraph number (please specify)	
Proposals/ Inset Map (please specify ref no.)	
Constraints Map	
Appendices (please specify)	

2b. Are you objecting or supporting the Deposit Plan?

Objecting	☐	Supporting	☐
-----------	--------------------------	------------	--------------------------

2c. Please provide details of your representation on the Deposit Plan.

Please use additional sheet if necessary.
Please state how many additional sheets have been used.....

2ch. If your response to 2c above exceeds 100 words, please provide a summary (no more than 100 words).

--

2d. Please detail the changes you wish to see made to the Deposit Plan.

--

2dd. Is the Deposit Plan sound?

Yes ☐ No ☐

2e. If you think that the Deposit Plan is unsound which test of soundness do you think that it fails? (Please tick below). *More details are provided at the back of this form.*

Procedural				Consistency								Coherence & Effectiveness							
P1	☐	P2	☐	C1	☐	C2	☐	C3	☐	C4	☐	CE 1	☐	CE 2	☐	CE 3	☐	CE 4	☐

Part 3: What Happens Next?

At this stage of the Joint LDP process, you can only make comments in writing (these are called 'written representations'). However, the Inspector may call on those who want to change the Plan to appear and speak to the Inspector at a 'hearing session' during the Public Examination. You should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session.

3a. Do you want your comments to be considered by 'written representations' or do you want to speak at a hearing session of the Public Examination? (Please tick one of the following)

I do not want to speak at a hearing session and am happy for my written comments to be considered by the Inspector.



I want to speak at a hearing session.



3b. If you wish to speak, please confirm which part of your representation you wish to speak to the Inspector about and why you consider it to be necessary to speak at the Hearing.

3c. Would you like to be informed about the following (Please tick the relevant boxes)

Submission of documents and evidence to the examination



Publish Inspector's report



Plan's adoption



If additional documents have been provided to support your representations, please list below:

Signed:

[Redacted Signature]

Dated:

31/3/15

THANK YOU FOR YOUR COMMENTS ON THE DEPOSIT PLAN

Please do not forget to enclose any relevant documentation (e.g. a Sustainability Appraisal) with this form.

Completed representation forms should be returned to the Joint Planning Policy Unit at:

ONLINE – By completing the electronic form at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

BY EMAIL – planningpolicy@gwynedd.gov.uk

BY POST – By sending to: Joint Planning Policy Unit, 1st Floor, Bangor City Council Offices, Ffordd Gwynedd, Bangor, Gwynedd LL57 1DT

**REPRESENTATION FORMS SHOULD BE RETURNED BY NO LATER THAN 5.00pm on the 31st March 2015
REPRESENTATIONS RECEIVED AFTER THIS TIME WILL NOT BE CONSIDERED**

Test of Soundness

Test	Procedural Tests
P1	It has not been prepared in accordance with the Delivery Agreement including the Community Involvement Scheme.
P2	The plan and its policies have not been subjected to Sustainability Appraisal including Strategic Environmental Assessment.
	Consistency Tests
C1	It is a land use plan which does not have regard to other relevant plans, policies and strategies relating to the area or to adjoining areas.
C2	It does not have regard to national policy.
C3	It does not have regard to the Wales Spatial Plan.
C4	It does not have regard to the relevant community strategy.
	Coherence and Effectiveness Tests
CE1	The plan does not set out a coherent strategy from which its policies and allocations logically flow and/or, where cross boundary issues are relevant, it is not compatible with the development plans prepared by neighbouring authorities.
CE2	The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives and/or are not founded on a robust and credible evidence base.
CE3	There are no clear mechanisms for implementation and monitoring.
CE4	It is not reasonably flexible to enable it to deal with changing circumstances.

The Planning and Compulsory Purchase Act 2004 states that the purpose of the examination of a Local Development Plan (the Plan) is to consider whether it is "sound". This means that anyone who wants to comment on or object to the Deposit Plan should seek to say how it is unsound and what is needed to make it sound. Sound may be considered in this context within its ordinary meaning of "*showing good judgement*" and "*able to be trusted*". To assess the Deposit Plan we use 10 tests as set out above. The Deposit Plan will be examined by an independent Inspector appointed by the Welsh Government and it will be the Inspector's job to consider whether the Plan is sound.

Where you propose a change to the Deposit Plan you should therefore make clear which test(s) of soundness you believe the Deposit Plan fails. The tests are in 3 groups - 'Procedural' (2 tests); 'Conformity' (4 tests); and 'Coherence and Effectiveness' (4 tests). If you wish to comment on the way in which the Councils have prepared the Deposit Plan, it is likely that your comments or objections would fall under one of the procedural tests. If you wish to comment on or object to the content of the Deposit Plan, it may help to look at the 'consistency' and the 'coherence and effectiveness' tests.

Tynygongl

- Tynygongl is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1499

GWYNEDD

Aberdesach

- Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1500

Aberllefeni

- Aberllefeni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1501

Bethesda Bach

- Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

1502

Bryncir

- Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1503

Bryncroes

- Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1504

Bryn Eglwys

- Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1505

Bwlchtocyn

- There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
- Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1506

1507

Caerhun/Waen Wen

- Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1508

NEED TO SCAN

CYNGOR CYMDEITHAS BOTWNNOG**1541-964-Cyff**

3 Iain Mawrth, 2015.

ebost

Annwyl Syr,

Cynllun Datblygu Lleol ar y Cyd Gwynedd a Môn

Cyfeiriai at y ddogfen uchod a hoffwn yn y lle cyntaf ddatgan fod yr aelod yn siomedig iawn o'r amser roddwyd iddynt hwy a'r cyhoedd gyflwyno sylwadau ar y ddogfen swmpus yma – rhaid dweud fod un neu ddau o'r aelodau heb gael cyfle i gael golwg drosti o gwbl ac felly ni allwn roi sylwadau cynhwysfawr ar y cyfryw.

Un o'r pwyntiau amlycaf sy'n dod i'r amlwg tra'n darllen y ddogfen yw fod cefn gwlad yn mynd i ddioddef yn enbyd pe gweithredir y canllawiau a nodir yn y Cynllun uchod. Bydd cefn gwlad yn marw ar ei thraed a gwelir diboblogi – os daw i hynny bydd diwylliant a'r arferion unigryw sy'n perthyn i gefn gwlad yn cael eu colli am byth. Oni fydd yn edifar gan y Cyngor golli adnodd mor werthfawr a hyn? Ym marn yr aelodau dylai'r Cyngor ail ystyried yr hawl i bobl leol ifanc gael codi tai yn eu cynefin ac hefyd peidio cyfyngu ar y maint a ganiateir ar dai a godir.

Pwyntiau eraill sydd iawn mor bwysig yw'r rhai a ganlyn:

- 1) Mae Cynllun Gwarchod y Tirlun Newydd Arfordirol eto yn cyfyngu ar hawliau trigolion Pen Llŷn drwy eu rhwystro i godi tai yn eu hardal eu hunain. Dylid ail-edrych ar y Cynllun hwn hefyd yn wyneb y sylwadau sydd yn y paragraff uchod.
- 2) Yn y cynllun cyfeirir at ddau dŷ yn unig yn cael ei ganiatau ym mhentref Bryncroes – mae'r nifer yma'n gyfyngedig iawn am y nifer o flynyddoedd bydd y Cynllun arfaethedig mewn grym. Eto mae hyn yn cyfyngu ar hawliau'r unigolyn.
- 3) Mae'r Cynllun yn cyfeirio at economi ymwelwyr – os yw hwn am fod yn effeithiol dylid datblygu a gwella ffyrdd, llwybrau a llwybrau beic. Mae angen dybryd ar y Cyngor ystyried y rhain er budd y trigolion lleol yn ogystal a thwristiaid. Petai gwella'r cyfleusterau sy'n arwain i'r Penrhyn arbennig yma, efallai y gellid sefydlu diwydiant yma ac felly cwtdogi ar y niferoedd y rhai sydd heb waith.
- 4) Yn wyneb fod y boblogaeth yn heneiddio a'r pwyslais mawr gan y Llywodraeth i ofalu amdanynt yn eu cymuned, oni ddylai'r Cynllun arfaethedig ofalu fod tai pwrpasol ar eu cyfer yn y cymunedau lle maent yn byw. Mae'n holl bwysig fod y bobl hyn yn cael treulio gweddill eu hoes yn eu cynefin a'r amgylchfyd maent wedi arfer erioed.
- 5) Mae'r Cynllun yn cyfeirio fod yn rhaid i bopeth fod yn ddywieithiog, oni ddylai hyn fod 'Y Gymraeg' neu ddwyieithiog. Rhaid cofio ein bod yn nghadarnle yr iaith Gymraeg ym Mhen Llŷn.
- 6) Cyfeirir mai 3% a ganiateir o dai newydd yng nghefn gwlad yn ystod cyfnod y Cynllun hwn. Mae'r nifer yma'n isel iawn o ystyried nifer o flynyddoedd bydd y Cynllun yn weithredol. Eto rhaid ceisio denu'r ifanc i barhau yn eu cynefin a thrwy hynny bydd sicrwydd o ddyfodol i'n hysgolion, etifeddiaeth a.y.

Un pwynt arall godwyd oedd fod y tudalennau ddim yn cyferbynu a'r mapiau!

Gofynwn i chwi ystyried yn ddwys y sylwadau uchod er sicrhau dyfodol i'n hetifeddiaeth a ffyniant yn nghefn gwlad.

Anfonaf y copi caled yn y post heno.

Yn gywir,



Clarc

**Uned Polisi Cynllunio ar y Cyd,
Llawr Iaf Swyddfeydd Cyngor Dinas Bangor
Ffordd Gwynedd
Bangor
Gwynedd.
LL57 1DT.**

2680 1504 TH 18 Bunkles

	 CYNGOR SIR YNYS MÔN ISLE OF ANGLESEY COUNTY COUNCIL	For office use only: Representor No. Date received: 31/12/15 Date acknowledged: <i>20</i>
---	--	---

**Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026
Representation Form**

Data Protection

How your representation and the information that you give us will be used. All information submitted will be seen in full by the Joint Planning Policy Unit staff dealing with the Joint Local Development Plan (Joint LDP). Your name and comments as set out in your representation form will be published together with the Councils' response. This helps to show that the consultation was carried out properly. Please note that this form may also be made available to any Public Examination on the Joint LDP.

We would prefer that you submit your representations directly online. Alternatively, an electronic version of this form can be completed online at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp Separate forms should be completed for each comment that you wish to make.

Additional representation forms can be obtained from the Joint Planning Policy Unit on 01286 685003 or may be downloaded from the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp or you may photocopy this form. When making comments please use additional sheets as required clearly numbering each consecutive sheet.

PART 1: Contact details

	Your details/ Your client's details	Agent's details (if relevant)
Name	D. GRIFFITHS	
Address	WELSH WATER	
Postcode		
Telephone Number		
Email address		

Guidance Note.

Please set out your comments in Part 2 of this form. Use additional sheets of paper where necessary. **Separate forms should be completed for each comment** that you wish to make.

Question 2dd and 2e seeks your views on the soundness of the Joint Deposit Plan. The tests of soundness and additional information on how they are applied are detailed on the last page of this form.

If you want changes made to the Deposit Plan, please be as specific as you can. For example, if you want new text added, please set out the new text and explain where you would like it to go in the Deposit Plan and why. Similarly, if you want to add a new or amend a policy or a paragraph, please set out clearly the new text and explain where you think it should go in the Deposit Plan and why.

If you wish to delete a site that is allocated in the Deposit Plan or suggest amendments to it or you wish to propose a new site, please attach a 1:1250 or 1:2500 scale plan that clearly identifies the site boundaries. If you are proposing a new site (one that is not included within the Deposit Plan) the comment form must be accompanied by a detailed site assessment in accordance with the Council's Candidate Site assessment methodology and the Sustainability Appraisal framework. The Candidate Site assessment methodology and the Sustainability Appraisal framework can be found on the Council's website at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

Further information about this matter can be obtained from the Joint Planning Policy Unit on 01286 685003 or on the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp in the leaflet 'Guidance about alternative sites'.

Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant Sustainability Appraisal information. This information must be consistent with the scope and level of detail of the Sustainability Appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

You should include all your comments on the Deposit Plan and set out your full case on the official form, using accompanying documents where necessary. If you seek more than one change and consider that the Deposit Plan fails to meet more than one test of soundness **separate forms should be completed for each representation**. Similarly, if your representation is in support of the Deposit Plan or individual elements of the Deposit Plan it would be helpful if separate representations were made. Please indicate if you are submitting other material to support your comments.

You will only be able to submit further information to the Examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you have made in response to previous consultations. If you do not consider the Deposit Plan to be sound and that it should be changed, please explain clearly why you think the changes are needed. If you think a change is needed for the Deposit Plan to meet one or more of the tests of soundness, please tell us which one(s).

Where a group shares a common view on how it wishes the Deposit Plan to be changed, the Councils will accept a signed petition. In submitting a representation form on behalf of a group, the representation form should include the contact details of a lead individual at Section 1 and the comments should be clearly set out on the representation form. The signed petition should state clearly how many people are being represented and how the representation has been authorised. Signing a petition does not prevent the submission of individual forms.

PART 2: Your Comments and Suggested Changes. (Please use one Part 2 section for each comment that you wish to make)

Enwan Nefydd
Arbiod
4

2a. Which part of the Deposit Plan are you commenting on?

Policy number (please specify)	TAI 18 HOUSING IN CLUSTERS
Paragraph number (please specify)	
Proposals/ Inset Map (please specify ref no.)	
Constraints Map	
Appendices (please specify)	

2b. Are you objecting or supporting the Deposit Plan?

Objecting	☐	Supporting	☐
-----------	--------------------------	------------	--------------------------

2c. Please provide details of your representation on the Deposit Plan.

Please use additional sheet if necessary.
Please state how many additional sheets have been used.....

2ch. If your response to 2c above exceeds 100 words, please provide a summary (no more than 100 words).

2d. Please detail the changes you wish to see made to the Deposit Plan.

2dd. Is the Deposit Plan sound?

Yes ☐ No ☐

2e. If you think that the Deposit Plan is unsound which test of soundness do you think that it fails? (Please tick below). *More details are provided at the back of this form.*

Procedural				Consistency								Coherence & Effectiveness							
P1		P2		C1		C2		C3		C4		CE 1		CE 2		CE 3		CE 4	

Part 3: What Happens Next?

At this stage of the Joint LDP process, you can only make comments in writing (these are called 'written representations'). However, the Inspector may call on those who want to change the Plan to appear and speak to the Inspector at a 'hearing session' during the Public Examination. You should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session.

3a. Do you want your comments to be considered by 'written representations' or do you want to speak at a hearing session of the Public Examination? (Please tick one of the following)

I do not want to speak at a hearing session and am happy for my written comments to be considered by the Inspector.



I want to speak at a hearing session.



3b. If you wish to speak, please confirm which part of your representation you wish to speak to the Inspector about and why you consider it to be necessary to speak at the Hearing.

3c. Would you like to be informed about the following (Please tick the relevant boxes)

Submission of documents and evidence to the examination



Publish Inspector's report



Plan's adoption



If additional documents have been provided to support your representations, please list below:

Signed:

[Redacted Signature]

Dated:

31/3/15

THANK YOU FOR YOUR COMMENTS ON THE DEPOSIT PLAN

Please do not forget to enclose any relevant documentation (e.g. a Sustainability Appraisal) with this form.

Completed representation forms should be returned to the Joint Planning Policy Unit at:

ONLINE – By completing the electronic form at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

BY EMAIL – planningpolicy@gwynedd.gov.uk

BY POST – By sending to: Joint Planning Policy Unit, 1st Floor, Bangor City Council Offices, Ffordd Gwynedd, Bangor, Gwynedd LL57 1DT

REPRESENTATION FORMS SHOULD BE RETURNED BY NO LATER THAN 5.00pm on the 31st March 2015
REPRESENTATIONS RECEIVED AFTER THIS TIME WILL NOT BE CONSIDERED

Test of Soundness

Test	Procedural Tests
P1	It has not been prepared in accordance with the Delivery Agreement including the Community Involvement Scheme.
P2	The plan and its policies have not been subjected to Sustainability Appraisal including Strategic Environmental Assessment.
	Consistency Tests
C1	It is a land use plan which does not have regard to other relevant plans, policies and strategies relating to the area or to adjoining areas.
C2	It does not have regard to national policy.
C3	It does not have regard to the Wales Spatial Plan.
C4	It does not have regard to the relevant community strategy.
	Coherence and Effectiveness Tests
CE1	The plan does not set out a coherent strategy from which its policies and allocations logically flow and/or, where cross boundary issues are relevant, it is not compatible with the development plans prepared by neighbouring authorities.
CE2	The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives and/or are not founded on a robust and credible evidence base.
CE3	There are no clear mechanisms for implementation and monitoring.
CE4	It is not reasonably flexible to enable it to deal with changing circumstances.

The Planning and Compulsory Purchase Act 2004 states that the purpose of the examination of a Local Development Plan (the Plan) is to consider whether it is "sound". This means that anyone who wants to comment on or object to the Deposit Plan should seek to say how it is unsound and what is needed to make it sound. Sound may be considered in this context within its ordinary meaning of "*showing good judgement*" and "*able to be trusted*". To assess the Deposit Plan we use 10 tests as set out above. The Deposit Plan will be examined by an independent Inspector appointed by the Welsh Government and it will be the Inspector's job to consider whether the Plan is sound.

Where you propose a change to the Deposit Plan you should therefore make clear which test(s) of soundness you believe the Deposit Plan fails. The tests are in 3 groups - 'Procedural' (2 tests); 'Conformity' (4 tests); and 'Coherence and Effectiveness' (4 tests). If you wish to comment on the way in which the Councils have prepared the Deposit Plan, it is likely that your comments or objections would fall under one of the procedural tests. If you wish to comment on or object to the content of the Deposit Plan, it may help to look at the 'consistency' and the 'coherence and effectiveness' tests.

Tynygongl

- Tynygongl is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1499

GWYNEDD

Aberdesach

- Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1500

Aberllefeni

- Aberllefeni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1501

Bethesda Bach

- Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

1502

Bryncir

- Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1503

Bryncroes

- Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1504

Bryn Eglwys

- Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1505

Bwlchtocyn

- There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
- Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1506

1507

Caerhun/Waen Wen

- Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1508

2680 - 1506 - 1118 - Bwllfaen

	 CYNGOR SIR YNYS MÔN ISLE OF ANGLESEY COUNTY COUNCIL	For office use only: Representor No. Date received: 31/12/15 Date acknowledged: <i>2016</i>
---	--	---

**Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026
Representation Form**

Data Protection

How your representation and the information that you give us will be used. All information submitted will be seen in full by the Joint Planning Policy Unit staff dealing with the Joint Local Development Plan (Joint LDP). Your name and comments as set out in your representation form will be published together with the Councils' response. This helps to show that the consultation was carried out properly. Please note that this form may also be made available to any Public Examination on the Joint LDP.

We would prefer that you submit your representations directly online. Alternatively, an electronic version of this form can be completed online at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp Separate forms should be completed for each comment that you wish to make.

Additional representation forms can be obtained from the Joint Planning Policy Unit on 01286 685003 or may be downloaded from the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp or you may photocopy this form. When making comments please use additional sheets as required clearly numbering each consecutive sheet.

PART 1: Contact details

	Your details/ Your client's details	Agent's details (if relevant)
Name	D. GRIFFITHS	
Address	WELSH WATER	
Postcode		
Telephone Number		
Email address		

Guidance Note.

Please set out your comments in Part 2 of this form. Use additional sheets of paper where necessary. **Separate forms should be completed for each comment** that you wish to make.

Question 2dd and 2e seeks your views on the soundness of the Joint Deposit Plan. The tests of soundness and additional information on how they are applied are detailed on the last page of this form.

If you want changes made to the Deposit Plan, please be as specific as you can. For example, if you want new text added, please set out the new text and explain where you would like it to go in the Deposit Plan and why. Similarly, if you want to add a new or amend a policy or a paragraph, please set out clearly the new text and explain where you think it should go in the Deposit Plan and why.

If you wish to delete a site that is allocated in the Deposit Plan or suggest amendments to it or you wish to propose a new site, please attach a 1:1250 or 1:2500 scale plan that clearly identifies the site boundaries. If you are proposing a new site (one that is not included within the Deposit Plan) the comment form must be accompanied by a detailed site assessment in accordance with the Council's Candidate Site assessment methodology and the Sustainability Appraisal framework. The Candidate Site assessment methodology and the Sustainability Appraisal framework can be found on the Council's website at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

Further information about this matter can be obtained from the Joint Planning Policy Unit on **01286 685003** or on the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp in the leaflet 'Guidance about alternative sites'.

Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant Sustainability Appraisal information. This information must be consistent with the scope and level of detail of the Sustainability Appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

You should include all your comments on the Deposit Plan and set out your full case on the official form, using accompanying documents where necessary. If you seek more than one change and consider that the Deposit Plan fails to meet more than one test of soundness **separate forms should be completed for each representation**. Similarly, if your representation is in support of the Deposit Plan or individual elements of the Deposit Plan it would be helpful if separate representations were made. Please indicate if you are submitting other material to support your comments.

You will only be able to submit further information to the Examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you have made in response to previous consultations. If you do not consider the Deposit Plan to be sound and that it should be changed, please explain clearly why you think the changes are needed. If you think a change is needed for the Deposit Plan to meet one or more of the tests of soundness, please tell us which one(s).

Where a group shares a common view on how it wishes the Deposit Plan to be changed, the Councils will accept a signed petition. In submitting a representation form on behalf of a group, the representation form should include the contact details of a lead individual at Section 1 and the comments should be clearly set out on the representation form. The signed petition should state clearly how many people are being represented and how the representation has been authorised. Signing a petition does not prevent the submission of individual forms.

PART 2: Your Comments and Suggested Changes. (Please use one Part 2 section for each comment that you wish to make)

Erwan Nefed
Atadid

2a. Which part of the Deposit Plan are you commenting on?	
Policy number (please specify)	TAI 18 HOUSING IN CLUSTERS
Paragraph number (please specify)	
Proposals/ Inset Map (please specify ref no.)	
Constraints Map	
Appendices (please specify)	

2b. Are you objecting or supporting the Deposit Plan?			
Objecting	☐	Supporting	☐

2c. Please provide details of your representation on the Deposit Plan.

*Please use additional sheet if necessary.
Please state how many additional sheets have been used.....*

2ch. If your response to 2c above exceeds 100 words, please provide a summary (no more than 100 words).

2d. Please detail the changes you wish to see made to the Deposit Plan.

2dd. Is the Deposit Plan sound?

Yes ☐ No ☐

2e. If you think that the Deposit Plan is unsound which test of soundness do you think that it fails? (Please tick below). *More details are provided at the back of this form.*

Procedural				Consistency								Coherence & Effectiveness							
P1	☐	P2	☐	C1	☐	C2	☐	C3	☐	C4	☐	CE 1	☐	CE 2	☐	CE 3	☐	CE 4	☐

Part 3: What Happens Next?

At this stage of the Joint LDP process, you can only make comments in writing (these are called 'written representations'). However, the Inspector may call on those who want to change the Plan to appear and speak to the Inspector at a 'hearing session' during the Public Examination. You should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session.

3a. Do you want your comments to be considered by 'written representations' or do you want to speak at a hearing session of the Public Examination? (Please tick one of the following)

I do not want to speak at a hearing session and am happy for my written comments to be considered by the Inspector.



I want to speak at a hearing session.



3b. If you wish to speak, please confirm which part of your representation you wish to speak to the Inspector about and why you consider it to be necessary to speak at the Hearing.

3c. Would you like to be informed about the following (Please tick the relevant boxes)

Submission of documents and evidence to the examination



Publish Inspector's report



Plan's adoption



If additional documents have been provided to support your representations, please list below:

Signed:



Dated:

31/3/15.

THANK YOU FOR YOUR COMMENTS ON THE DEPOSIT PLAN

Please do not forget to enclose any relevant documentation (e.g. a Sustainability Appraisal) with this form.

Completed representation forms should be returned to the Joint Planning Policy Unit at:

ONLINE – By completing the electronic form at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

BY EMAIL – planningpolicy@gwynedd.gov.uk

BY POST – By sending to: Joint Planning Policy Unit, 1st Floor, Bangor City Council Offices, Ffordd Gwynedd, Bangor, Gwynedd LL57 1DT

**REPRESENTATION FORMS SHOULD BE RETURNED BY NO LATER THAN 5.00pm on the 31st March 2015
REPRESENTATIONS RECEIVED AFTER THIS TIME WILL NOT BE CONSIDERED**

Test of Soundness

Test	Procedural Tests
P1	It has not been prepared in accordance with the Delivery Agreement including the Community Involvement Scheme.
P2	The plan and its policies have not been subjected to Sustainability Appraisal including Strategic Environmental Assessment.
	Consistency Tests
C1	It is a land use plan which does not have regard to other relevant plans, policies and strategies relating to the area or to adjoining areas.
C2	It does not have regard to national policy.
C3	It does not have regard to the Wales Spatial Plan.
C4	It does not have regard to the relevant community strategy.
	Coherence and Effectiveness Tests
CE1	The plan does not set out a coherent strategy from which its policies and allocations logically flow and/or, where cross boundary issues are relevant, it is not compatible with the development plans prepared by neighbouring authorities.
CE2	The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives and/or are not founded on a robust and credible evidence base.
CE3	There are no clear mechanisms for implementation and monitoring.
CE4	It is not reasonably flexible to enable it to deal with changing circumstances.

The Planning and Compulsory Purchase Act 2004 states that the purpose of the examination of a Local Development Plan (the Plan) is to consider whether it is "sound". This means that anyone who wants to comment on or object to the Deposit Plan should seek to say how it is unsound and what is needed to make it sound. Sound may be considered in this context within its ordinary meaning of "*showing good judgement*" and "*able to be trusted*". To assess the Deposit Plan we use 10 tests as set out above. The Deposit Plan will be examined by an independent Inspector appointed by the Welsh Government and it will be the Inspector's job to consider whether the Plan is sound.

Where you propose a change to the Deposit Plan you should therefore make clear which test(s) of soundness you believe the Deposit Plan falls. The tests are in 3 groups - 'Procedural' (2 tests); 'Conformity' (4 tests); and 'Coherence and Effectiveness' (4 tests). If you wish to comment on the way in which the Councils have prepared the Deposit Plan, it is likely that your comments or objections would fall under one of the procedural tests. If you wish to comment on or object to the content of the Deposit Plan, it may help to look at the 'consistency' and the 'coherence and effectiveness' tests.

Tynyngol

- Tynyngol is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1499

GWYNEDD

Aberdesach

- Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1500

Aberllefeni

- Aberllefeni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1501

Bethesda Bach

- Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

1502

Bryncir

- Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1503

Bryncroes

- Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1504

Bryn Eglwys

- Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1505

Bwlchtocyn

- There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
- Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1506

1507

Caerhun/Waen Wen

- Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1508

2680-1507-1118 / Bwlltrocken

	 CYNGOR SIR YNYS MÔN ISLE OF ANGLESEY COUNTY COUNCIL	For office use only: Representor No. Date received: 31/12/15 Date acknowledged: <i>2016</i>
---	--	---

**Anglesey and Gwynedd Deposit Joint Local Development Plan 2011-2026
Representation Form**

Data Protection

How your representation and the information that you give us will be used. All Information submitted will be seen in full by the Joint Planning Policy Unit staff dealing with the Joint Local Development Plan (Joint LDP). Your name and comments as set out in your representation form will be published together with the Councils' response. This helps to show that the consultation was carried out properly. Please note that this form may also be made available to any Public Examination on the Joint LDP.

We would prefer that you submit your representations directly online. Alternatively, an electronic version of this form can be completed online at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp Separate forms should be completed for each comment that you wish to make.

Additional representation forms can be obtained from the Joint Planning Policy Unit on 01286 685003 or may be downloaded from the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp or you may photocopy this form. When making comments please use additional sheets as required clearly numbering each consecutive sheet.

PART 1: Contact details

	Your details/ Your client's details	Agent's details (if relevant)
Name	D. GRIFFITHS	
Address	WELSH WATER	
Postcode	[REDACTED]	
Telephone Number		
Email address		

Guidance Note.

Please set out your comments in Part 2 of this form. Use additional sheets of paper where necessary. **Separate forms should be completed for each comment** that you wish to make.

Question 2dd and 2e seeks your views on the soundness of the Joint Deposit Plan. The tests of soundness and additional information on how they are applied are detailed on the last page of this form.

If you want changes made to the Deposit Plan, please be as specific as you can. For example, if you want new text added, please set out the new text and explain where you would like it to go in the Deposit Plan and why. Similarly, if you want to add a new or amend a policy or a paragraph, please set out clearly the new text and explain where you think it should go in the Deposit Plan and why.

If you wish to delete a site that is allocated in the Deposit Plan or suggest amendments to it or you wish to propose a new site, please attach a 1:1250 or 1:2500 scale plan that clearly identifies the site boundaries. If you are proposing a new site (one that is not included within the Deposit Plan) the comment form must be accompanied by a detailed site assessment in accordance with the Council's Candidate Site assessment methodology and the Sustainability Appraisal framework. The Candidate Site assessment methodology and the Sustainability Appraisal framework can be found on the Council's website at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

Further information about this matter can be obtained from the Joint Planning Policy Unit on **01286 685003** or on the Council's web site at: www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp in the leaflet 'Guidance about alternative sites'.

Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant Sustainability Appraisal information. This information must be consistent with the scope and level of detail of the Sustainability Appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

You should include all your comments on the Deposit Plan and set out your full case on the official form, using accompanying documents where necessary. If you seek more than one change and consider that the Deposit Plan fails to meet more than one test of soundness **separate forms should be completed for each representation**. Similarly, if your representation is in support of the Deposit Plan or individual elements of the Deposit Plan it would be helpful if separate representations were made. Please indicate if you are submitting other material to support your comments.

You will only be able to submit further information to the Examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you have made in response to previous consultations. If you do not consider the Deposit Plan to be sound and that it should be changed, please explain clearly why you think the changes are needed. If you think a change is needed for the Deposit Plan to meet one or more of the tests of soundness, please tell us which one(s).

Where a group shares a common view on how it wishes the Deposit Plan to be changed, the Councils will accept a signed petition. In submitting a representation form on behalf of a group, the representation form should include the contact details of a lead individual at Section 1 and the comments should be clearly set out on the representation form. The signed petition should state clearly how many people are being represented and how the representation has been authorised. Signing a petition does not prevent the submission of individual forms.

Enwan Nkhalo Akalio
4

2b. Are you objecting or supporting the Deposit Plan?			
Objecting	☐	Supporting	☐

*Please use additional sheet if necessary.
Please state how many additional sheets have been used.....*

2ch. If your response to 2c above exceeds 100 words, please provide a summary (no more than 100 words).

2d. Please detail the changes you wish to see made to the Deposit Plan.

2dd. Is the Deposit Plan sound?

Yes ☐ No ☐

2e. If you think that the Deposit Plan is unsound which test of soundness do you think that it fails? (Please tick below). *More details are provided at the back of this form.*

Procedural				Consistency								Coherence & Effectiveness							
P1	☐	P2	☐	C1	☐	C2	☐	C3	☐	C4	☐	CE 1	☐	CE 2	☐	CE 3	☐	CE 4	☐

Part 3: What Happens Next?

At this stage of the Joint LDP process, you can only make comments in writing (these are called 'written representations'). However, the Inspector may call on those who want to change the Plan to appear and speak to the Inspector at a 'hearing session' during the Public Examination. You should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session.

3a. Do you want your comments to be considered by 'written representations' or do you want to speak at a hearing session of the Public Examination? (Please tick one of the following)

I do not want to speak at a hearing session and am happy for my written comments to be considered by the Inspector.



I want to speak at a hearing session.



3b. If you wish to speak, please confirm which part of your representation you wish to speak to the Inspector about and why you consider it to be necessary to speak at the Hearing.

3c. Would you like to be informed about the following (Please tick the relevant boxes)

Submission of documents and evidence to the examination



Publish Inspector's report



Plan's adoption



If additional documents have been provided to support your representations, please list below:

Signed:



Dated:

31/3/15

THANK YOU FOR YOUR COMMENTS ON THE DEPOSIT PLAN

Please do not forget to enclose any relevant documentation (e.g. a Sustainability Appraisal) with this form.

Completed representation forms should be returned to the Joint Planning Policy Unit at:

ONLINE – By completing the electronic form at www.gwynedd.gov.uk/ldp or www.anglesey.gov.uk/ldp

BY EMAIL – planningpolicy@gwynedd.gov.uk

BY POST – By sending to: Joint Planning Policy Unit, 1st Floor, Bangor City Council Offices, Ffordd Gwynedd, Bangor, Gwynedd LL57 1DT

**REPRESENTATION FORMS SHOULD BE RETURNED BY NO LATER THAN 5.00pm on the 31st March 2015
REPRESENTATIONS RECEIVED AFTER THIS TIME WILL NOT BE CONSIDERED**

Test of Soundness

Test	Procedural Tests
P1	It has not been prepared in accordance with the Delivery Agreement including the Community Involvement Scheme.
P2	The plan and its policies have not been subjected to Sustainability Appraisal including Strategic Environmental Assessment.
	Consistency Tests
C1	It is a land use plan which does not have regard to other relevant plans, policies and strategies relating to the area or to adjoining areas.
C2	It does not have regard to national policy.
C3	It does not have regard to the Wales Spatial Plan.
C4	It does not have regard to the relevant community strategy.
	Coherence and Effectiveness Tests
CE1	The plan does not set out a coherent strategy from which its policies and allocations logically flow and/or, where cross boundary issues are relevant, it is not compatible with the development plans prepared by neighbouring authorities.
CE2	The strategy, policies and allocations are not realistic and appropriate having considered the relevant alternatives and/or are not founded on a robust and credible evidence base.
CE3	There are no clear mechanisms for implementation and monitoring.
CE4	It is not reasonably flexible to enable it to deal with changing circumstances.

The Planning and Compulsory Purchase Act 2004 states that the purpose of the examination of a Local Development Plan (the Plan) is to consider whether it is "sound". This means that anyone who wants to comment on or object to the Deposit Plan should seek to say how it is unsound and what is needed to make it sound. Sound may be considered in this context within its ordinary meaning of "*showing good judgement*" and "*able to be trusted*". To assess the Deposit Plan we use 10 tests as set out above. The Deposit Plan will be examined by an independent Inspector appointed by the Welsh Government and it will be the Inspector's job to consider whether the Plan is sound.

Where you propose a change to the Deposit Plan you should therefore make clear which test(s) of soundness you believe the Deposit Plan falls. The tests are in 3 groups - 'Procedural' (2 tests); 'Conformity' (4 tests); and 'Coherence and Effectiveness' (4 tests). If you wish to comment on the way in which the Councils have prepared the Deposit Plan, it is likely that your comments or objections would fall under one of the procedural tests. If you wish to comment on or object to the content of the Deposit Plan, it may help to look at the 'consistency' and the 'coherence and effectiveness' tests.

Tynygongl

- Tynygongl is served by Benllech Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1499

GWYNEDD

Aberdesach

- Aberdesach is served by Pontllyfni Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1500

Aberllefeni

- Aberllefeni Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1501

Bethesda Bach

- Bethesda Bach is served by Llanfaglan Wastewater Treatment Works (WwTW). The proposed growth being promoted for this catchment area would require improvements at the treatment works which would need to be funded through our Asset Management Plan or potentially earlier through developer contributions.

1502

Bryncir

- Bryncir Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1503

Bryncroes

- Bryncroes Wastewater Treatment Works (WwTW) can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1504

Bryn Eglwys

- Bryn Eglwys is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1505

Bwlchtocyn

- There are isolated incidents of flooding in the public sewerage system that, depending on the location of the development, may need to be resolved to allow development to proceed. Potential developers can either wait for DCWW to resolve the flooding, subject to funding being approved by our regulator Ofwat, or progress the improvements through the sewerage requisition provisions of the Water Industry Act 1991 or S106 of the Town & Country Planning Act 1990.
- Bwlchtocyn is served by Abersoch Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1506

1507

Caerhun/Waen Wen

- Caerhun is served by Tregarth Wastewater Treatment Works (WwTW) which can accommodate the foul flows from the proposed growth figure allocated for this catchment area.

1508